

### **Window Sticker**

#### **SUMMARY**

[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab LT w/1LT

MSRP:\$47,100.00

Interior:Jet Black, Cloth Seat Trim

Exterior 1:Red Hot

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing

Transmission, 6-speed automatic, electronically controlled

#### **OPTIONS**

CODE	MODEL		MSRP
CK15753	[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Do Cab LT w/1LT	uble	\$47,100.00
	OPTIONS		
1LT	LT Preferred Equipment Group		\$0.00
AG1	Seat adjuster, driver 10-way power	Inc.	
AZ3	Seats, front 40/20/40 split-bench, 3-passenger, available in clot	h	\$0.00
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5Z	GVWR, 7200 lbs. (3266 kg)		\$0.00
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
G7C	Red Hot		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
H0U	Jet Black, Cloth Seat Trim		\$0.00
IO5	Audio system, Chevrolet Infotainment System with 8" diagonal touch-screen, AM/FM stereo	colour	\$0.00
JL1	Trailer brake controller, integrated	Inc.	
KI4	Power outlet, 110-volt AC	Inc.	
L83	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing		\$0.00
MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
N37	Steering column, manual tilt and telescoping	Inc.	
PDU	True North Edition		\$2,710.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



	[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab	0 (3)	
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) bright-machined aluminum	Inc.	
RKX	Tires, P265/65R18 all-season, blackwall	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bow-Tie Emblems, front and rear		\$270.00
T3U	Fog lamps, thin profile LED	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VQK	LPO, Moulded splash guards, Black		\$270.00
VXH	LPO, Assist steps - 6" Chromed Rectangular		\$960.00
XCQ	Tire, spare P265/70R17SL all-season, blackwall	Inc.	
ZY1	Paint, solid		\$0.00
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$820.00
	SUBTOTAL		\$50,570.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,895.00
	TOTAL PRICE		\$52,565.00

#### **FUEL ECONOMY**

Est City:15.8 L/100 km

Est Highway:11.4 L/100 km

Est Highway Cruising Range:859.21 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



# **Standard Equipment**

	·····
Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors
Mechanical	
	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	Transfer case, electronic Autotrac with rotary dial control (Included with 4WD models only.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 150 amps
	Pickup Box
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
	Capless Fuel Fill
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) bright machined aluminum (STD)
	Tires, P255/70R17 all-season, blackwall (STD)
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire, spare P255/70R17 all-season, blackwall
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Exterior	
	Active aero shutters, front
	Recovery hooks, front, frame-mounted, black (Included with 4WD models only.)
	Lamps, cargo area, cab mounted with switch on centre switch bank
	Tailgate and bed rail protection cap, top
	Remote Locking Tailgate
	Tailgate, EZ-Lift and Lower
	CornerSteps, rear bumper
	Mouldings, bodyside, body colour
	Wheelhouse liners, rear
	Grille surround, chrome
	Headlamps, high intensity discharge (HID) projector-beam with LED signature DRL
	Mirrors, outside heated power-adjustable (includes driver's side spotter mirror) (Body-colour.)
	Mirror caps, body-colour
	Glass, deep-tinted
	Door handles, body-colour
Entertainment	
	Audio system, Chevrolet Infotainment System with 8" diagonal colour touch-screen, AM/FM stereo with seek- and-scan and digital clock, includes Bluetooth streaming audio for music and select phones, USB ports, auxiliary jack, voice-activated technology for radio and phone and Shop with the ability to browse, select and install apps to your vehicle. Apps include iHeartRadio, The Weather Channel and more. (STD)
	Single-slot CD/MP3 player
	Radio, HD
	SiriusXM enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	6-speaker audio system
	Bluetooth for phone, personal cell phone connectivity to vehicle audio system

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Entertainment	
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
Interior	
	Seats, front 40/20/40 split-bench, 3-passenger, available in cloth includes driver and front passenger recline with outboard head restraints and centre fold-down armrest with storage. Also includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. (STD) (Includes (AG1) driver 10-way power seat-adjuster with (PDU) True North Edition.)
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting with rubberized vinyl floor mats
	Steering wheel, leather-wrapped with audio and cruise controls
	Steering column, Tilt-Wheel, manual with theft-deterrent locking feature
	Steering wheel audio controls
	Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2-inch diagonal colour display includes driver personalization, warning messages and vehicle information
	Windows, power front and rear with driver express up and down and express down on all other windows
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Air conditioning, single-zone
	Visors, driver and front passenger illuminated vanity mirrors
	Assist handle, front passenger on A-pillar
Safety-Mechanical	

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
Rear Vision Camera
Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver
Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

#### **WARRANTY**

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

## **Technical Specifications**

recinical opecinications			
Powertrain			
Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MYC
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.0
Second Gear Ratio (:1)	2.4	Third Gear Ratio (:1)	1.5
Fourth Gear Ratio (:1)	1.2	Fifth Gear Ratio (:1)	0.9
Sixth Gear Ratio (:1)	0.7	Reverse Ratio (:1)	3.1
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A		
Mileage			
EnerGuide Estimate - City	15.8 L/100 km	EnerGuide Estimate - Hwy	11.4 L/100 km
Cruising Range - City	619.93 km	Cruising Range - Hwy	859.21 km
Engine			
Engine Order Code	L83	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	150	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
T ( 10 11 0 1 0 11	N1/A		

N/A

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

**Total Cooling System Capacity** 

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	325
nassis			
/eight Information			
Standard Weight - Front	9.07 kg	Standard Weight - Rear	9.98 kg
Gross Axle Wt Rating - Front	1,791.72 kg	Gross Axle Wt Rating - Rear	1,791.72 kg
Curb Weight - Front	1,435.19 kg	Curb Weight - Rear	937.14 kg
Option Weight - Front	16.78 kg	Option Weight - Rear	12.25 kg
Reserve Axle Capacity - Front	330.67 kg	Reserve Axle Capacity - Rear	832.36 kg
As Spec'd Curb Weight	2,420.41 kg	As Spec'd Payload	845.51 kg
Maximum Payload Capacity	893.59 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,583.44 kg	Curb Weight	2,372.33 kg
Reserve Axle Capacity	1,163.03 kg	Total Option Weight	29.03 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,265.92 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,173.12 kg	Wt Distributing Hitch - Max Tongue Wt.	417.31 kg
Maximum Trailering Capacity	4,173.12 kg		
rame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent	Suspension Type - Rear	2-Stage Multi-Le
Spring Capacity - Front	1,791.72 kg	Spring Capacity - Rear	1,791.72 kg
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	1,791.72 kg	Axle Capacity - Rear	1,791.72 kg

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



hassis			
Suspension			
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	46 mm	Shock Absorber Diameter - Rear	35 mm
Stabilizer Bar Diameter - Front	34.29 mm	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	RKX	Rear Tire Order Code	RKX
Spare Tire Order Code	XCQ	Front Tire Size	P265/65R18
Rear Tire Size	P265/65R18	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	457.2 x 215.9 mm	Rear Wheel Size	457.2 x 215.9 mm
Spare Wheel Size	431.8 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	16.3
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	330.2 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



ssis			
el Tank			
Fuel Tank Capacity, Approx	98 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	6	Front Head Room	1,087.12 mm
Front Leg Room	1,149.86 mm	Front Shoulder Room	1,674.62 mm
Front Hip Room	1,542.54 mm	Second Head Room	982.22 mm
Second Leg Room	879.6 mm	Second Shoulder Room	1,671.32 mm
Second Hip Room	1,529.84 mm		
xterior Dimensions			
Wheelbase	3,644.9 mm	Length, Overall w/o rear bumper	5,842.76 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,032 mm
Height, Overall	1,877.06 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	3,590.8 mm
Cab to Axle	1,054.1 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	225.3 mm
Ground Clearance, Rear	225.3 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	2,003.3 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,648.46 mm	Cargo Box Width @ Wheelhousings	1,296.16 mm
Cargo Box (Area) Height	535.94 mm	Tailgate Width	1,579.88 mm
Cargo Volume	1,727.33 L	Ext'd Cab Cargo Volume	N/A

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.