

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Colorado (12N43) 2WD Crew Cab 128.3" LT

MSRP:W/A

Interior:Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

OPT	IONS			
	CODE	MODEL		MSRP
	12N43	[Retail] 2019 Chevrolet Colorado (12N43) 2WD Crew Cab 128.3" LT	W/A	
		OPTIONS		
	2LT	LT Preferred Equipment Group		\$0.00
	5GD	Tow/Haul Mode	Inc.	
	A28	Window, rear-sliding, manual	Inc.	
	AAQ	Seat adjuster, 4-way power front passenger	Inc.	
	AL9	Seat adjuster, power driver lumbar control	Inc.	
	AR7	Seats, front bucket		\$0.00
	AT9	Seat adjuster, power passenger lumbar control	Inc.	
	BTV	Remote vehicle starter system	Inc.	
	BW5	Mouldings, Black beltline	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	CGN	Bedliner, spray-on, Black	Inc.	
	CHN	GVWR, 5800 lbs. (2631 kg)	Inc.	
	СТТ	Trailering assist, guidelines	Inc.	
	DG6	Mirrors, outside heated power-adjustable, body-colour, manual-folding	Inc.	
	G80	Differential, automatic locking rear		\$410.00
	GAZ	Summit White		\$0.00
	GU6	Rear axle, 3.42 ratio	Inc.	
	H0U	Jet Black, Cloth seat trim		\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



	[Retail] 2019 Chevrolet Colorado (12N43) Crew Cab 128.3"	(5)	
IOS	Audio system, Chevrolet Infotainment 3 Plus system		\$0.00
KA1	Seats, heated driver and front passenger	W/A	
LGZ	Engine, 3.6L DI DOHC V6 VVT		\$1,480.00
M5T	Transmission, 8-speed automatic		\$225.00
PCM	LT Convenience Package		\$835.00
PPA	Tailgate, EZ-Lift and Lower	Inc.	
AIQ	Tires, P265/60R18 all-season, blackwall	Inc.	
RSZ	Wheels, 18" aluminum	Inc.	
RVP	LPO, Assist steps, Black, 3" round, Off-road step bars	Inc.	
S1K	Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel	Inc.	
SFE	LPO, Wheel locks		\$80.0
T3U	Fog lamps, front	Inc.	
UGA	Red Recovery Hooks	Inc.	
JVD	Steering wheel, heated	Inc.	
WGQ	Redline Special Edition		\$3,235.0
Z82	Trailering Package, heavy-duty		\$295.0
ZJJ	Tire, spare P265/70R16 all-season, blackwall	Inc.	
ZQ9	Appearance Package, Exterior Trim, Black Out	Inc.	
ZY1	Solid paint		\$0.0
	Federal air conditioning excise tax		\$100.0
	SUBTOTAL	W/A	
	Adjustments Total	W/A	
	Total Tax		\$100.0
	Destination Charge	W/A	
	TOTAL PRICE	W/A	

FUEL ECONOMY

Est City:13.4 (2018) L/100 km

Est Highway: 9.6 (2018) L/100 km

Est Highway Cruising Range:822.46 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Standard Equipment

Mechanical	
	Engine, 2.5L I4, DI, DOHC, VVT (200 hp [149.0 kW] @ 6300 rpm, 191 lb-ft of torque [259 N-m] @ 4400 rpm) (STD) (Not included on Crew Cab Long Box models.)
	Transmission, 6-speed automatic, HMD, 6L50 (STD) (Standard on Extended Cab and Crew Cab Short Box models. Requires (LCV) 2.5L I4 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Available on Crew Cab Long Box models.)
	Rear axle, 4.10 ratio (Requires (LCV) 2.5L I4 engine. Not included on Crew Cab Long Box models.)
	GVWR, 5500 lbs. (2495 kg) (STD) (Standard on Crew Cab Short Wheelbase models with (LCV) 2.5L I4 engine only.)
	Rear wheel drive
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Pickup box
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum (STD)
	Tires, P255/65R17 all-season, blackwall (STD)
	Tire, compact spare T175/80R18, blackwall (STD) (Requires (RTX) 18" x 4.5" (45.7 cm x 11.4 cm) Black cast aluminum, compact spare wheel.)
	Wheel, compact spare, 18" \times 4.5" (45.7 cm \times 11.4 cm) Black cast aluminum (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab Long Box models.)
	Bumper, rear body-colour (Deleted when (TGK) Special Paint is ordered.)
	CornerStep, rear bumper
	Mouldings, Chrome beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of Cab
	Mirrors, outside power-adjustable, body-colour, manual-folding
	Mirror, spotter, located in corner of driver-side outside mirror
	Glass, windshield shade band
	Handles, door release, front and rear, chrome
	Door handles, body-colour
	Tailgate, locking
	Tailgate handle, Black (Not available with (SCZ) Chrome tailgate handle, LPO.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Entertainment

[Retail] 2019 Chevrolet Colorado (12N43) Crew Cab 128.3" (5)

	Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period (STD)
	Audio system feature, 6-speaker system
	Radio, HD
	USB data ports, 2 includes auxiliary input jack, located on the front console
	USB charging-only ports, 2, located on the rear of the centre console
	SiriusXM Enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you wi be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Microphones, Driver side and Passenger side
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way power
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seat, rear folding bench (Crew Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
This decument contains in	information considered Confidential between CM and its Clients uniquely. The information provided is not intended for public disclosure. Drives

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Interior	
	Display, driver instrument information enhanced, multi-colour
	Windows, power with driver Express-Up and Down
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	Air conditioning, single-zone manual climate control
	Mirror, inside rearview manual day/night
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
	HD Rear Vision Camera
	Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitor System

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

_				
l ra	nsn	าเร	sion	١

Drivetrain	Rear Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A		

Mileage

EnerGuide Estimate - City	13.4 (2018) L/100 km	EnerGuide Estimate - Hwy	9.6 (2018) L/100 km
Cruising Range - City	589.23 km	Cruising Range - Hwy	822.46 km

Engine

Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Powertrain			
Engine			
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A
		5 1 • · · · · · · · · · · · · · · · · · ·	
Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	274 (2018)
Chassis			
Weight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	991.57 kg	Curb Weight - Rear	789.26 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	459.95 kg	Reserve Axle Capacity - Rear	798.34 kg
As Spec'd Curb Weight	1,780.83 kg	As Spec'd Payload	850.05 kg
Maximum Payload Capacity	850.05 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,780.83 kg
Reserve Axle Capacity	1,258.29 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,630.88 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Chassis			
Trailering			
Maximum Trailering Capacity	3,492.72 kg		
_			
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Independent
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZJJ	Front Tire Size	P265/60R18
Rear Tire Size	P265/60R18	Spare Tire Size	P265/70R16
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	457.2 x -TBD- mm	Rear Wheel Size	457.2 x -TBD- mm
Spare Wheel Size	406.4 x 177.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		
xterior Dimensions			
Wheelbase	3,258.82 mm	Length, Overall w/o rear bumper	5,402.58 mm
Length, Overall	N/A	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,795.78 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	608.08 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	210.82 mm

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Dimensions			
Exterior Dimensions			
Ground Clearance, Rear	210.82 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.