



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Window Sticker

### SUMMARY

[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab LT w/2LT

MSRP:\$48,600.00

Interior:Jet Black, Cloth Seat Trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing

Transmission, 6-speed automatic, electronically controlled

### OPTIONS

CODE	MODEL	MSRP
CK15753	[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab LT w/2LT	\$48,600.00
<b>OPTIONS</b>		
2LT	LT Preferred Equipment Group	\$0.00
AG1	Seat adjuster, driver 10-way power	Inc.
AZ3	Seats, front 40/20/40 split-bench, 3-passenger, available in cloth	\$0.00
BTV	Remote vehicle starter system	Inc.
C49	Defogger, rear-window electric	Inc.
C5Z	GVWR, 7200 lbs. (3266 kg)	\$0.00
CGN	Bed Liner, Spray-on, Pickup box bed liner	Inc.
CJ2	Air conditioning, dual-zone automatic climate control	Inc.
GBA	Black	\$0.00
GU6	Rear axle, 3.42 ratio	\$0.00
H0U	Jet Black, Cloth Seat Trim	\$0.00
IO5	Audio system, Chevrolet Infotainment System with 8" diagonal colour touch-screen, AM/FM stereo	\$0.00
JL1	Trailer brake controller, integrated	Inc.
KA1	Seating, heated driver and front passenger	Inc.
KI4	Power outlet, 110-volt AC	Inc.
L83	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing	\$0.00
MYC	Transmission, 6-speed automatic, electronically controlled	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

N37	Steering column, manual tilt and telescoping	Inc.	
P3H	Front and rear Black Bowtie	Inc.	
PDU	True North Edition		\$3,040.00
REG	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) 5-spoke Black paint alloy	Inc.	
RI8	Tires, 265/65R18SL MT 114S blackwall Goodyear Wrangler DuraTrac	Inc.	
UD7	Rear Park Assist, Ultrasonic	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
WJP	Midnight Edition		\$1,695.00
ZY1	Paint, solid		\$0.00
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$585.00
<b>SUBTOTAL</b>			<b>\$52,750.00</b>
Adjustments Total			\$0.00
Total Tax			\$100.00
Destination Charge			\$1,895.00
<b>TOTAL PRICE</b>			<b>\$54,745.00</b>

#### FUEL ECONOMY

Est City:15.8 L/100 km

Est Highway:11.4 L/100 km

Est Highway Cruising Range:859.21 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Standard Equipment

### Package

Trailer Package includes trailer hitch, 7-pin and 4-pin connectors

### Mechanical

Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm) (STD)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)

Rear axle, 3.42 ratio

Hill Descent Control

Transfer case, electronic Autotrac with rotary dial control (Included with 4WD models only.)

Differential, heavy-duty locking rear

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Air cleaner, high-capacity

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power

Alternator, 150 amps

Underbody shield, transfer case protection

Pickup Box

Frame, fully-boxed, hydroformed front section

Z71 Package, Off-Road (Requires 4WD model.) includes monotube Rancho brand shocks, (K47) air cleaner, (JHD) Hill Descent Control, (NZZ) underbody shield and (V76) recovery hooks. Also includes brushed metal Z71 door sill plate, unique Z71 gauge cluster, unique finish interior trim plates, unique lower bumper appearance, unique grille design with Z71 badge and Z71 pickup box decals (Includes (RD1) 18" bright machined wheels and (RBX) 18" tires. Upgradeable to 22" LPO wheels.)

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock

Capless Fuel Fill

Exhaust, aluminized stainless-steel muffler and tailpipe

### Exterior

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) bright-machined aluminum (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Exterior

Tires, P265/65R18 all-terrain, blackwall (STD)
Wheel, full-size spare, 17" (43.2 cm) steel
Tire, spare P265/70R17SL all-season, blackwall
Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
Bumper, front body colour
Bumper, rear body-colour, with CornerSteps
Active aero shutters, front
Recovery hooks, front, frame-mounted, black
Lamps, cargo area, cab mounted with switch on centre switch bank
Tailgate and bed rail protection cap, top
Remote Locking Tailgate
Tailgate, EZ-Lift and Lower
CornerSteps, rear bumper
Mouldings, bodyside, body colour
Wheelhouse liners, rear
Grille surround, body colour
Headlamps, high intensity discharge (HID) projector-beam with LED signature DRL
Headlamp bezels, body-colour
Fog lamps, thin profile LED
Mirrors, outside heated power-adjustable (includes driver's side spotter mirror) (Body-colour.)
Mirror caps, body-colour (With (WGQ) Redline Edition or (WJP) Midnight Edition mirror caps will be black.)
Glass, deep-tinted
Door handles, body-colour (With (WGQ) Redline Edition or (WJP) Midnight Edition door handles will be black.)

## Entertainment

Audio system, Chevrolet Infotainment System with 8" diagonal colour touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones, USB ports, auxiliary jack, voice-activated technology for radio and phone and Shop with the ability to browse, select and install apps to your vehicle. Apps include iHeartRadio, The Weather Channel and more. (STD)
Single-slot CD/MP3 player
Radio, HD

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Entertainment

SiriusXM enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at [siriusxm.ca/terms](http://siriusxm.ca/terms).)

6-speaker audio system

Bluetooth for phone, personal cell phone connectivity to vehicle audio system

Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit [onstar.ca](http://onstar.ca) for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)

Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See [onstar.ca](http://onstar.ca) for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)

## Interior

Seats, front 40/20/40 split-bench, 3-passenger, available in cloth includes driver and front passenger recline with outboard head restraints and centre fold-down armrest with storage. Also includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. (STD) (Includes (AG1) driver 10-way power seat-adjuster with (PDU) True North Edition.)

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting with rubberized vinyl floor mats

Steering wheel, leather-wrapped with audio and cruise controls

Steering column, Tilt-Wheel, manual with theft-deterrent locking feature

Steering wheel audio controls

Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Centre, 4.2-inch diagonal colour display includes driver personalization, warning messages and vehicle information

Windows, power front and rear with driver express up and down and express down on all other windows

Door locks, power

Remote Keyless Entry, with 2 transmitters

Cruise control, electronic with set and resume speed, steering wheel-mounted

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Interior

Air conditioning, single-zone

Visors, driver and front passenger illuminated vanity mirrors

Assist handle, front passenger on A-pillar

## Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

## Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit [onstar.ca](http://onstar.ca) for coverage map, details and system limitations. Services vary by model. Subscription required.)

Rear Vision Camera

Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

## WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

## Technical Specifications

### Powertrain

#### Transmission

Drivetrain Four Wheel Drive

Trans Type 6

Trans Order Code MYC

Trans Description Cont. Automatic

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Powertrain

### Transmission

Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.0
Second Gear Ratio (:1)	2.4	Third Gear Ratio (:1)	1.5
Fourth Gear Ratio (:1)	1.2	Fifth Gear Ratio (:1)	0.9
Sixth Gear Ratio (:1)	0.7	Reverse Ratio (:1)	3.1
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A		

### Mileage

EnerGuide Estimate - City	15.8 L/100 km	EnerGuide Estimate - Hwy	11.4 L/100 km
Cruising Range - City	619.93 km	Cruising Range - Hwy	859.21 km

### Engine

Engine Order Code	L83	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes		

### Electrical

Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	150	Cold Cranking Amps @ 0° F (3rd)	N/A

### Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

## Vehicle

### Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	325
--------------------------------------	-----	-----------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Chassis

### Weight Information

Standard Weight - Front	2.72 kg	Standard Weight - Rear	10.43 kg
Gross Axle Wt Rating - Front	1,791.72 kg	Gross Axle Wt Rating - Rear	1,791.72 kg
Curb Weight - Front	1,435.19 kg	Curb Weight - Rear	937.14 kg
Option Weight - Front	14.52 kg	Option Weight - Rear	28.58 kg
Reserve Axle Capacity - Front	339.29 kg	Reserve Axle Capacity - Rear	815.57 kg
As Spec'd Curb Weight	2,428.57 kg	As Spec'd Payload	837.35 kg
Maximum Payload Capacity	893.59 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,583.44 kg	Curb Weight	2,372.33 kg
Reserve Axle Capacity	1,154.87 kg	Total Option Weight	43.09 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,265.92 kg		

### Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,173.12 kg	Wt Distributing Hitch - Max Tongue Wt.	417.31 kg
Maximum Trailering Capacity	4,173.12 kg		

### Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

### Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	2-Stage Multi-Leaf
Spring Capacity - Front	1,791.72 kg	Spring Capacity - Rear	1,791.72 kg
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	1,791.72 kg	Axle Capacity - Rear	1,791.72 kg
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	46 mm	Shock Absorber Diameter - Rear	35 mm
Stabilizer Bar Diameter - Front	34.29 mm	Stabilizer Bar Diameter - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.





[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Chassis

### Tires

Front Tire Order Code	RI8	Rear Tire Order Code	RI8
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

### Wheels

Front Wheel Size	457.2 x 215.9 mm	Rear Wheel Size	457.2 x 215.9 mm
Spare Wheel Size	431.8 x -TBD-mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

### Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	16.3
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		

### Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	330.2 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		

### Fuel Tank

Fuel Tank Capacity, Approx	98 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Silverado 1500 LD (CK15753) 4WD Double Cab (7)

## Dimensions

### Interior Dimensions

Passenger Capacity	6	Front Head Room	1,087.12 mm
Front Leg Room	1,149.86 mm	Front Shoulder Room	1,674.62 mm
Front Hip Room	1,542.54 mm	Second Head Room	982.22 mm
Second Leg Room	879.6 mm	Second Shoulder Room	1,671.32 mm
Second Hip Room	1,529.84 mm		

### Exterior Dimensions

Wheelbase	3,644.9 mm	Length, Overall w/o rear bumper	5,842.76 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,032 mm
Height, Overall	1,877.06 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	3,590.8 mm
Cab to Axle	1,054.1 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	225.3 mm
Ground Clearance, Rear	225.3 mm	Body Length	0 m
Cab to Body	N/A		

### Cargo Area Dimensions

Cargo Box Length @ Floor	2,003.3 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,648.46 mm	Cargo Box Width @ Wheelhousings	1,296.16 mm
Cargo Box (Area) Height	535.94 mm	Tailgate Width	1,579.88 mm
Cargo Volume	1,727.33 L	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.