

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr Premier

MSRP:\$74,700.00

Interior: Jet Black, Perforated leather-appointed seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing

Transmission, 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK15706	[Retail] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr Premier		\$74,700.00
	OPTIONS		
1LZ	Premier Preferred Equipment Group		\$0.00
AN3	Seats, front bucket with Perforated leather-appointed heated and ventilated seat cushions		\$0.00
BRS	Assist steps, power-retractable		\$1,995.00
CF5	Sunroof, power, tilt-sliding	Inc.	
GBA	Black		\$0.00
GU6	Rear axle, 3.42 ratio	Inc.	
H2X	Jet Black, Perforated leather-appointed seat trim		\$0.00
106	Audio system, 8" diagonal colour touch-screen Navigation with Chevrolet Infotainment, AM/FM stereo	Inc.	
JB1	Brakes, 4-wheel antilock, 4-wheel disc, VAC power with Brake Assist	Inc.	
JL1	Trailer brake controller, integrated	Inc.	
L83	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing		\$0.00
MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
NHT	Max Trailering Package		\$680.00
NQH	Transfer case, active, 2-speed electronic Autotrac	Inc.	
PCJ	Sun, Entertainment and Destinations Package		\$3,595.00
QST	Tires, P285/45R22 all-season blackwall		\$0.00
SFE	LPO, Wheel locks		\$90.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



[Retail] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr						
SFZ		\$270.00				
SGF	Wheels, 22" (55.9 cm) premium painted		\$2,895.00			
U42	Entertainment system, rear seat, Blu-Ray/DVD	Inc.				
UGN	Forward Automatic Braking	Inc.				
UHS	Driver Information Centre		\$995.00			
UV6	Head-Up Display, includes digital multi-function readouts	Inc.				
VQZ	LPO, Polished exhaust tip		\$180.00			
Y66	Adaptive Cruise Control - Advanced		\$1,095.00			
ZY1	Paint scheme, solid application		\$0.00			
	Federal air conditioning excise tax		\$100.00			
	Option/package discount		-\$795.00			
	SUBTOTAL		\$85,700.00			
	Adjustments Total		\$0.00			
	Total Tax		\$100.00			
	Destination Charge		\$1,895.00			
	TOTAL PRICE		\$87,695.00			

FUEL ECONOMY

Est City:15.8 L/100 km

Est Highway:11.1 L/100 km

Est Highway Cruising Range:882.43 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Standard Equipment

Otanidara Equipment			
Package			
	Enhanced Driver Alert Package includes (UEU) Forward Collision Alert, (TQ5) IntelliBeam headlamps, (UHY) Low Speed Forward Automatic Braking, (UHX) Lane Keep Assist with Lane Departure Warning and Safety Alert Seat (When (Y66) Adaptive Cruise Control - Advanced is ordered, RPO Code (Y86) will be removed. All content of (Y86) will remain standard except (UHY) Low Speed Forward Automatic Braking, which is replaced by (UGN) Forward Automatic Braking.)		
Mechanical			
	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD)		
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode (STD)		
	Suspension Package, Magnetic Ride Control road sensing electronically controlled shock absorbers		
	Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package)		
	GVWR, 7300 lbs. (3311 kg) (Requires 4WD model)		
	Keyless start, push button		
	Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed (Requires 4WD model. Not available with (NHT) Max Trailering Package.)		
	Differential, heavy-duty locking rear		
	4-wheel drive		
	Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator		
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil		
	Battery, 720 cold-cranking amps with 80 amp hour rating		
	Alternator, 150 amps		
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver		
	Trailer sway control		
	Suspension, front coil-over-shock with stabilizer bar		
	Suspension, rear multi-link with coil springs		
	Steering, power		
	Brakes, 4-wheel antilock, 4-wheel disc, VAC power with Brake Assist		
	Hill Start Assist		
Exterior			
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) polished-aluminum (STD)		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Tires, P275/55R20 all-season, blackwall (STD)

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Exterior	
	Tire, spare P265/70R17 all-season, blackwall
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, front
	Fascia, front body-colour
	Fascia, rear body-colour (Includes trailer hitch closeout.)
	Luggage rack side rails, roof-mounted (Includes bright accent.)
	Assist steps, Black (Premier includes chrome accent strip) (Deleted when (RVQ) assist step kit, Black, LPO, (VXH) assist step kit, Chrome, LPO or (BRS) power-retractable assist steps are ordered.)
	Mouldings, body-colour bodyside
	Headlamps, high intensity discharge
	IntelliBeam, automatic high beam on/off
	Fog lamps
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming with integrated turn signa indicators and ground illumination
	Glass, deep tinted
	Windshield style, acoustic laminated glass
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Liftgate, power, hands free
Entertainment	
	Audio system, 8" diagonal colour touch-screen Navigation with Chevrolet Infotainment, AM/FM stereo with seek and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. You can customize your content with audio, weather and more; featuring Apple CarPlay and Android Auto capability for compatible phone; 5 USB ports and 1 auxiliary jack
	Audio system feature, single-slot CD/MP3 player (Not included when (U42) rear seat entertainment system is ordered.)
	Audio system feature, Bose Centrepoint Surround Sound premium 10-speaker system
	Radio, HD

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Entertainment

[Retail] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr

Entertainment	
	SiriusXM Enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
	Wireless charging
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more. (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
Interior	
	Seats, front bucket with Perforated leather-appointed heated and ventilated seat cushions 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position memory, 4-way power lumbar control and power recline (STD)
	Seats, heated and vented driver and front passenger
	Seat adjuster, front passenger 6-way power
	Memory settings recalls presets for driver power seat adjuster and pedals (Also includes memory presets for outside rearview mirrors and power steering column.)
	Seats, second row bucket, power release
	Seats, heated second row outboard seats
	Seats, third row 60/40 split-bench, power fold
	Console, floor with storage area, cup holders and auxiliary jack
	Floor covering, colour-keyed carpeting
	Floor mats, colour-keyed carpeted first and second row, removable
	Steering column, power tilt and telescopic
	Steering wheel, heated, leather-wrapped and colour-keyed with theft-deterrent locking feature
	Steering wheel controls, mounted audio and cruise controls Includes Driver Information Centre controls

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Interior	
	Driver Information Centre, 4.2" diagonal multi-colour (Not available with (UV6) Head-Up Display.)
	Door locks, power programmable with lockout protection and delayed locking
	Passive Entry System includes (AQQ) Remote Keyless Entry.
	Remote vehicle start
	Windows, power, all express down, front express up
	Cruise control, electronic with set and resume speed (Not included when (Y66) Adaptive Cruise Control - Advanced is ordered.)
	Universal Home Remote includes garage door opener, programmable
	Pedals, power-adjustable for accelerator and brake
	Theft-deterrent system, electrical, unauthorized entry
	Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers
	Defogger, rear-window electric
	Power outlet, 110-volt
	Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of console, 1 in 3rd row and 1 in cargo area
	Mirror, inside rearview auto-dimming
	Conversation mirror (Deleted when (UTT) Theft Protection Package is ordered.)
	Assist handles, 1st row passenger and 2nd row outboard seats
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo net
	Cargo management system
Safety-Mechanical	
	StabiliTrak, stability control system with brake assist includes traction control
	Low Speed Forward Automatic Braking (Replaced with (UGN) Forward Automatic Braking when (Y66) Adaptive Cruise Control - Advanced is ordered.)
Safety-Exterior	

Daytime Running Lamps with automatic exterior lamp control

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	Door locks, rear child security
	Safety Alert Seat
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Lane Keep Assist with Lane Departure Warning
	Front and rear parking assist
	Rear Vision Camera
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Forward Collision Alert
	LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions
	Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Centre (does not apply to spare tire), includes Tire Fill Alert
	Warning tones headlamp on, key-in-ignition, driver and right-front passenger seat belt unfasten and turn signal on

WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000

Basic Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Drivetrain Years: 5

Drivetrain Miles/km: 100,000 Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Technical Specifications

Powertrain Transmission Drivetrain Four Wheel Drive Trans Order Code MYC 6 Trans Description Cont. Automatic Trans Type Trans Description Cont. Again N/A First Gear Ratio (:1) 4.03 Second Gear Ratio (:1) 2.36 Third Gear Ratio (:1) 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 3.06 Sixth Gear Ratio (:1) 0.67 Reverse Ratio (:1) Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City 15.8 L/100 km EnerGuide Estimate - Hwy 11.1 L/100 km Cruising Range - City 619.93 km Cruising Range - Hwy 882.43 km **Engine** L83 Gas V8 **Engine Order Code Engine Type** Displacement 5.3L/325 Fuel System **Direct Injection** SAE Net Horsepower @ RPM 355 @ 5600 SAE Net Torque @ RPM 383 @ 4100 **Engine Oil Cooler** Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) Cold Cranking Amps @ 0° F (2nd) 720 N/A Maximum Alternator Capacity (amps) Cold Cranking Amps @ 0° F (3rd) N/A 150 **Cooling System**

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

N/A

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

Total Cooling System Capacity



'ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	321
Vehicle			
Rear Door Type	Liftgate		
chassis			
Weight Information			
Standard Weight - Front	17.69 kg	Standard Weight - Rear	14.52 kg
Gross Axle Wt Rating - Front	1,632.96 kg	Gross Axle Wt Rating - Rear	1,859.76 kg
Curb Weight - Front	1,291.85 kg	Curb Weight - Rear	1,182.99 kg
Option Weight - Front	44.91 kg	Option Weight - Rear	41.73 kg
Reserve Axle Capacity - Front	278.51 kg	Reserve Axle Capacity - Rear	620.52 kg
As Spec'd Curb Weight	2,593.68 kg	As Spec'd Payload	717.6 kg
Maximum Payload Capacity	836.44 kg	Gross Combined Wt Rating	6,350.4 kg
Gross Axle Weight Rating	3,492.72 kg	Curb Weight	2,474.84 kg
Reserve Axle Capacity	899.04 kg	Total Option Weight	86.64 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,311.28 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,810.24 kg	Wt Distributing Hitch - Max Tongue Wt.	381.02 kg
Maximum Trailering Capacity	N/A		
Frame			
Frame Type	Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent Coil-	Suspension Type - Rear	Multi-Link

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



	sion

	Over-Shock		
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QST	Rear Tire Order Code	QST
Spare Tire Order Code	RC4	Front Tire Size	P285/45R22
Rear Tire Size	P285/45R22	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	558.8 x -TBD- mm	Rear Wheel Size	558.8 x -TBD- mm
Spare Wheel Size	431.8 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

Steering Type	Electric Pwr Rack & Pinion	Steering Ratio (:1), On Centre	17.3
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	11.89 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



nassis			
rakes			
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	330.2 x 30.48 mn
Rear Brake Rotor Diam x Thickness	345.44 x 20.32 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	98.0 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	7	Front Head Room	1,087.12 mm
Front Leg Room	1,150.62 mm	Front Shoulder Room	1,645.92 mm
Front Hip Room	1,544.32 mm	Second Head Room	982.98 mm
Second Leg Room	990.6 mm	Second Shoulder Room	1,653.54 mm
Second Hip Room	1,531.62 mm	Third Head Room	967.74 mm
Third Leg Room	629.92 mm	Third Shoulder Room	1,590.04 mm
Third Hip Room	1,252.22 mm		
xterior Dimensions			
Wheelbase	2,946.4 mm	Length, Overall w/rear bumper	5,181.6 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,044.7 mm
Height, Overall	1,889.76 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	912.11 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	199.9 mm
Ground Clearance, Rear	199.9 mm	Body Length	0 m
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	558.8 mm	Step Up Height - Side	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Dimensions

Exterior Dimensions

Cab to Body N/A

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	2,029.46 mm
Cargo Area Length @ Floor to Seat 2	1,097.28 mm	Cargo Area Length @ Floor to Seat 3	281.94 mm
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	1,252.22 mm
Cargo Box (Area) Height	862.08 mm	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	2,681.61 L
Cargo Volume to Seat 2	1,463.98 L	Cargo Volume to Seat 3	433.25 L
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

Exterior

Doors

Side Door Type N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.