

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 153.7" LTZ

MSRP:\$64,400.00

Interior:Jet Black, Perforated leather-appointed seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Transmission, Allison 1000 6-speed automatic, electronically controlled

OPTIONS

COD	E	MODEL		MSRP
CK2	5743	[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 153.7" LTZ		\$64,400.00
		OPTIONS		
1LZ		LTZ Preferred Equipment Group		\$0.00
AN3		Seats, front full-feature leather-appointed bucket		\$845.00
AQC		Appearance Package	Inc.	
C7A		GVWR, 10,000 lbs. (4536 kg)		\$0.00
CF5		Sunroof, power		\$1,325.00
CGN		Bed Liner, Spray-on	Inc.	
CTD		Cargo tie downs (4), movable upper		\$65.00
D07		Console, floor mounted	Inc.	
DQS		Mirrors, Chrome, outside heated power-adjustable vertical trailering, memory-equipped, upper glass, power-folding and manual extending;		\$450.00
GBA		Black		\$0.00
GT4		Rear axle, 3.73 ratio		\$0.00
НЗВ		Jet Black, Perforated leather-appointed seat trim		\$0.00
IO6		Audio system, Chevrolet Infotainment System with Navigation and 8" diagonal colour touch-screen		\$795.00
JF4		Pedals, power-adjustable	Inc.	
JHD		Hill Descent Control	Inc.	
JL1		Trailer brake controller, integrated	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



K05	Engine block heater	Inc.	
K40	Exhaust brake	Inc.	
K4C	Wireless Charging	Inc.	
KQV	Seating, heated and vented perforated leather-appointed front bucket	et	\$745.00
KW5	Alternator, 220 amps		\$175.00
L5P	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible		\$10,430.00
MW7	Transmission, Allison 1000 6-speed automatic, electronically controlled		\$1,445.00
N79	Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare.		\$0.00
NZZ	Underbody Shield, frame-mounted shields	Inc.	
PDF	LTZ Plus Package		\$1,075.00
PDX	Custom Sport Edition		\$1,995.00
Q7R	Wheels, 20" (50.8 cm) 6-spoke polished aluminum	Inc.	
QFC	Tires, LT265/60R20E all-terrain, blackwall		\$250.00
R8M	Assist Steps Not Desired or Alternate Step Desired		\$0.00
RVS	LPO, Assist steps - 4" Black - round		\$840.00
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblems, front and rear		\$270.00
TC7	Grille, body-colour	Inc.	
UD5	Front and Rear Park Assist, Ultrasonic	Inc.	
UEU	Forward Collision Alert	Inc.	
UF2	LED Lighting, cargo box with switch on centre switch bank		\$150.00
UF3	Switch, High Idle		\$250.00
UFL	Lane Departure Warning	Inc.	
UQA	Bose Sound with 6 speaker system	Inc.	
UVD	Steering wheel, heated, leather wrapped with audio and cruise controls	Inc.	
UY2	Trailering wiring provisions, for camper, fifth wheel and gooseneck trailer		\$55.00
V10	Cover, 1-piece, covers radiator grille and front bumper openings	Inc.	
VB5	Bumper, front, body-colour	Inc.	
VT5	Bumper, rear body-colour	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



	[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 1	53.7" (4)	
Y65	Driver Alert Package		\$520.00
Z71	Z71 Package, Off-Road		\$595.00
ZY1	Paint, solid		\$0.00
_	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr, maintenance-free	Inc.	
	Federal air conditioning excise tax		\$100.00
	Capped Fuel Fill	Inc.	
	SUBTOTAL		\$86,755.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,895.00
	TOTAL PRICE		\$88,750.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

Standard Equipment

Otaliaala Equip	
Mechanical	
	Pickup box
	Engine, Vortec 6.0L Variable Valve Timing V8 SFI, E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) (Does not include E85 capability with (ZW9) pickup box delete.) (STD)
	Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine.)
	Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine.)
	GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine. Not available with CK25943.)
	Air cleaner, high-capacity
	Transfer case, electronic shift with rotary dial controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 150 amps
	Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)
	Frame, fully-boxed, hydroformed front section
	Recovery hooks, front, frame-mounted, Black
	Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground. The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Not available with (ZW9) pickup box delete or (9J4) rear bumper delete.)
	Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
	Steering, Recirculating Ball with smart flow power steering system
	Steering, Digital Steering Assist (Requires Crew Cab model.)
	Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
	Capless Fuel Fill (Gas engine only. Not available with (ZW9) pickup box delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Mechanical	
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Wheels, 18" (45.7 cm) chromed aluminum includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (STD) (Upgradeable to (Q7R) 20" (50.8 cm) 6-spoke polished aluminum wheels.)
	Tires, LT265/70R18E all-season, blackwall (Upgradeable to (QGM) LT265/70R18E all-terrain, blackwall tires or (QFC) LT265/60R20E all-terrain, blackwall tires.) (STD)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
	Wheelhouse liners, rear (Deleted when (ZW9) pickup box delete is ordered.)
	Bumper, front chrome
	Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
	CornerStep, rear bumper (Requires (E63) pickup box.)
	Mouldings, bodyside, chrome
	Grille surround, chrome
	Headlamps, halogen projector-beam
	Lamps, cargo area, cab mounted with switch on centre switch bank
	Fog lamps, front, halogen
	Mirrors, outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)
	Mirror caps, chrome
	Glass, deep-tinted
	Door handles, chrome
	Tailgate and bed rail protection caps, top
	Tailgate, EZ-Lift and Lower (Deleted when (ZW9) pickup box delete is ordered.)
	Remote Locking Tailgate
Entertainment	
	Audio system, Chevrolet Infotainment System with 8" diagonal colour touch-screen AM/FM stereo with seek-and -scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include iHeartRadio, The Weather Channel and more. (STD) (Upgradeable to (IO6) 8" Diagonal Colour Touch Navigation with Chevrolet Infotainment.)
	Single-slot CD/MP3 player (Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Entortoinment	
Entertainment	
	Radio, HD
	SiriusXM enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	6-speaker audio system
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
Interior	
	Seats, front 40/20/40 leather-appointed split-bench, 3-passenger with (KA1) heated seat cushions and seat backs. Includes 10-way power driver and front passenger seat adjusters, including driver/front passenger power recline, driver/front passenger power lumbar, 2-position driver memory and adjustable outboard head restraints. (STD) (Upgradeable to (AN3) front full-featured leather-appointed bucket seats.)
	Seat trim, Leather-appointed front seats
	Seating, heated driver and front passenger
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Steering column, manual Tilt-Wheel and telescoping
	Steering wheel, leather-wrapped with audio and cruise controls
	Steering wheel audio controls
	Floor covering, colour-keyed carpeting with rubberized vinyl floor mats (includes rear floor mats on Crew Cab and Double Cab models)
	Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2-inch diagonal colour display includes driver personalization, warning messages and vehicle information
	Windows, power with driver express up and down and express down on all other windows
	Door locks, power
	Cruise control, steering wheel-mounted
	Theft-deterrent system, unauthorized entry

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Interior	
	Remote vehicle starter system
	Remote Keyless Entry
	Universal Home Remote (Removed when (TRW) provisions for roof mounted lamp or (VYU) Snow Plow Prep Package is ordered.)
	Air conditioning, dual-zone automatic climate control
	Defogger, rear-window electric
	Window, power, rear sliding with rear defogger (If (TRW) Provision for cab roof-mounted lamp or (VYU) Snow Plow Prep Package is ordered (A48) will be deleted.)
	Power outlet, 110-volt AC
	Mirror, inside rearview auto-dimming
	Visors, driver and front passenger illuminated vanity mirrors
	Assist handle, front passenger and driver on A-pillars
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Crew Cab: Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions (With (ZW9) pickup box delete on Double Cab or Regular Cab you will get the following: Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes airbag deactivation switch for front outboard passenger airbag. Regular Cab model does not have rear outboard seating positions.)
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
	Rear Vision Camera (Removed when (ZW9) pickup box delete is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Safety-Interior

Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Transmission

Powertrain

Drivetrain	Four Wheel Drive	Trans Order Code	MW7
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.10
Second Gear Ratio (:1)	1.81	Third Gear Ratio (:1)	1.41
Fourth Gear Ratio (:1)	1.00	Fifth Gear Ratio (:1)	0.71
Sixth Gear Ratio (:1)	0.61	Reverse Ratio (:1)	4.49
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A		

Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
•		•	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Powertrain			
Mileage			
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Engine			
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8
Displacement	6.6L/403	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Chassis			
Weight Information			
Standard Weight - Front	9.98 kg	Standard Weight - Rear	51.71 kg
Gross Axle Wt Rating - Front	2,358.72 kg	Gross Axle Wt Rating - Rear	2,812.32 kg
Curb Weight - Front	1,696.46 kg	Curb Weight - Rear	1,180.27 kg
Option Weight - Front	403.25 kg	Option Weight - Rear	113.85 kg
Reserve Axle Capacity - Front	249.03 kg	Reserve Axle Capacity - Rear	1,466.49 kg
As Spec'd Curb Weight	3,455.52 kg	As Spec'd Payload	1,080.48 kg
Maximum Payload Capacity	1,659.27 kg	Gross Combined Wt Rating	11,476.08 kg
Gross Axle Weight Rating	5,171.04 kg	Curb Weight	2,876.73 kg
Reserve Axle Capacity	1,715.52 kg	Total Option Weight	517.1 kg

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



hassis			
Veight Information			
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	4,536 kg		
- - - - - - - -			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - Max Tongue Wt.	435.46 kg
Maximum Trailering Capacity	5,896.8 kg		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	2,358.72 kg	Spring Capacity - Rear	2,812.32 kg
Axle Type - Front	Independent	Axle Type - Rear	Full Floating
Axle Capacity - Front	2,358.72 kg	Axle Capacity - Rear	2,812.32 kg
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	33.27 mm	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QFC	Rear Tire Order Code	QFC
Spare Tire Order Code	ZWF	Front Tire Size	LT265/60R20E
Rear Tire Size	LT265/60R20E	Spare Tire Size	LT265/70R18E
Front Tire Capacity	2,358.72 kg	Rear Tire Capacity	2,812.32 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Vheels			
Front Wheel Size	508 x -TBD- mm	Rear Wheel Size	508 x -TBD- mm
Spare Wheel Size	457.2 x 203.2 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	15.7 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	350.52 x 39.88 mm
Rear Brake Rotor Diam x Thickness	359.92 x 34.04 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	136.0 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,087.12 mm
Front Leg Room	1,149.86 mm	Front Shoulder Room	1,646.94 mm
Front Hip Room	1,542.54 mm	Second Head Room	1,028.7 mm
Second Leg Room	1,039.62 mm	Second Shoulder Room	1,633.98 mm
Second Hip Room	1,530.1 mm		
exterior Dimensions			
Wheelbase	3,903.98 mm	Length, Overall w/o rear bumper	6,083.3 mm

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.



Dimensions

Exteri		

Length, Overall	N/A	Width, Max w/o mirrors	2,044.95 mm
Height, Overall	1,987.04 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	3,812.54 mm
Cab to Axle	1,048 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	245.11 mm
Ground Clearance, Rear	245.11 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	2,003.04 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	1,295.91 mm
Cargo Box (Area) Height	535.94 mm	Tailgate Width	N/A
Cargo Volume	1,727.33 L	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8766. Data Updated: 6-Feb-2019 10:05:00 PST PM.