

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LT Trail Boss

MSRP:\$54,500.00

Interior:Jet Black, Leather-appointed front seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LT Trail Boss		\$54,500.00
	OPTIONS		
2LT	LT Trail Boss Preferred Equipment Group		\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.	
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket	Inc.	
B1J	Wheelhouse liners, rear	Inc.	
C5W	GVWR, 7000 lbs. (3175 kg)		\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
CXH	Leather Package		\$995.00
D07	Console, floor mounted	Inc.	
GBA	Black		\$0.00
GU5	Rear axle, 3.23 ratio		\$0.00
H0Y	Jet Black, Leather-appointed front seat trim		\$0.00
IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	
JL1	Trailer brake controller, integrated		\$350.00
KA1	Seating, heated driver and front passenger	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



	[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 1	47" (41)	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
L84	Engine, 5.3L EcoTec3 V8		\$0.00
MCR	USB Ports (Inside Console with bucket seats), 2	Inc.	
MQE	Transmission, 8-speed automatic, electronically controlled	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
PCH	Convenience Package with Bucket Seats		\$2,270.00
PCM	Convenience Package II		\$1,895.00
R3O	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTra	c	\$0.00
RD1	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum		\$0.00
RVS	LPO, Assist steps - 4" Black - round		\$855.00
SFE	LPO, Wheel locks, set of 4		\$75.00
SNR	Seat, Up-level Rear with Storage Package	Inc.	
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UG1	Universal Home Remote	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UVB	HD Rear Vision Camera	Inc.	
VQK	LPO, Moulded splash guards, Black		\$205.00
WPQ	Bed Protection Package		\$780.00
_	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$61,925.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,895.00
	TOTAL PRICE		\$63,920.00

FUEL ECONOMY

Est City:15.3 L/100 km

Est Highway:11.8 L/100 km

Est Highway Cruising Range:770.76 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Standard Equipment

Otanidara Equ	mpinent
Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	Suspension Package, Z71 Off-Road equipment with 2" lift. Includes (Z7X) Off-Road suspension with 2" lift and monotube shocks, (JHD) Hill Descent Control, (NZZ) skid plates, (K47) heavy-duty air cleaner and Z71 hard badge
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm), featuring al -new Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.23 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab model and (L84) 5.3L EcoTec3 V8 engine.)
	Automatic Stop/Start
	Hill Descent Control
	Transfer case, two-speed electronic Autotrac with rotary dial control (4WD models only)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Air filter, high-capacity
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 170 amps
	Hitch Guidance
	Skid Plates
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Mechanical	
	Exhaust, dual with polished outlets
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum (STD)
	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTrac (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire, spare 265/70R17SL all-season, blackwall
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss black.)
	Bumper, rear (High gloss black.)
	CornerStep, rear bumper
	Recovery hooks, performance Red
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (High gloss Black bars with high gloss Black mesh inserts.)
	Black Bowtie, (front grille)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch on centre switch ban
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable (Includes driver's spotter mirror. When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
	Mirror caps, painted (High gloss Black.)
	Glass, deep-tinted
	Door handles, body-colour (High gloss Black.)
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Bluetooth for phone, connectivity to vehicle infotainment system Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitated Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local services provider. Accessory Power must be active to use the Wi-Fi hotspot.)	ons.
Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitating Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local services.	ons.
(whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitat Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local services	ons.
USB ports, 2 (first row) located on instrument panel	
Interior	
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Navailable with (PCH) Convenience Package with Bucket Seats.)	ot
Seat trim, Cloth	
Seat adjuster, driver 4-way manual	
Seat adjuster, passenger 4-way manual	
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)	
Floor covering, colour-keyed carpeting	
LPO, All-weather floor liners 1st and 2nd rows (includes Z71 logo)	
Steering wheel, leather-wrapped	
Steering wheel audio controls	
Steering column, Tilt-Wheel, manual with wheel locking security feature	
Steering column, lock control, electrical	
Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltand oil pressure	age
Driver Information Centre, 4.2" diagonal colour display includes driver personalization	
Brake lining wear indicator	
Exterior Temperature Display located in radio display	
Compass located in instrument cluster	
Rear Seat Reminder	
Windows, power front, drivers express up/down	
Windows, power front, passenger express down	
Windows, power rear, express down	
Door locks, power	
Remote vehicle starter system	
Keyless Open and Start	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Interior	
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Air conditioning, single-zone manual, semi-automatic
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.)
	Rear Vision Camera
	Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Powertrain

Technical Specifications

Weitialli			
ransmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A		
ileage			
EnerGuide Estimate - City	15.3 L/100 km	EnerGuide Estimate - Hwy	11.8 L/100 km
Cruising Range - City	594.44 km	Cruising Range - Hwy	770.76 km
ngine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
ooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.

Page 8 9-Feb-2019



ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	320
hassis			
Veight Information			
Standard Weight - Front	19.5 kg	Standard Weight - Rear	35.83 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	27.67 kg	Option Weight - Rear	48.54 kg
Reserve Axle Capacity - Front	388.74 kg	Reserve Axle Capacity - Rear	743 kg
As Spec'd Curb Weight	2,315.63 kg	As Spec'd Payload	859.57 kg
Maximum Payload Capacity	991.12 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,131.73 kg	Total Option Weight	76.2 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,175.2 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,309.2 kg	Wt Distributing Hitch - Max Tongue Wt.	430.92 kg
Maximum Trailering Capacity	4,309.2 kg		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



ssis		
Suspension		
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear
Tires		
Front Tire Order Code	R30	Rear Tire Order Code
Spare Tire Order Code	XCQ	Front Tire Size
Rear Tire Size	LT275/65R18C	Spare Tire Size
Front Tire Capacity	N/A	Rear Tire Capacity
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare
Wheels		
Front Wheel Size	18.5" x 8.5" mm	Rear Wheel Size
Spare Wheel Size	17" x 8" mm	Front Wheel Material
Rear Wheel Material	Aluminum	Spare Wheel Material
Steering		
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb
Turning Diameter - Wall to Wall	N/A	
Brakes		
Brake Type	Pwr	Brake ABS System
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness
Rear Brake Rotor Diam x Thickness	s N/A	Drum - Rear (Yes or)
Rear Drum Diam x Width	N/A	

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



assis			
el Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
terior Dimensions			
Wheelbase	3,747.26 mm	Length, Overall w/o rear bumper	5,885.18 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,990.09 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	276.35 mm
Ground Clearance, Rear	276.35 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.