

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Colorado (12M43) 2WD Crew Cab 128.3" Work Truck

MSRP:\$28,700.00

Interior: Jet Black/Dark Ash, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

PHONS		
CODE	MODEL	MSRP
12M43	[Retail] 2019 Chevrolet Colorado (12M43) 2WD Crew Cab 128.3" Work Truck	\$28,700.00
	OPTIONS	
2WT	Work Truck Preferred Equipment Group	\$0.00
5GD	Tow/Haul Mode Inc.	
9B7	Mirror, spotter, located in corner of driver-side outside mirror Inc.	
AR7	Seats, front bucket	\$0.00
ATG	Remote Keyless Entry, extended range Inc.	
BW4	Mouldings, Chrome beltline Inc.	
CGN	Bedliner, spray-on, Black	\$550.00
CHN	GVWR, 5800 lbs. (2631 kg) Inc.	
CTT	Trailering assist, guidelines Inc.	
D75	Door handles, body-colour Inc.	
DL6	Mirrors, outside power-adjustable, body-colour, manual-folding Inc.	
E25	LPO, Assist steps, chrome , 5" rectangular	\$925.00
G80	Differential, automatic locking rear	\$410.00
GBA	Black	\$0.00
GU6	Rear axle, 3.42 ratio	\$0.00
H2R	Jet Black/Dark Ash, Cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 System	\$0.00
K34	Cruise control, electronic, automatic Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



	[Retail] 2019 Chevrolet Colorado (12M43) Crew Cab 128.3"		
LGZ	Engine, 3.6L DI DOHC V6 VVT		\$1,480.00
M5T	Transmission, 8-speed automatic		\$225.00
PCN	WT Convenience Package		\$575.00
PCX	Work Truck Appearance Package		\$485.00
PPA	Tailgate, EZ-Lift and Lower	Inc.	*******
QJJ	Tires, P265/70R16 all-season, blackwall		\$0.00
RS1	Wheels, 16" x 7" (40.6 cm x 17.8 cm) Ultra Silver Metallic cast aluminum	Inc.	****
S1K	Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel	Inc.	
SFE	LPO, Wheel locks		\$80.00
SG1	LPO, Black Bowtie Emblem Package		\$260.00
UE1	OnStar and Chevrolet connected services capable		\$395.00
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VQK	LPO, Front and rear splash guards		\$230.00
VT5	Bumper, rear body-colour	Inc.	
VV4	Chevrolet 4G LTE and available built-in Wi-Fi hotspot	Inc.	
Z82	Trailering Package, heavy-duty		\$295.00
ZJJ	Tire, spare P265/70R16 all-season, blackwall	Inc.	
ZY1	Solid paint		\$0.00
	Chevrolet Connected Access	Inc.	
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$34,610.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,895.00
	TOTAL PRICE		\$36,605.00

FUEL ECONOMY

Est City:13.4 (2018) L/100 km

Est Highway:9.6 (2018) L/100 km

Est Highway Cruising Range:822.46 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Standard Equipment

Mechanical	
	Engine, 2.5L I4, DI, DOHC, VVT (200 hp [149.0 kW] @ 6300 rpm, 191 lb-ft of torque [259 N-m] @ 4400 rpm) (STD) (Not included on Crew Cab Long Box models.)
	Transmission, 6-speed automatic, HMD, 6L50 (STD) (Standard on Extended Cab and Crew Cab Short Box models. Requires (LCV) 2.5L I4 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Available on Crew Cab Long Box models.)
	Rear axle, 4.10 ratio (Requires (LCV) 2.5L I4 engine. Not included on Crew Cab Long Box models.)
	GVWR, 5500 lbs. (2495 kg) (STD) (Standard on Crew Cab Short Wheelbase models with (LCV) 2.5L I4 engine only.)
	Rear wheel drive
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Pickup box
	Wheels, 16" x 7" (40.6 cm x 17.8 cm) Ultra Silver Metallic steel (STD)
	Tires, P265/70R16 all-season, blackwall (STD)
	Tire, compact spare T175/80R18, blackwall (STD) (Requires (RTX) 18" x 4.5" (45.7 cm x 11.4 cm) Black cast aluminum, compact spare wheel.)
	Wheel, compact spare, 18" x 4.5" (45.7 cm x 11.4 cm) Black cast aluminum (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab Long Box models.)
	Bumper, rear chrome
	CornerStep, rear bumper
	Mouldings, Black beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of Cab
	Mirrors, outside manual-folding, Black
	Glass, windshield shade band
	Handles, door release, front and rear, Jet Black
	Door handles, Black
	Tailgate, locking
	Tailgate handle, Black (Not available with (SCZ) Chrome tailgate handle, LPO.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Entertainment	
	Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	USB data ports, 2 includes auxiliary input jack, located on the front console
Interior	
	Seats, front bucket (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way power with manual recline
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seat, rear folding bench (Crew Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering.)
	Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering.)
	Steering wheel, urethane
	Steering column, tilt, manual
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, one colour
	Windows, power with driver Express-Up and Down
	Door locks, power
	Theft-deterrent system, immobilization
	Air conditioning, single-zone manual climate control
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger with passenger vanity mirror
	Lighting, interior, centre dome
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag

Rear Vision Camera

Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitor System

WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Transmission		
Eighth Gear Ratio (:1)	N/A	
Mileage		
EnerGuide Estimate - City	13.4 (2018) L/100 km	EnerGuide Estimate - Hwy
Cruising Range - City	589.23 km	Cruising Range - Hwy
Engine		
Engine Order Code	LGZ	Engine Type
Displacement	3.6L/-TBD-	Fuel System
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM
Engine Oil Cooler	N/A	
Electrical		
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)
Cooling System		
	N/A	
Total Cooling System Capacity	N/A	
ehicle		
Emissions		
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions
Chassis		
Weight Information		
Standard Weight - Front	0 kg	Standard Weight - Rear
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear
Curb Weight - Front	997.01 kg	Curb Weight - Rear
Option Weight - Front	0 kg	Option Weight - Rear
Reserve Axle Capacity - Front	454.51 kg	Reserve Axle Capacity - Rear
As Spec'd Curb Weight	1,780.83 kg	As Spec'd Payload

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



assis			
eight Information	950 05 kg	Cross Combined Wt Dating	E 442 2 kg
Maximum Payload Capacity	850.05 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,780.83
Reserve Axle Capacity	1,258.29 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,630.88 kg		
ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Maximum Trailering Capacity	3,492.72 kg		
ame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
spension			
Suspension Type - Front	Independent	Suspension Type - Rear	Independe
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QJJ	Rear Tire Order Code	QJJ
Spare Tire Order Code	ZJJ	Front Tire Size	P265/70R
Rear Tire Size	P265/70R16	Spare Tire Size	P265/70R
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



res			
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	406.4 x 177.8 mm	Rear Wheel Size	406.4 x 177.8 m
Spare Wheel Size	406.4 x 177.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Dimensions

Exterior	I)ıman	CIANC
		310113

Wheelbase	3,258.82 mm	Length, Overall w/o rear bumper	5,402.58 mm
Length, Overall	N/A	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,795.78 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	608.08 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	210.82 mm
Ground Clearance, Rear	210.82 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.