

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 153.7" LTZ

MSRP:\$64,400.00

Interior:Jet Black, Perforated leather-appointed seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Transmission, Allison 1000 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK25743	[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 153.7" LTZ		\$64,400.00
	OPTIONS		
1LZ	LTZ Preferred Equipment Group		\$0.00
AN3	Seats, front full-feature leather-appointed bucket		\$845.00
B86	Mouldings, bodyside, body colour	Inc.	
C7A	GVWR, 10,000 lbs. (4536 kg)		\$0.00
CF5	Sunroof, power		\$1,325.00
CGN	Bed Liner, Spray-on	Inc.	
D07	Console, floor mounted	Inc.	
D75	Door handles, body-colour	Inc.	
DQS	Mirrors, Chrome, outside heated power-adjustable vertical trailering, memory-equipped, upper glass, power-folding and manual extending;		\$450.00
GBA	Black		\$0.00
GT4	Rear axle, 3.73 ratio		\$0.00
НЗВ	Jet Black, Perforated leather-appointed seat trim		\$0.00
IO6	Audio system, Chevrolet Infotainment System with Navigation and 8 diagonal colour touch-screen	н	\$795.00
JF4	Pedals, power-adjustable	Inc.	
JHD	Hill Descent Control	Inc.	
JL1	Trailer brake controller, integrated	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



	SUBTOTAL		\$85,425.00
	Federal air conditioning excise tax		\$100.00
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr, maintenance-free	Inc.	
ZY1	Paint, solid		\$0.00
Z71	Z71 Package, Off-Road		\$595.00
Z6A	Gooseneck/5th Wheel Prep Package Hitch platform to accept Gooseneck or Fifth wheel hitch.		\$425.00
WJP	Midnight Edition		\$2,745.00
VT5	Bumper, rear body-colour	Inc.	
VB5	Bumper, front, body-colour	Inc.	
V10	Cover, 1-piece, covers radiator grille and front bumper openings	Inc.	
UVD	Steering wheel, heated, leather wrapped with audio and cruise controls	Inc.	
UQA	Bose Sound with 6 speaker system	Inc.	
UF2	LED Lighting, cargo box with switch on centre switch bank		\$150.00
UD5	Front and Rear Park Assist, Ultrasonic	Inc.	
TC7	Grille, body-colour	Inc.	
RVS	LPO, Assist steps - 4" Black - round	Inc.	
RT4	. Wheels, 18" (45.7 cm) Black aluminum	Inc.	
R8M	Assist Steps Not Desired or Alternate Step Desired		\$0.00
QF2	Tires, LT275/65R18E 123/120Q maximum traction blackwall	Inc.	, , ,
PDF	LTZ Plus Package	-	\$1,075.00
P3H	Front and rear Black Bowtie	Inc.	
NZZ	Underbody Shield, frame-mounted shields	Inc.	40.00
N79	controlled Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare.		\$0.00
MW7	Transmission, Allison 1000 6-speed automatic, electronically		\$1,445.00
L5P	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible		\$10,430.00
KQV	Seating, heated and vented perforated leather-appointed front buck	et	\$745.00
K4C	Wireless Charging	Inc.	
K40	Exhaust brake	Inc.	
K05	Engine block heater	Inc.	
	[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 15:	3.7" (3)	
		" (-)	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Adjustments Total \$0.00

Total Tax \$100.00

Destination Charge \$1,895.00

TOTAL PRICE \$87,420.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.

Standard Equipment

Otanida Equip	
Mechanical	
	Pickup box
	Engine, Vortec 6.0L Variable Valve Timing V8 SFI, E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) (Does not include E85 capability with (ZW9) pickup box delete.) (STD)
	Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine.)
	Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine.)
	GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine. Not available with CK25943.)
	Air cleaner, high-capacity
	Transfer case, electronic shift with rotary dial controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 150 amps
	Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)
	Frame, fully-boxed, hydroformed front section
	Recovery hooks, front, frame-mounted, Black
	Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground. The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Not available with (ZW9) pickup box delete or (9J4) rear bumper delete.)
	Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
	Steering, Recirculating Ball with smart flow power steering system
	Steering, Digital Steering Assist (Requires Crew Cab model.)
	Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
	Capless Fuel Fill (Gas engine only. Not available with (ZW9) pickup box delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Mechanical	
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Wheels, 18" (45.7 cm) chromed aluminum includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (STD) (Upgradeable to (Q7R) 20" (50.8 cm) 6-spoke polished aluminum wheels.)
	Tires, LT265/70R18E all-season, blackwall (Upgradeable to (QGM) LT265/70R18E all-terrain, blackwall tires or (QFC) LT265/60R20E all-terrain, blackwall tires.) (STD)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
	Wheelhouse liners, rear (Deleted when (ZW9) pickup box delete is ordered.)
	Bumper, front chrome
	Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
	CornerStep, rear bumper (Requires (E63) pickup box.)
	Mouldings, bodyside, chrome
	Grille surround, chrome
	Headlamps, halogen projector-beam
	Lamps, cargo area, cab mounted with switch on centre switch bank
	Fog lamps, front, halogen
	Mirrors, outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)
	Mirror caps, chrome
	Glass, deep-tinted
	Door handles, chrome
	Tailgate and bed rail protection caps, top
	Tailgate, EZ-Lift and Lower (Deleted when (ZW9) pickup box delete is ordered.)
	Remote Locking Tailgate
Entertainment	
	Audio system, Chevrolet Infotainment System with 8" diagonal colour touch-screen AM/FM stereo with seek-and scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include iHeartRadio, The Weather Channel and more. (STD) (Upgradeable to (IO6) 8" Diagonal Colour Touch Navigation with Chevrolet Infotainment.)
	Single-slot CD/MP3 player (Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Entortoinment	
Entertainment	
	Radio, HD
	SiriusXM enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	6-speaker audio system
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
Interior	
	Seats, front 40/20/40 leather-appointed split-bench, 3-passenger with (KA1) heated seat cushions and seat backs. Includes 10-way power driver and front passenger seat adjusters, including driver/front passenger power recline, driver/front passenger power lumbar, 2-position driver memory and adjustable outboard head restraints. (STD) (Upgradeable to (AN3) front full-featured leather-appointed bucket seats.)
	Seat trim, Leather-appointed front seats
	Seating, heated driver and front passenger
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Steering column, manual Tilt-Wheel and telescoping
	Steering wheel, leather-wrapped with audio and cruise controls
	Steering wheel audio controls
	Floor covering, colour-keyed carpeting with rubberized vinyl floor mats (includes rear floor mats on Crew Cab and Double Cab models)
	Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2-inch diagonal colour display includes driver personalization, warning messages and vehicle information
	Windows, power with driver express up and down and express down on all other windows
	Door locks, power
	Cruise control, steering wheel-mounted
	Theft-deterrent system, unauthorized entry

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Interior	
	Remote vehicle starter system
	Remote Keyless Entry
	Universal Home Remote (Removed when (TRW) provisions for roof mounted lamp or (VYU) Snow Plow Prep Package is ordered.)
	Air conditioning, dual-zone automatic climate control
	Defogger, rear-window electric
	Window, power, rear sliding with rear defogger (If (TRW) Provision for cab roof-mounted lamp or (VYU) Snow Plow Prep Package is ordered (A48) will be deleted.)
	Power outlet, 110-volt AC
	Mirror, inside rearview auto-dimming
	Visors, driver and front passenger illuminated vanity mirrors
	Assist handle, front passenger and driver on A-pillars
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Crew Cab: Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions (With (ZW9) pickup box delete on Double Cab or Regular Cab you will get the following: Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes airbag deactivation switch for front outboard passenger airbag. Regular Cab model does not have rear outboard seating positions.)
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
	Rear Vision Camera (Removed when (ZW9) pickup box delete is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Safety-Interior

Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



Technical Specifications

Powertrain

ransmission				
Drivetrain	Four Wheel Drive	Trans Order Code	MW7	
Trans Type	6	Trans Description Cont.	Automatic	
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.10	
Second Gear Ratio (:1)	1.81	Third Gear Ratio (:1)	1.41	
Fourth Gear Ratio (:1)	1.00	Fifth Gear Ratio (:1)	0.71	
Sixth Gear Ratio (:1)	0.61	Reverse Ratio (:1)	4.49	
Clutch Size	N/A	Trans Power Take Off	N/A	
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP162	
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72	
Transfer Case Power Take Off	N/A			
lileage				
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A	
Cruising Range - City	N/A	Cruising Range - Hwy	N/A	
ingine				
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8	
Displacement	6.6L/403	Fuel System	Direct Injection	
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600	
Engine Oil Cooler	Yes			
lectrical				
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730	
Maximum Alternator Capacity (amps)	150	Cold Cranking Amps @ 0° F (3rd)	N/A	
cooling System				
Total Cooling System Capacity	N/A			

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
hassis			
Weight Information			
Standard Weight - Front	9.53 kg	Standard Weight - Rear	51.26 kg
Gross Axle Wt Rating - Front	2,358.72 kg	Gross Axle Wt Rating - Rear	2,812.32 kg
Curb Weight - Front	1,696.46 kg	Curb Weight - Rear	1,180.27 kg
Option Weight - Front	400.98 kg	Option Weight - Rear	178.26 kg
Reserve Axle Capacity - Front	251.75 kg	Reserve Axle Capacity - Rear	1,402.53 kg
As Spec'd Curb Weight	3,516.76 kg	As Spec'd Payload	1,019.24 kg
Maximum Payload Capacity	1,659.27 kg	Gross Combined Wt Rating	11,476.08 kg
Gross Axle Weight Rating	5,171.04 kg	Curb Weight	2,876.73 kg
Reserve Axle Capacity	1,654.28 kg	Total Option Weight	579.25 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	4,536 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - Max Tongue Wt.	435.46 kg
Maximum Trailering Capacity	5,896.8 kg		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	2,358.72 kg	Spring Capacity - Rear	2,812.32 kg
Axle Type - Front	Independent	Axle Type - Rear	Full Floating
Axle Capacity - Front	2,358.72 kg	Axle Capacity - Rear	2,812.32 kg

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



nassis			
spension			
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1)	- Rear
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber	Diameter - Rear
Stabilizer Bar Diameter - Front	33.27 mm	Stabilizer Bar Dia	meter - Rear
es			
Front Tire Order Code	QF2	Rear Tire Order Code	
Spare Tire Order Code	ZWF	Front Tire Size	
Rear Tire Size	LT275/65R18E	Spare Tire Size	
Front Tire Capacity	2,358.72 kg	Rear Tire Capacity	
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 m	ph - Front
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mp	h - Spare
/heels			
Front Wheel Size	457.2 x -TBD- mm	Rear Wheel Size	
Spare Wheel Size	457.2 x 203.2 mm	Front Wheel Material	
Rear Wheel Material	Aluminum	Spare Wheel Material	
eering			
Steering Type	Pwr	Steering Ratio (:1), On Cent	re
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to C	Curb
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thic	ckness
Rear Brake Rotor Diam x Thickness	359.92 x 34.04 mm	Drum - Rear (Yes or)	
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.



assis				
iel Tank				
Fuel Tank Capacity, Approx	136.0 L	Aux Fuel Tank Capacity, Approx	N/A	
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A	
nensions				
terior Dimensions				
Passenger Capacity	5	Front Head Room	1,087.12 mm	
Front Leg Room	1,149.86 mm	Front Shoulder Room	1,646.94 mm	
Front Hip Room	1,542.54 mm	Second Head Room	1,028.7 mm	
Second Leg Room	1,039.62 mm	Second Shoulder Room	1,633.98 mm	
Second Hip Room	1,530.1 mm			
cterior Dimensions				
Wheelbase	3,903.98 mm	Length, Overall w/o rear bumper	6,083.3 mm	
Length, Overall	N/A	Width, Max w/o mirrors	2,044.95 mm	
Height, Overall	1,987.04 mm	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	3,812.54 mm	
Cab to Axle	1,048 mm	Cab to End of Frame	N/A	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A	
Frame Width, Rear	N/A	Ground Clearance, Front	245.11 mm	
Ground Clearance, Rear	245.11 mm	Body Length	0 m	
Cab to Body	N/A			
argo Area Dimensions				
Cargo Box Length @ Floor	2,003.04 mm	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	1,295.91 mm	
Cargo Box (Area) Height	535.94 mm	Tailgate Width	N/A	
Cargo Volume	1,727.33 L	Ext'd Cab Cargo Volume	N/A	

Data Version: 8782. Data Updated: 8-Feb-2019 10:00:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.