

# **Window Sticker**

# **SUMMARY**

[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom

MSRP:\$44,000.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

### **OPTIONS**

CODE	MODEL		MSRP
CK10543	[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom		\$44,000.00
	OPTIONS		
1CX	Custom Preferred Equipment Group		\$0.00
A52	Seats, front 40/20/40 split-bench		\$0.00
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
СТТ	Hitch Guidance	Inc.	
G80	Differential, heavy-duty locking rear		\$450.00
GBA	Black		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo.		\$0.00
JL1	Trailer brake controller, integrated		\$350.00
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
L82	Engine, 5.3L EcoTec3 V8		\$1,695.00
MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
N10	Exhaust, dual with polished outlets	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.



	[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Ca	b 147" (57)	
NZP	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Silver Painted Aluminum	า	\$0.00
PCX	Custom Convenience Package	Inc.	
PDX	Custom Value Package		\$1,995.00
QAE	Tires, 275/60R20SL all-terrain, blackwall		\$250.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
SFE	LPO, Wheel locks, set of 4		\$75.00
SFZ	LPO, Black Bowtie Emblem, front		\$140.00
U2K	SiriusXM	Inc.	
UE1	OnStar and Chevrolet connected services capable	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VXH	LPO, Assist steps, chromed tubular, 6" rectangular		\$855.00
Z82	Trailering Package	Inc.	
ZLA	Infotainment Package	Inc.	
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free	Inc.	
	Compass	Inc.	
	Chevrolet Connected Access	Inc.	
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$250.00
	Chevrolet 4G LTE	Inc.	
	SUBTOTAL		\$50,160.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,895.00
	TOTAL PRICE		\$52,155.00

# **FUEL ECONOMY**

Est City:15.9 L/100 km

Est Highway:11.7 L/100 km

Est Highway Cruising Range:777.36 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.

# **Standard Equipment**

Mechanical	
	Durabed, pickup bed
	Engine, 4.3L EcoTec3 V6 (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine.)
	Transfer case, single speed electronic Autotrac with rotary dial control (4WD models only)
	Four wheel drive
	Cooling, external engine oil cooler
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.)
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Silver Painted Aluminum (STD)
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body colour.)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Body colour bars with black mesh inserts.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.



Exterior	
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch on centre switch ban
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable
	Glass, deep-tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)
	Tailgate, gate function manual no lift assist
	LPO, Polished exhaust tip (dealer-installed) (Standard with 4.3L EcoTec3 V6 engine. Not available with (L82) 5.3L EcoTec3 V8 engine.)
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	USB port, located on instrument panel
Interior	
	Seats, front 40/20/40 split-bench (STD)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.



Interior	
	Driver Information Centre, 3.5" diagonal monochrome display
	Brake lining wear indicator
	Exterior Temperature Display located in radio display
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Air conditioning, single-zone
	Air vents, rear, heating/cooling
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera
	Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.



### **WARRANTY**

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.



# **Technical Specifications**

#### **Powertrain Transmission** Drivetrain Four Wheel Drive Trans Order Code MYC 6 Trans Description Cont. Automatic Trans Type Trans Description Cont. Again N/A First Gear Ratio (:1) N/A Second Gear Ratio (:1) N/A Third Gear Ratio (:1) N/A Fourth Gear Ratio (:1) N/A Fifth Gear Ratio (:1) N/A Reverse Ratio (:1) Sixth Gear Ratio (:1) N/A N/A Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City 15.9 L/100 km EnerGuide Estimate - Hwy 11.7 L/100 km Cruising Range - City 572.01 km Cruising Range - Hwy 777.36 km **Engine** Gas V8 **Engine Order Code** 1.82 **Engine Type** 5.3L/-TBD-Displacement Fuel System **Direct Injection** SAE Net Horsepower @ RPM 355 @ 5600 SAE Net Torque @ RPM 383 @ 4100 **Engine Oil Cooler** N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) Cold Cranking Amps @ 0° F (2nd) 720 N/A Maximum Alternator Capacity (amps) 170 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System Total Cooling System Capacity** N/A

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	329
hassis			
Veight Information			
Standard Weight - Front	4.54 kg	Standard Weight - Rear	11.34 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	58.06 kg	Option Weight - Rear	54.43 kg
Reserve Axle Capacity - Front	373.31 kg	Reserve Axle Capacity - Rear	761.59 kg
As Spec'd Curb Weight	2,312.45 kg	As Spec'd Payload	908.11 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,134.91 kg	Total Option Weight	112.49 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,309.2 kg	Wt Distributing Hitch - Max Tongue Wt.	430.92 kg
Maximum Trailering Capacity	4,309.2 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.



assis			
uspension			
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) -	Rear
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber [	Diameter - Rear
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diam	eter - Rear
ires			
Front Tire Order Code	QAE	Rear Tire Order Code	
Spare Tire Order Code	QAQ	Front Tire Size	
Rear Tire Size	275/60R20SL	Spare Tire Size	
Front Tire Capacity	N/A	Rear Tire Capacity	
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mpl	h - Front
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph	n - Spare
/heels			
Front Wheel Size	20" x 9" mm	Rear Wheel Size	
Spare Wheel Size	N/A	Front Wheel Material	
Rear Wheel Material	Aluminum	Spare Wheel Material	
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	Э
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to C	urb
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thic	kness
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	
Rear Drum Diam x Width	N/A		

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ssis				
el Tank				
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A	
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A	
nensions				
terior Dimensions				
Passenger Capacity	6	Front Head Room	1,092.96 mm	
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm	
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm	
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm	
Second Hip Room	1,530.1 mm			
cterior Dimensions				
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	5,885.18 mm	
Length, Overall	N/A	Width, Max w/o mirrors	2,063.5 mm	
Height, Overall	1,917.95 mm	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A	
Cab to Axle	N/A	Cab to End of Frame	N/A	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A	
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm	
Ground Clearance, Rear	205.49 mm	Body Length	0 m	
Cab to Body	N/A			
argo Area Dimensions				
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm	
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A	
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A	

Data Version: 8822. Data Updated: 13-Feb-2019 10:00:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.