

# **Window Sticker**

# **SUMMARY**

[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 153.7" LT

MSRP:\$57,200.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Cajun Red Tintcoat

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Transmission, Allison 1000 6-speed automatic, electronically controlled

# **OPTIONS**

CODE	MODEL		MSRP
CK25743	[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 153.7" LT		\$57,200.00
	OPTIONS		
1LT	LT Preferred Equipment Group		\$0.00
A48	Window, power, rear sliding with rear defogger	Inc.	
A95	Seats, front cloth bucket		\$1,170.00
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
C7A	GVWR, 10,000 lbs. (4536 kg)		\$0.00
CGN	Bed Liner, Spray-on		\$600.00
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
D07	Console, floor mounted	Inc.	
DD8	Mirror, inside rearview auto-dimming	Inc.	
DPN	Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, Black;		\$545.00
GPJ	Cajun Red Tintcoat		\$595.00
GT4	Rear axle, 3.73 ratio		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IO6	Audio system, Chevrolet Infotainment System with Navigation and 8" diagonal colour touch-screen		\$795.00
JF4	Pedals, power-adjustable	Inc.	
JHD	Hill Descent Control	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



11.4	Trailer brake controller integrated	Ino	
JL1	Trailer brake controller, integrated	Inc.	
K05	Engine block heater	Inc.	
K40	Exhaust brake	Inc.	
K4C	Wireless Charging	Inc.	
KA1	Seating, heated driver and front passenger	Inc.	
KI4	Power outlet, 110-volt AC	Inc.	
KW5	Alternator, 220 amps		\$175.00
L5P	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible		\$10,430.00
MW7	Transmission, Allison 1000 6-speed automatic, electronically controlled		\$1,445.00
N37	Steering column, manual Tilt-Wheel and telescoping	Inc.	
NZ4	Wheels, 17" x $7.5$ " (43.2 cm x 19.1 cm) full-size, steel spare.		\$0.00
NZZ	Underbody Shield, frame-mounted shields	Inc.	
PCM	LT Convenience Package		\$1,860.00
PCW	LT Plus Package		\$1,005.00
PYQ	Wheels, 17" (43.2 cm) machined aluminum		\$0.00
QXT	Tires, LT265/70R17E all-terrain, blackwall		\$250.00
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblems, front and rear		\$270.00
T3U	Fog lamps, front, halogen	Inc.	
UD7	Rear Park Assist, Ultrasonic	Inc.	
UF2	LED Lighting, cargo box with switch on centre switch bank		\$150.00
UF3	Switch, High Idle		\$250.00
UG1	Universal Home Remote	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
V10	Cover, 1-piece, covers radiator grille and front bumper openings	Inc.	
VQK	LPO, Moulded splash guards, Black		\$270.00
VXH	LPO, Assist steps - 6" Chromed Rectangular		\$970.00
Z6A	Gooseneck/5th Wheel Prep Package Hitch platform to accept Gooseneck or Fifth wheel hitch.		\$425.00
Z71	Z71 Package, Off-Road		\$595.00
Z82	Trailering equipment		\$700.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



	[Retail] 2019 Chevrolet Silverado 2500HD (CK25743) 4WD Crew Cab 153.7" (6)	
ZY1	Paint, solid	\$0.00
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr, Inc. maintenance-free	
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$79,780.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,895.00
	TOTAL PRICE	\$81,775.00

# **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



# **Standard Equipment**

Mechanical	
	Pickup box
	Engine, Vortec 6.0L Variable Valve Timing V8 SFI, E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) (Does not include E85 capability with (ZW9) pickup box delete.) (STD)
	Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine.)
	Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine.)
	GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG/LPG capable engine. Not available with CK25943.)
	Air cleaner, high-capacity
	Transfer case, electronic shift with rotary dial controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 150 amps
	Frame, fully-boxed, hydroformed front section
	Recovery hooks, front, frame-mounted, Black
	Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
	Steering, Recirculating Ball with smart flow power steering system
	Steering, Digital Steering Assist (Requires Crew Cab model.)
	Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
	Capless Fuel Fill (Gas engine only. Not available with (ZW9) pickup box delete.)
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Wheels, 17" (43.2 cm) machined aluminum includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (7W9) pickup box delete upless a spare tire is ordered. (STD) (Upgradeable to (PVV) 18" (45.7

Wheels, 17" (43.2 cm) machined aluminum includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (STD) (Upgradeable to (PYV) 18" (45.7 cm) chromed aluminum wheels, (RT4) 18" (45.7 cm) Black aluminum wheels, (RTH) 20" (50.8 cm) polished aluminum with Dark Argent Metallic pockets wheels or (PYU) 20" (50.8 cm) polished aluminum wheels.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



Exterior	
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
	Wheelhouse liners, rear (Deleted when (ZW9) pickup box delete is ordered.)
	Bumper, front chrome
	Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
	CornerStep, rear bumper (Requires (E63) pickup box.)
	Mouldings, bodyside, body colour
	Grille, chrome with chrome mesh insert
	Grille surround, chrome
	Headlamps, halogen projector-beam
	Lamps, cargo area, cab mounted with switch on centre switch bank
	Mirrors, outside heated power-adjustable (includes driver's side spotter mirror) (Requires Crew Cab model. Body -colour.)
	Mirror caps, body-colour (Not available on Double Cab models.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection caps, top
	Tailgate, EZ-Lift and Lower (Deleted when (ZW9) pickup box delete is ordered.)
	Remote Locking Tailgate
Entertainment	
	Audio system, Chevrolet Infotainment System with 8" diagonal colour touch-screen AM/FM stereo with seek-and -scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include iHeartRadio, The Weather Channel and more. (STD) (Upgradeable to (IO6) 8" Diagonal Colour Touch Navigation with Chevrolet Infotainment.)
	Single-slot CD/MP3 player
	Radio, HD

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



Entertainment	
	SiriusXM enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	6-speaker audio system
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
Interior	
	Seats, front 40/20/40 split-bench, 3-passenger. Available in cloth or leather. Includes driver and front passenger recline with outboard head restraints and centre fold-down armrest with storage. Also includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. (STD) (Leather with (KA1) heat is an available extra charge option with (H1Y) Jet Black leather appointed interior trim and requires (PCM) LT Convenience Package. Upgradeable to (A95) front bucket cloth seats on Crew Cab models.)
	Seat trim, Cloth
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Steering column, manual Tilt-Wheel
	Steering wheel, leather-wrapped with audio and cruise controls
	Steering wheel audio controls
	Floor covering, colour-keyed carpeting with rubberized vinyl floor mats (includes rear floor mats on Crew Cab and Double Cab models) (Required with (PCO) Essentials Package, LPO or (PDO) Protection Package, LPO.)
	Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2-inch diagonal colour display includes driver personalization, warning messages and vehicle information
	Windows, power with driver express up and down and express down on all other windows
	Door locks, power
	Cruise control, steering wheel-mounted
	Remote Keyless Entry
	Air conditioning, single-zone

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



Interior	
	Visors, driver and front passenger illuminated vanity mirrors
	Assist handle, front passenger and driver on A-pillars
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Crew Cab: Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions (With (ZW9) pickup box delete on Double Cab or Regular Cab you will get the following: Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes airbag deactivation switch for front outboard passenger airbag. Regular Cab model does not have rear outboard seating positions.)
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
	Rear Vision Camera (Removed when (ZW9) pickup box delete is ordered.)
	Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



### **WARRANTY**

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



# **Technical Specifications**

wertrain			
ransmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MW7
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.10
Second Gear Ratio (:1)	1.81	Third Gear Ratio (:1)	1.41
Fourth Gear Ratio (:1)	1.00	Fifth Gear Ratio (:1)	0.71
Sixth Gear Ratio (:1)	0.61	Reverse Ratio (:1)	4.49
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP162
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A		
ileage			
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
ngine			
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8
Displacement	6.6L/403	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600
Engine Oil Cooler	Yes		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A
ooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.

Page 9 25-Feb-2019



ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
hassis			
Weight Information			
Standard Weight - Front	12.7 kg	Standard Weight - Rear	12.7 kg
Gross Axle Wt Rating - Front	2,358.72 kg	Gross Axle Wt Rating - Rear	2,812.32 kg
Curb Weight - Front	1,696.46 kg	Curb Weight - Rear	1,180.27 kg
Option Weight - Front	380.12 kg	Option Weight - Rear	198.68 kg
Reserve Axle Capacity - Front	269.44 kg	Reserve Axle Capacity - Rear	1,420.68 kg
As Spec'd Curb Weight	3,480.93 kg	As Spec'd Payload	1,055.07 kg
Maximum Payload Capacity	1,659.27 kg	Gross Combined Wt Rating	11,476.08 kg
Gross Axle Weight Rating	5,171.04 kg	Curb Weight	2,876.73 kg
Reserve Axle Capacity	1,690.11 kg	Total Option Weight	578.79 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	4,536 kg		
Гrailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - Max Tongue Wt.	435.46 kg
Maximum Trailering Capacity	5,896.8 kg		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	2,358.72 kg	Spring Capacity - Rear	2,812.32 kg
Axle Type - Front	Independent	Axle Type - Rear	Full Floating
Axle Capacity - Front	2,358.72 kg	Axle Capacity - Rear	2,812.32 kg

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



hassis			
Suspension			
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	33.27 mm	Stabilizer Bar Diameter - Rear	N/A
Tires .			
Front Tire Order Code	QXT	Rear Tire Order Code	QXT
Spare Tire Order Code	ZXT	Front Tire Size	LT265/70R17
Rear Tire Size	LT265/70R17E	Spare Tire Size	LT265/70R17
Front Tire Capacity	2,358.72 kg	Rear Tire Capacity	2,812.32 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	431.8 x -TBD- mm	Rear Wheel Size	431.8 x -TBI mm
Spare Wheel Size	431.8 x 190.5 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	15.7 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	350.52 x 39.8 mm
Rear Brake Rotor Diam x Thickness	359.92 x 34.04 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.



assis			
iel Tank			
Fuel Tank Capacity, Approx	136.0 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,087.12 mm
Front Leg Room	1,149.86 mm	Front Shoulder Room	1,646.94 mm
Front Hip Room	1,542.54 mm	Second Head Room	1,028.7 mm
Second Leg Room	1,039.62 mm	Second Shoulder Room	1,633.98 mm
Second Hip Room	1,530.1 mm		
cterior Dimensions			
Wheelbase	3,903.98 mm	Length, Overall w/o rear bumper	6,083.3 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,044.95 mm
Height, Overall	1,987.04 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	3,812.54 mm
Cab to Axle	1,048 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	245.11 mm
Ground Clearance, Rear	245.11 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	2,003.04 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	1,295.91 mm
Cargo Box (Area) Height	535.94 mm	Tailgate Width	N/A
Cargo Volume	1,727.33 L	Ext'd Cab Cargo Volume	N/A

Data Version: 8909. Data Updated: 24-Feb-2019 9:33:00 PST PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.