

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Cruze (1BT68) 4dr HB LT

MSRP:\$22,995.00

\$1,700.00

\$24,875.00

Interior:Jet Black, Cloth Seat Trim

Exterior 1:Silver Ice Metallic

Exterior 2:No colour has been selected.

Engine, 1.4L turbo DOHC 4-cylinder DI

Transmission, 6-speed automatic

	דם	П	^	N	0
u	Р٦	ш	u	IN	3

O	10110		
	CODE	MODEL	MSRP
	1BT68	[Retail] 2019 Chevrolet Cruze (1BT68) 4dr HB LT	\$22,995.00
		OPTIONS	
	1SD	LT Preferred Equipment Group	\$0.00
	A51	Seats, front bucket with reclining seatbacks and adjustable head restraints	\$0.00
	GAN	Silver Ice Metallic	\$0.00
	H0U	Jet Black, Cloth Seat Trim	\$0.00
	IOR	Audio system, Chevrolet Infotainment 3 system	\$0.00
	LE2	Engine, 1.4L turbo DOHC 4-cylinder DI	\$0.00
	MNU	Transmission, 6-speed automatic	\$0.00
	Q1N	Tires, 205/55R16 all-season, blackwall	\$0.00
	SFE	LPO, Wheel locks	\$80.00
	SK8	Wheels, 16" (40.6 cm) aluminum	\$0.00
		Federal air conditioning excise tax	\$100.00
		SUBTOTAL	\$23,075.00
		Adjustments Total	\$0.00
		Total Tax	\$100.00

FUEL ECONOMY

Est City:8.1 L/100 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.

Destination Charge
TOTAL PRICE



Est Highway:6.2 L/100 km

Est Highway Cruising Range:838.43 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.

Standard Equipment

Mechanical	
	Engine, 1.4L turbo DOHC 4-cylinder DI with Continuous Variable Valve Timing (CVVT) (153 hp [114.08 kW] @ 5600 rpm, 177 lb-ft of torque [239 N-m] @ 2000-4000 rpm) (STD)
	Transmission, 6-speed automatic (STD)
	Engine control, stop-start system
	Engine control, stop-start system override
	Axle, 3.14 ratio
	Front wheel drive
	Coolant protection, engine
	Battery, 80AH
	Alternator, 130 amps
	Suspension, front MacPherson strut
	Suspension, rear, compound crank
	Steering, power, electric rack-mounted, reduced travel
	Brakes, 4-wheel disc, 4-wheel antilock, Duralife rotors, power
	Brake lining, high-performance, noise and dust performance
	Brake, parking, manual, foot apply
Exterior	
	Wheels, 16" (40.6 cm) aluminum (STD)
	Tires, 205/55R16 all-season, blackwall (STD)
	Wheel, spare, 16" (40.6 cm) steel
	Tire, T115/70R16, blackwall, compact spare
	Spoiler, rear (Replaced with (T43) rear spoiler when (ZLH) RS Package is ordered.)
	Mouldings, bright beltline
	Headlamps, halogen dual projector with LED signature lighting with automatic on/off and delay
	Mirrors, outside heated power-adjustable, manual-folding
	Windshield, solar absorbing
	Glass, solar absorbing
	Wipers, front intermittent, variable
	Wiper, rear intermittent with washer

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.



Exterior	
	Door handles, body-colour
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	USB charging ports, 2, rear
	SiriusXM Enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	Bluetooth for phone
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	USB ports, 2, with auxiliary input jack, front
	Antenna, integral rear window
Interior	
	Seats, front bucket with reclining seatbacks and adjustable head restraints (STD)
	Seat trim, cloth
	Seat adjuster, driver 6-way manual
	Seat adjuster, front passenger 2-way manual
	Seats, heated driver and front passenger
	Head restraints, 2-way adjustable, front
	Seat, rear 60/40 split-folding includes centre fold-down armrest with 2 cupholders
	Armrest, rear centre, fold-down with 2 cupholders
	Console, floor, with armrest
	Floor mats, carpeted front
	Floor mats, carpeted rear

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.



Interior	
	Steering column, manual tilt and telescopic
	Steering wheel, 3-spoke, deluxe
	Steering wheel controls, mounted audio and phone interface controls
	Driver Information Centre, monochromatic display
	Oil life monitoring system
	Tire Pressure Display
	Warning tones, driver and front passenger seat belts
	Windows, power with Express-Down
	Door locks, power
	Key, primary foldable, additional foldable (Deleted when (6K5) Convenience Package is ordered.)
	Remote Keyless Entry
	Remote vehicle starter system
	Cruise control
	Theft-deterrent system, unauthorized entry
	Remote panic alarm
	Engine immobilizer, theft-deterrent system
	Air conditioning, single-zone automatic climate control includes air filter
	Rear air ducts, floor mounted
	Defogger, rear-window, electric
	Sensor, cabin humidity
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger vanity mirrors
	Lighting, interior overhead courtesy lamp and dual reading lamps
	Lighting, interior, roof, rear courtesy
	Lighting, interior, trunk/cargo area
	Cargo cover
Safety-Mechanical	
	StabiliTrak, stability control system
Safety-Exterior	
	Daytime Running Lamps, separate cavity, LED

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.



Safety-Interior	
	Air bags, 10 total frontal and knee for driver and front passenger side-impact seat-mounted and roof rail for front and rear outboard seating positions, includes Passenger Sensing System
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
	Rear Vision Camera
	Seat belts, front pretensioner
	Seat belts, 3-point, rear centre position
	Restraint provisions, latch, child seat tether
	Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitor

WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.

Technical Specifications

roommour opcomouncing			
Powertrain			
Transmission			
Drivetrain	Front Wheel Drive	Trans Order Code	MNU
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.449
Second Gear Ratio (:1)	2.908	Third Gear Ratio (:1)	1.893
Fourth Gear Ratio (:1)	1.446	Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.742	Reverse Ratio (:1)	2.871
Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.14
Mileage			
EnerGuide Estimate - City	8.1 L/100 km	EnerGuide Estimate - Hwy	6.2 L/100 km
Cruising Range - City	641.76 km	Cruising Range - Hwy	838.43 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A	Battery Range	N/A
Engine			
Engine Order Code	LE2	Engine Type	Turbocharged Gas I4
Displacement	1.4L/85	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	153 @ 5600	SAE Net Torque @ RPM	177 @ 2000-4000
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	130
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	172

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.



ehicle			
'ehicle			
EPA Classification	Midsize Cars		
nassis			
Veight Information			
Base Curb Weight	1,323.15 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
suspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Compound Cr
Suspension Type - Front (Cont.)	w/Coil Springs	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	Q1N	Rear Tire Order Code	Q1N
Spare Tire Order Code	ZAD	Front Tire Size	205/55R16
Rear Tire Size	205/55R16	Spare Tire Size	T115/70R16
		•	
Vheels	100 / TDD	D 144 10:	400 4 TDD
Front Wheel Size	406.4 x -TBD- mm	Rear Wheel Size	406.4 x -TBD mm
Spare Wheel Size	406.4 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
to oving			
Steering Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	11.8 m
Turning Diameter - Wall to Wall	N/A	ranning Diameter - Outb to Outb	11.0 111

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.



sis			
kes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	274.32 x -TBD- mm
Rear Brake Rotor Diam x Thickness	264.16 x -TBD- mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	52 L	Aux Fuel Tank Capacity, Approx	N/A
nensions			
terior Dimensions			
Passenger Capacity	5	Passenger Volume	2,661.79 L
Front Head Room	988.06 mm	Front Leg Room	1,066.8 mm
Front Shoulder Room	1,394.46 mm	Front Hip Room	1,351.28 mm
Second Head Room	960.12 mm	Second Leg Room	916.94 mm
Second Shoulder Room	1,351.28 mm	Second Hip Room	1,318.26 mm
xterior Dimensions			
Wheelbase	2,700.02 mm	Length, Overall	4,452.62 mm
Width, Max w/o mirrors	1,790.7 mm	Height, Overall	1,465.58 mm
Track Width, Front	1,526.54 mm	Track Width, Rear	1,551.94 mm
Min Ground Clearance	N/A	Liftover Height	N/A
argo Area Dimensions			
Cargo Volume with Rear Seat Up	642.79 L	Cargo Volume with Rear Seat Down	1,336.56 L
Trunk Volume	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9092. Data Updated: 19-Mar-2019 10:12:00 PDT PM.