

## **Window Sticker**

### **SUMMARY**

[Retail] 2019 Chevrolet Camaro (1AG37) 2dr Cpe LS w/1LS

MSRP:\$29,145.00

Interior:Jet Black, seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 2.0L Turbo, 4-cylinder, SIDI, VVT

Transmission, 8-speed automatic

	rransmission, o-speed auto	manc		
OPTIO	NS			
(	CODE	MODEL		MSRP
1	1AG37	[Retail] 2019 Chevrolet Camaro (1AG37) 2dr Cpe LS w/1LS		\$29,145.00
		OPTIONS		
1	ILS	LS Preferred Equipment Group		\$0.00
5	5ZU	LPO, Body-colour blade spoiler		\$845.00
A	<b>A</b> 50	Seats, Cloth front Sport bucket		\$0.00
E	BTV	Remote vehicle starter system	Inc.	
(	GBA	Black		\$0.00
(	GW6	Rear axle, 3.27 ratio		\$0.00
F	H1T	Jet Black, seat trim		\$0.00
ļ	OR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo.		\$0.00
ŀ	KB7	Paddle-shift manual controls	Inc.	
L	_TG	Engine, 2.0L Turbo, 4-cylinder, SIDI, VVT		\$0.00
N	MX0	Transmission, 8-speed automatic		\$1,650.00
F	RIK	LPO, Black front and rear bowtie emblems		\$215.00
5	SFE	LPO, Wheel locks		\$125.00
_		Federal air conditioning excise tax		\$100.00
		SUBTOTAL		\$31,980.00
		Adjustments Total		\$0.00
		Total Tax		\$100.00
		Destination Charge		\$1,750.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.



TOTAL PRICE \$33,830.00

### **FUEL ECONOMY**

Est City:10.8 L/100 km

Est Highway: 7.7 L/100 km

Est Highway Cruising Range:934.52 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.

Page 2

18-Apr-2019

## **Standard Equipment**

otanuaru Equi	
Mechanical	
	Engine, 2.0L Turbo, 4-cylinder, SIDI, VVT (275 hp [205 kW] @ 5600 rpm, 295 lb-ft of torque [398.3 N-m] @ 3000-4500 rpm) (STD)
	Transmission, 6-speed manual (STD)
	Rear axle, 3.27 ratio
	Engine air filter life monitor
	Driver Selector Mode up to 4 modes available for various driving conditions - Snow/Ice, Tour, Sport and Track (SS and ZL1 models only)
	Differential, limited slip (Deleted when (MX0) 8-speed automatic transmission is ordered.)
	Battery rundown protection
	Rear wheel drive
	Suspension, Sport
	Steering, power, variable ratio, electric
	Brakes, 4-wheel antilock, 4-wheel disc
	Fuelling system, capless
	Exhaust, dual-outlet stainless-steel with bright tips
Exterior	
	Wheels, 18" (45.7 cm) 5-split spoke Silver-painted aluminum
	Tires, 245/50R18, blackwall, all-season
	Mirrors, outside power-adjustable, body-colour
	Wipers, front variable-speed, intermittent with washers
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Bluetooth for phone
	Antenna, integral rear window

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.



Entertainment	
	Antenna, OnStar and SiriusXM Radio, fin-type (Black.)
Interior	
	Seats, Cloth front Sport bucket (STD)
	Seat adjuster, front passenger, 4-way manual with power recline
	Seat adjuster, driver, 8-way power
	Seat, rear, folding
	Floor mats, carpeted front
	Dead pedal, driver
	Steering wheel, leather-wrapped, flat-bottom
	Steering column, manual rake and telescopic
	Speedometer, miles/kilometres
	Driver Information Centre, colour display
	Compass display
	Air conditioning, single-zone automatic climate control
	Power outlet, 1, located on centre console
	Windows, power with driver and passenger Express-Down/Up
	Door locks, power programmable with lockout protection
	Keyless Open and Start includes 2 remote transmitters that enable automatic door unlock and open by touching door switch
	Cruise control, electronic with set and resume speed, steering wheel mounted
	Mirror, inside rearview manual day/night, frameless
	Visors, driver and front passenger vanity mirrors, covered, non-illuminated
	Trunk release, power
	Theft-deterrent system, electrical, unauthorized entry
	Defogger, rear-window, electric
	Glovebox, lockable
	Cup holders, 2 front
	Lighting, front reading lamps
	Shift knob, leather-wrapped
Safety-Mechanical	

## Safety-Mechanical

Brake, parking, electric

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.



Safety-Mechanical	
	StabiliTrak, stability control system with brake assist includes traction control
Safety-Exterior	
	Daytime Running Lamps, LED
Safety-Interior	
	Airbags, dual-stage frontal, thorax side-impact and knee, driver and front passenger, and head curtain side-impact includes Passenger Sensing System
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
	Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	HD Rear Vision Camera (Rear Vision Camera is not HD with IOR audio system.)
	Seat belts, 3-point, all positions includes front seat driver and front passenger seat belt pretensioners
	LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
	Tire Pressure Monitor System
	Trunk emergency release handle
WARRANTY	
	Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 160,000 Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Roadside Assistance Miles/km: 100,000

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.



# **Technical Specifications**

	scriffical opecifications			
Ро	wertrain			
Tr	ansmission			
	Drivetrain	Rear Wheel Drive	Trans Order Code	MX0
	Trans Type	8	Trans Description Cont.	Automatic
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
	Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
	Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
	Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
	Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.27
	Seventh Gear Ratio (:1)	N/A	Eighth Gear Ratio (:1)	N/A
М	ileage			
	EnerGuide Estimate - City	10.8 L/100 km	EnerGuide Estimate - Hwy	7.7 L/100 km
	Cruising Range - City	666.28 km	Cruising Range - Hwy	934.52 km
	EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
	EnerGuide Estimate Equivalent - City	N/A	Battery Range	N/A
Er	ngine			
	Engine Order Code	LTG	Engine Type	Gas I4
	Displacement	2.0L/122	Fuel System	Direct Injection
	SAE Net Horsepower @ RPM	275 @ 5600	SAE Net Torque @ RPM	295 @ 3000-4500
EI	ectrical			
	Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	N/A
Co	ooling System			
	Total Cooling System Capacity	N/A		
Ve	hicle			
Er	missions			
	Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	220

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.



hicle			
ehicle			
EPA Classification	Subcompact Cars		
nassis			
/eight Information			
Base Curb Weight	1,521.37 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
uspension			
Suspension Type - Front	McPherson Strut	Suspension Type - Rear	Five-Link
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	R0H	Rear Tire Order Code	R0H
Spare Tire Order Code	N/A	Front Tire Size	245/50R18
Rear Tire Size	245/50R18	Spare Tire Size	N/A
/heels			
Front Wheel Size	457.2 x -TBD- mm	Rear Wheel Size	457.2 x -TB mm
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	11.61 m		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.



hassis			
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	72.0 L	Aux Fuel Tank Capacity, Approx	N/A
imensions			
nterior Dimensions			
Passenger Capacity	4	Passenger Volume	2,633.47 L
Front Head Room	977.9 mm	Front Leg Room	1,115.06 mm
Front Shoulder Room	1,397 mm	Front Hip Room	1,384.3 mm
Second Head Room	N/A	Second Leg Room	759.46 mm
Second Shoulder Room	N/A	Second Hip Room	N/A
Exterior Dimensions			
Wheelbase	2,811.78 mm	Length, Overall	4,782.82 mm
Width, Max w/o mirrors	1,897.38 mm	Height, Overall	1,348.74 mm
Track Width, Front	1,587.5 mm	Track Width, Rear	1,617.98 mm
Min Ground Clearance	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Trunk Volume	257.68 L		

Data Version: 9316. Data Updated: 17-Apr-2019 10:14:00 PDT PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.