

# **Window Sticker**

# **SUMMARY**

[Retail] 2019 Chevrolet Colorado (12P43) 4WD Crew Cab 128.3" Z71

MSRP:\$40,600.00

Interior:Jet Black, Cloth/Leatherette seat trim

Exterior 1:Cajun Red Tintcoat

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

### **OPTIONS**

| <b>,</b> , | 10110 |   |             |
|------------|-------|---|-------------|
|            | CODE  | MODEL   | MSRP        |
|            | 12P43 | [Retail] 2019 Chevrolet Colorado (12P43) 4WD Crew Cab 128.3" Z71        | \$40,600.00 |
|            |       | OPTIONS   |             |
|            | 4Z7   | Z71 Preferred Equipment Group   | \$0.00      |
|            | 5GD   | Tow/Haul Mode   | Inc.        |
|            | AR7   | Seats, front bucket   | \$0.00      |
|            | C5J   | GVWR, 6000 lbs. (2722 kg)   | \$0.00      |
|            | CGN   | Bedliner, spray-on, Black   | \$550.00    |
|            | E25   | LPO, Assist steps, chrome , 5" rectangular                              | \$980.00    |
|            | GPJ   | Cajun Red Tintcoat  | \$595.00    |
|            | GU6   | Rear axle, 3.42 ratio   | \$0.00      |
|            | HH1   | Jet Black, Cloth/Leatherette seat trim                                  | \$0.00      |
|            | IOS   | Audio system, Chevrolet Infotainment 3 Plus system                      | \$0.00      |
|            | LGZ   | Engine, 3.6L DI DOHC V6 VVT   | \$0.00      |
|            | M5T   | Transmission, 8-speed automatic   | \$0.00      |
|            | QHE   | Tires, P255/65R17 all-terrain, blackwall                                | \$0.00      |
|            | R28   | Wheels, 17" x 8" (43.2 cm x 20.3 cm) Dark Argent Metallic cast aluminum | \$0.00      |
|            | RZB   | LPO, Chevrolet Lettered Grille  | \$625.00    |
|            | SFE   | LPO, Wheel locks  | \$80.00     |
|            | VQK   | LPO, Front and rear splash guards                                       | \$240.00    |
|            |       |   |             |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



| [Retail] 2019 Chevrolet Colorado (12P43) Crew Cab 128.3" (10) |   |  |  |
|---|---|--|--|
| Trailering Package, heavy-duty                                | \$295.00  |  |  |
| Solid paint   | \$0.00  |  |  |
| Federal air conditioning excise tax                           | \$100.00  |  |  |
| SUBTOTAL  | \$43,965.00   |  |  |
| Adjustments Total   | \$0.00  |  |  |
| Total Tax   | \$100.00  |  |  |
| Destination Charge  | \$1,895.00  |  |  |
| TOTAL PRICE   | \$45,960.00   |  |  |
|   | Trailering Package, heavy-duty Solid paint Federal air conditioning excise tax  SUBTOTAL Adjustments Total Total Tax Destination Charge |  |  |

# **FUEL ECONOMY**

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



# **Standard Equipment**

| Mechanical |   |
|------------|---|
|            | Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)                                   |
|            | Transmission, 8-speed automatic (STD) (Requires (LGZ) 3.6L DI DOHC V6 engine. Standard on Crew Cab models. Available on Extended Cab models.)                               |
|            | Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box models. Standard on Crew Cab Long Box models.) |
|            | GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)   |
|            | Hill Descent Control  |
|            | Transfer case, electric, 2-speed AutoTrac   |
|            | Transfer case shield  |
|            | Differential, automatic locking rear  |
|            | Four wheel drive  |
|            | Trailering assist, guidelines (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)                                    |
|            | Recovery hooks, front (Deleted when (PDZ) Chrome Appearance Package, LPO is ordered.)   |
|            | Suspension Package, Off-Road  |
|            | Brakes, 4-wheel antilock, 4-wheel disc  |
| Exterior   |   |
|            | Pickup box  |
|            | Wheels, 17" x 8" (43.2 cm x 20.3 cm) Dark Argent Metallic cast aluminum (STD)   |
|            | Tires, P255/65R17 all-terrain, blackwall (STD)  |
|            | Tire, spare P265/70R16 all-season, blackwall  |
|            | Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel  |
|            | Bumper, rear body-colour  |
|            | CornerStep, rear bumper   |
|            | Mouldings, Black beltline   |
|            | Headlamps, projector-type   |
|            | Fog lamps, front  |
|            | Cargo box light, back of Cab  |
|            | Mirrors, outside heated power-adjustable, body-colour, manual-folding   |
|            | Mirror, spotter, located in corner of driver-side outside mirror  |
|            |   |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



| Exterior      |  |
|---------------|--|
|               | Glass, windshield shade band   |
|               | Window, rear-sliding, manual   |
|               | Handles, door release, front and rear, chrome  |
|               | Door handles, body-colour  |
|               | Tailgate, EZ-Lift and Lower  |
|               | Tailgate, locking  |
|               | Tailgate handle, Black (Not available with (SCZ) Chrome tailgate handle, LPO.)   |
| Entertainment |  |
|               | Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period (STD)  |
|               | Audio system feature, 6-speaker system   |
|               | Radio, HD  |
|               | USB data ports, 2 includes auxiliary input jack, located on the front console (Not available with (IOT) 8" diagonal Chevrolet Infotainment System with Navigation.)  |
|               | USB charging-only ports, 2, located on the rear of the centre console  |
|               | SiriusXM Enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.) |
|               | Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)  |
|               | Microphones, Driver side and Passenger side  |
| Interior      |  |
|               | Seats, front bucket (STD)  |
|               | Seat trim, Cloth/Leatherette   |
|               | Seat adjuster, driver 6-way power  |
|               | Seat adjuster, 4-way power front passenger   |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



| Interior  |  |
|---|--|
|   |  |
| Seat adjuster, power driver lumbar control  |  |
| Seat adjuster, power passenger lumbar control   |  |
| Seat, rear folding bench (Crew Cab models only.)  |  |
| Seats, heated driver and front passenger  |  |
| Console, floor, front compartment, custom   |  |
| Wireless Charging for compatible cell phones  |  |
| Floor covering, colour-keyed carpeting  |  |
| Floor mats, carpeted front  |  |
| Floor mats, carpeted rear   |  |
| Steering wheel, leather-wrapped   |  |
| Steering column, tilt and telescopic  |  |
| Steering wheel controls, mounted audio controls   |  |
| Speedometer, miles/kilometres   |  |
| Steering wheel, heated  |  |
| Display, driver instrument information enhanced, multi-colour                           |  |
| Windows, power with driver Express-Up and Down  |  |
| Cruise control, electronic, automatic   |  |
| Door locks, power   |  |
| Remote Keyless Entry, extended range  |  |
| Remote vehicle starter system   |  |
| Theft-deterrent system, immobilization  |  |
| Theft-deterrent system, unauthorized entry  |  |
| Air conditioning, single-zone automatic climate control                                 |  |
| Defogger, rear-window electric  |  |
| Mirror, inside rearview auto-dimming  |  |
| Console, overhead   |  |
| Visors, driver and front passenger illuminated sliding vanity mirrors                   |  |
| Lighting, interior, dual reading  |  |
| Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.) |  |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



| Safety-Mechanical |  |
|-------------------|--|
|                   | StabiliTrak, stability control system  |
|                   | Traction control, electronic   |
| Safety-Interior   |  |
|                   | Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  |
|                   | OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)   |
|                   | Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.) |
|                   | Rear Park Assist, Ultrasonic   |
|                   | HD Rear Vision Camera  |
|                   | Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver   |
|                   | Tire Pressure Monitor System   |
|                   |  |

#### **WARRANTY**

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



**Powertrain** 

# **Technical Specifications**

| ransmission                         |                  |                                    |                  |
|-------------------------------------|------------------|------------------------------------|------------------|
| Drivetrain                          | Four Wheel Drive | Trans Order Code                   | M5T              |
| Trans Type                          | 8                | Trans Description Cont.            | Automatic        |
| Trans Description Cont. Again       | N/A              | First Gear Ratio (:1)              | 4.62             |
| Second Gear Ratio (:1)              | 3.04             | Third Gear Ratio (:1)              | 2.07             |
| Fourth Gear Ratio (:1)              | 1.66             | Fifth Gear Ratio (:1)              | 1.26             |
| Sixth Gear Ratio (:1)               | 1.00             | Reverse Ratio (:1)                 | 3.93             |
| Clutch Size                         | N/A              | Trans Power Take Off               | Yes              |
| Final Drive Axle Ratio (:1)         | N/A              | Transfer Case Model                | Magna MP302      |
| Transfer Case Gear Ratio (:1), High | 1.00             | Transfer Case Gear Ratio (:1), Low | 2.72             |
| Transfer Case Power Take Off        | N/A              | Seventh Gear Ratio (:1)            | 0.85             |
| Eighth Gear Ratio (:1)              | 0.66             |                                    |                  |
| ileage                              |                  |                                    |                  |
| EnerGuide Estimate - City           | 14.0 L/100 km    | EnerGuide Estimate - Hwy           | 9.9 L/100 km     |
| Cruising Range - City               | 563.98 km        | Cruising Range - Hwy               | 797.55 km        |
| ngine                               |                  |                                    |                  |
| Engine Order Code                   | LGZ              | Engine Type                        | Gas V6           |
| Displacement                        | 3.6L/-TBD-       | Fuel System                        | Direct Injection |
| SAE Net Horsepower @ RPM            | 308 @ 6800       | SAE Net Torque @ RPM               | 275 @ 4000       |
| Engine Oil Cooler                   | N/A              |                                    |                  |
| lectrical                           |                  |                                    |                  |
| Cold Cranking Amps @ 0° F (Primary) | N/A              | Cold Cranking Amps @ 0° F (2nd)    | N/A              |
| Maximum Alternator Capacity (amps)  | N/A              | Cold Cranking Amps @ 0° F (3rd)    | N/A              |
|                                     |                  |                                    |                  |
| ooling System                       |                  |                                    |                  |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



| 1.5.1.                                  |             |  |                                       |
|---|-------------|--|---------------------------------------|
| hicle                                   |             |  |                                       |
| missions                                |             |  |                                       |
| Kg/yr of CO2 Emissions @ 20K km/year    | N/A         | G/km Of CO2 Emissions                  | 286                                   |
| nassis                                  |             |  |                                       |
| Veight Information                      |             |  |                                       |
| Standard Weight - Front                 | 88 kg       | Standard Weight - Rear                 | 20.87 kg                              |
| Gross Axle Wt Rating - Front            | 1,451.52 kg | Gross Axle Wt Rating - Rear            | 1,587.6 kg                            |
| Curb Weight - Front                     | 1,003.82 kg | Curb Weight - Rear                     | 809.22 kg                             |
| Option Weight - Front                   | 10.89 kg    | Option Weight - Rear                   | 21.77 kg                              |
| Reserve Axle Capacity - Front           | 348.82 kg   | Reserve Axle Capacity - Rear           | 735.74 kg                             |
| As Spec'd Curb Weight                   | 1,954.56 kg | As Spec'd Payload                      | 767.04 kg                             |
| Maximum Payload Capacity                | 908.56 kg   | Gross Combined Wt Rating               | 5,443.2 kg                            |
| Gross Axle Weight Rating                | 3,039.12 kg | Curb Weight                            | 1,813.04 kg                           |
| Reserve Axle Capacity                   | 1,084.56 kg | Total Option Weight                    | 32.66 kg                              |
| Payload Weight Front                    | 0 kg        | Payload Weight Rear                    | 0 kg                                  |
| Gross Vehicle Weight Rating             | 2,721.6 kg  |  |                                       |
| railering                               |             |  |                                       |
| Dead Weight Hitch - Max Trailer Wt.     | 2,268 kg    | Dead Weight Hitch - Max Tongue Wt.     | 226.8 kg                              |
| Wt Distributing Hitch - Max Trailer Wt. | 3,175.2 kg  | Wt Distributing Hitch - Max Tongue Wt. | 317.52 kg                             |
| Maximum Trailering Capacity             | 3,447.36 kg |  |                                       |
| rame                                    |             |  |                                       |
| Frame Type                              | N/A         | Sect Modulus Rails Only                | N/A                                   |
| Frame RBM                               | N/A         | Frame Strength                         | N/A                                   |
| Frame Thickness                         | N/A         |  |                                       |
| Suspension                              |             |  |                                       |
| Suspension Type - Front                 | Independent | Suspension Type - Rear                 | Semi-elliptic, 2-<br>stage, multi-lea |
| Spring Capacity - Front                 | 1,451.52 kg | Spring Capacity - Rear                 | 1,587.6 kg                            |
| Axle Type - Front                       | Independent | Axle Type - Rear                       | Semi-Floating                         |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



| hassis                            |                  |                                    |                 |
|-----------------------------------|------------------|------------------------------------|-----------------|
| Suspension                        |                  |                                    |                 |
| Axle Capacity - Front             | 1,451.52 kg      | Axle Capacity - Rear               | 1,587.6 kg      |
| Axle Ratio (:1) - Front           | 3.42             | Axle Ratio (:1) - Rear             | 3.42            |
| Shock Absorber Diameter - Front   | N/A              | Shock Absorber Diameter - Rear     | N/A             |
| Stabilizer Bar Diameter - Front   | N/A              | Stabilizer Bar Diameter - Rear     | N/A             |
| ires                              |                  |                                    |                 |
| Front Tire Order Code             | QHE              | Rear Tire Order Code               | QHE             |
| Spare Tire Order Code             | ZJJ              | Front Tire Size                    | P255/65R17      |
| Rear Tire Size                    | P255/65R17       | Spare Tire Size                    | P265/70R16      |
| Front Tire Capacity               | N/A              | Rear Tire Capacity                 | N/A             |
| Spare Tire Capacity               | N/A              | Revolutions/Mile @ 45 mph - Front  | N/A             |
| Revolutions/Mile @ 45 mph - Rear  | N/A              | Revolutions/Mile @ 45 mph - Spare  | N/A             |
| Vheels                            |                  |                                    |                 |
| Front Wheel Size                  | 431.8 x 203.2 mm | Rear Wheel Size                    | 431.8 x 203.2 n |
| Spare Wheel Size                  | 406.4 x 177.8 mm | Front Wheel Material               | Aluminum        |
| Rear Wheel Material               | Aluminum         | Spare Wheel Material               | Steel           |
| teering                           |                  |                                    |                 |
| Steering Type                     | Pwr              | Steering Ratio (:1), On Centre     | N/A             |
| Steering Ratio (:1), At Lock      | N/A              | Turning Diameter - Curb to Curb    | 12.59 m         |
| Turning Diameter - Wall to Wall   | N/A              |                                    |                 |
| Brakes                            |                  |                                    |                 |
| Brake Type                        | Pwr              | Brake ABS System                   | 4-Wheel         |
| Brake ABS System (Second Line)    | N/A              | Disc - Front (Yes or )             | Yes             |
| Disc - Rear (Yes or )             | Yes              | Front Brake Rotor Diam x Thickness | N/A             |
| Rear Brake Rotor Diam x Thickness | N/A              | Drum - Rear (Yes or )              | N/A             |
| Rear Drum Diam x Width            | N/A              |                                    |                 |

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



| assis                       |             |                                 |             |
|-----------------------------|-------------|---------------------------------|-------------|
| el Tank                     |             |                                 |             |
| Fuel Tank Capacity, Approx  | 79 L        | Aux Fuel Tank Capacity, Approx  | N/A         |
| Fuel Tank Location          | N/A         | Aux Fuel Tank Location          | N/A         |
| nensions                    |             |                                 |             |
| terior Dimensions           |             |                                 |             |
| Passenger Capacity          | 5           | Front Head Room                 | 1,051.56 mm |
| Front Leg Room              | 1,143 mm    | Front Shoulder Room             | 1,460.5 mm  |
| Front Hip Room              | 1,397 mm    | Second Head Room                | 972.82 mm   |
| Second Leg Room             | 909.32 mm   | Second Shoulder Room            | 1,427.48 mm |
| Second Hip Room             | 1,353.82 mm |                                 |             |
| terior Dimensions           |             |                                 |             |
| Wheelbase                   | 3,258.82 mm | Length, Overall w/o rear bumper | 5,402.58 mm |
| Length, Overall             | N/A         | Width, Max w/o mirrors          | 1,887.22 mm |
| Height, Overall             | 1,793.24 mm | Overhang, Front                 | 937.26 mm   |
| Overhang, Rear w/o bumper   | N/A         | Front Bumper to Back of Cab     | N/A         |
| Cab to Axle                 | 608.08 mm   | Cab to End of Frame             | N/A         |
| Ground to Top of Load Floor | 876.3 mm    | Ground to Top of Frame          | N/A         |
| Frame Width, Rear           | N/A         | Ground Clearance, Front         | 208.28 mm   |
| Ground Clearance, Rear      | 208.28 mm   | Body Length                     | 0 m         |
| Cab to Body                 | N/A         |                                 |             |
| argo Area Dimensions        |             |                                 |             |
| Cargo Box Length @ Floor    | 1,567.18 mm | Cargo Box Width @ Top, Rear     | N/A         |
| Cargo Box Width @ Floor     | 1,468.12 mm | Cargo Box Width @ Wheelhousings | 1,127.76 mm |
| Cargo Box (Area) Height     | N/A         | Tailgate Width                  | N/A         |
| Cargo Volume                | N/A         | Ext'd Cab Cargo Volume          | N/A         |

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.