

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Colorado (12U43) 4WD Crew Cab 140.5" LT

MSRP:\$38,000.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Shadow Grey Metallic

Exterior 2:No colour has been selected.

Engine, 2.8L Duramax Turbo-Diesel, DI, 4-cylinder

Transmission, 6-speed automatic, HMD, 6L50

OPTIONS

J	10110			
	CODE	MODEL		MSRP
	12U43	[Retail] 2019 Chevrolet Colorado (12U43) 4WD Crew Cab 140.5" LT		\$38,000.00
		OPTIONS		
	4LT	LT Preferred Equipment Group		\$0.00
	A28	Window, rear-sliding, manual	Inc.	
	AAQ	Seat adjuster, 4-way power front passenger	Inc.	
	AL9	Seat adjuster, power driver lumbar control	Inc.	
	AR7	Seats, front bucket		\$0.00
	AT9	Seat adjuster, power passenger lumbar control	Inc.	
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	CGN	Bedliner, spray-on, Black		\$550.00
	DG6	Mirrors, outside heated power-adjustable, body-colour, manual-folding	Inc.	
	E25	LPO, Assist steps, chrome , 5" rectangular		\$980.00
	G80	Differential, automatic locking rear		\$410.00
	GJI	Shadow Grey Metallic		\$495.00
	GU6	Rear axle, 3.42 ratio		\$0.00
	H0U	Jet Black, Cloth seat trim		\$0.00
	IOS	Audio system, Chevrolet Infotainment 3 Plus system		\$0.00
	JL1	Trailer brake controller, integrated	Inc.	
	K05	Engine block heater		\$150.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



	[Retail] 2019 Chevrolet Colorado (12U43) Crew Cab 140.5	' (6)	
K40	Exhaust brake	Inc.	
KA1	Seats, heated driver and front passenger		\$730.00
LWN	Engine, 2.8L Duramax Turbo-Diesel, DI, 4-cylinder		\$4,585.00
MYB	Transmission, 6-speed automatic, HMD, 6L50		\$0.00
PCM	LT Convenience Package		\$835.00
PCW	Safety Package		\$780.00
PPA	Tailgate, EZ-Lift and Lower	Inc.	
Q4B	GVWR, 6200 lbs. (2812 kg)	Inc.	
QIA	Tires, P265/60R18 all-season, blackwall	Inc.	
RCV	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic calluminum	ast	\$1,150.00
SFE	LPO, Wheel locks		\$80.00
SG1	LPO, Black Bowtie Emblem Package		\$270.00
T3U	Fog lamps, front	Inc.	
UD7	Rear Park Assist, Ultrasonic	Inc.	
UEU	Forward Collision Alert	Inc.	
UFL	Lane Departure Warning	Inc.	
UVD	Steering wheel, heated		\$180.00
VQK	LPO, Front and rear splash guards		\$240.00
Z82	Trailering Package, heavy-duty		\$295.00
ZY1	Solid paint		\$0.00
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$49,730.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,895.00
	TOTAL PRICE		\$51,725.00

FUEL ECONOMY

Est City:12.2 L/100 km

Est Highway:8.4 L/100 km

Est Highway Cruising Range:939.96 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



Standard Equipment

Mechanical	
	Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)
	Transmission, 8-speed automatic (STD) (Requires (LGZ) 3.6L DI DOHC V6 engine. Standard on Crew Cab models. Available on Extended Cab models.)
	Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box models. Standard on Crew Cab Long Box models.)
	GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
	Transfer case, electric, 2-speed AutoTrac
	Four wheel drive
	Trailering assist, guidelines (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Tow/Haul Mode (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)
	Recovery hooks, front (Deleted when (PDZ) Chrome Appearance Package, LPO is ordered.)
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Pickup box
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum (STD)
	Tires, P255/65R17 all-season, blackwall (STD)
	Tire, spare P265/70R16 all-season, blackwall (Included and only available with (S1K) 16" \times 7" (40.6 cm \times 17.8 cm) steel spare wheel.)
	Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box. Standard on Crew Cab Long Box.)
	Bumper, rear body-colour (Deleted when (TGK) Special Paint is ordered.)
	CornerStep, rear bumper
	Mouldings, Chrome beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of Cab
	Mirrors, outside power-adjustable, body-colour, manual-folding
	Mirror, spotter, located in corner of driver-side outside mirror
	Glass, windshield shade band

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



Exterior	
	Handles, door release, front and rear, chrome
	Door handles, body-colour
	Tailgate, locking
	Tailgate handle, Black (Not available with (SCZ) Chrome tailgate handle, LPO.)
Entertainment	
	Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period (STD)
	Audio system feature, 6-speaker system
	Radio, HD
	USB data ports, 2 includes auxiliary input jack, located on the front console
	USB charging-only ports, 2, located on the rear of the centre console
	SiriusXM Enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Microphones, Driver side and Passenger side
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way power
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seat, rear folding bench (Crew Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



Interior	
	Floor mats, carpeted rear
	·
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, multi-colour
	Windows, power with driver Express-Up and Down
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	Air conditioning, single-zone manual climate control
	Mirror, inside rearview manual day/night
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



Safety-Interior

HD Rear Vision Camera

Teen Driver mode configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitor System

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



Technical Specifications

Powertrain Transmission Drivetrain Four Wheel Drive Trans Order Code MYB 6 Trans Description Cont. Trans Type Automatic Trans Description Cont. Again N/A First Gear Ratio (:1) 4.06 Second Gear Ratio (:1) 2.37 Third Gear Ratio (:1) 1.55 Fourth Gear Ratio (:1) 1.16 Fifth Gear Ratio (:1) 0.85 Reverse Ratio (:1) 3.20 Sixth Gear Ratio (:1) 0.67 Clutch Size N/A Trans Power Take Off Yes Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP3025G Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.72 Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City 12.2 L/100 km EnerGuide Estimate - Hwy 8.4 L/100 km Cruising Range - City 647.2 km Cruising Range - Hwy 939.96 km **Engine** LWN **Engine Order Code Engine Type** Diesel 14 2.8L/-TBD-Displacement Fuel System **Direct Injection** SAE Net Horsepower @ RPM 181 @ 3400 SAE Net Torque @ RPM 369 @ 2000 **Engine Oil Cooler** N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) Cold Cranking Amps @ 0° F (2nd) N/A N/A Maximum Alternator Capacity (amps) N/A Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System**

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

N/A

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.

Total Cooling System Capacity



hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	283
nassis			
Veight Information			
Standard Weight - Front	90.27 kg	Standard Weight - Rear	19.05 kg
Gross Axle Wt Rating - Front	1,542.24 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	1,090.91 kg	Curb Weight - Rear	793.8 kg
Option Weight - Front	99.79 kg	Option Weight - Rear	70.76 kg
Reserve Axle Capacity - Front	261.27 kg	Reserve Axle Capacity - Rear	703.99 kg
As Spec'd Curb Weight	2,164.58 kg	As Spec'd Payload	647.74 kg
Maximum Payload Capacity	927.61 kg	Gross Combined Wt Rating	5,760.72 kg
Gross Axle Weight Rating	3,129.84 kg	Curb Weight	1,884.71 kg
Reserve Axle Capacity	965.26 kg	Total Option Weight	170.55 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,812.32 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,424.68 kg	Wt Distributing Hitch - Max Tongue Wt.	342.47 kg
Maximum Trailering Capacity	3,424.68 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-elliptic, 2- stage, multi-lea
Spring Capacity - Front	1,542.24 kg	Spring Capacity - Rear	1,587.6 kg
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



nassis			
uspension			
Axle Capacity - Front	1,542.24 kg	Axle Capacity - Rear	1,587.6 kg
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZJJ	Front Tire Size	P265/60R18
Rear Tire Size	P265/60R18	Spare Tire Size	P265/70R16
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	457.2 x 215.9 mm	Rear Wheel Size	457.2 x 215.9 m
Spare Wheel Size	406.4 x 177.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	13.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.



assis			
el Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		
terior Dimensions			
Wheelbase	3,568.7 mm	Length, Overall w/o rear bumper	5,712.46 mm
Length, Overall	N/A	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,790.7 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	917.7 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	878.84 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.74 mm
Ground Clearance, Rear	205.74 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,879.6 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Ext'd Cab Cargo Volume	N/A

Data Version: 9332. Data Updated: 19-Apr-2019 9:55:00 PDT PM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.