



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom MSRP:\$44,000.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10543	[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom	\$44,000.00
OPTIONS		
1CX	Custom Preferred Equipment Group	\$0.00
A52	Seats, front 40/20/40 split-bench	\$0.00
BTV	Remote vehicle starter system	Inc.
C49	Defogger, rear-window electric	Inc.
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	\$600.00
CTT	Hitch Guidance	Inc.
G80	Differential, heavy-duty locking rear	\$450.00
G9K	Satin Steel Metallic	\$495.00
GU6	Rear axle, 3.42 ratio	\$0.00
H1T	Jet Black, Cloth seat trim	\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo.	\$0.00
JL1	Trailer brake controller, integrated	\$350.00
KNP	Cooling, auxiliary external transmission oil cooler	Inc.
L82	Engine, 5.3L EcoTec3 V8	\$1,695.00
MYC	Transmission, 6-speed automatic, electronically controlled	\$0.00
N10	Exhaust, dual with polished outlets	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

NZP	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Silver Painted Aluminum		\$0.00
PCX	Custom Convenience Package	Inc.	
PDX	Custom Value Package		\$1,995.00
QAB	Tires, 275/60R20 all-season, blackwall		\$0.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
U2K	SiriusXM	Inc.	
UE1	OnStar and Chevrolet connected services capable	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VXH	LPO, Assist steps, chromed tubular, 6" rectangular		\$900.00
Z82	Trailer Package	Inc.	
ZLA	Infotainment Package	Inc.	
—	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free	Inc.	
—	Compass	Inc.	
—	Chevrolet Connected Access	Inc.	
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$250.00
—	Chevrolet 4G LTE	Inc.	
SUBTOTAL			\$50,315.00
Adjustments Total			\$0.00
Total Tax			\$100.00
Destination Charge			\$1,895.00
TOTAL PRICE			\$52,310.00

FUEL ECONOMY

Est City:15.9 L/100 km

Est Highway:11.7 L/100 km

Est Highway Cruising Range:777.36 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Standard Equipment

Mechanical

Durabed, pickup bed
Engine, 4.3L EcoTec3 V6 (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
Rear axle, 3.42 ratio
GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine.)
Transfer case, single speed electronic Autotrac with rotary dial control (4WD models only)
Four wheel drive
Cooling, external engine oil cooler
Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
Alternator, 170 amps
Frame, fully-boxed, hydroformed front section
Steering, Electric Power Steering (EPS) assist, rack-and-pinion
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
Brake lining wear indicator
Capless Fuel Fill
Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.)

Exterior

Wheels, 20" x 9" (50.8 cm x 22.9 cm) Silver Painted Aluminum (STD)
Tires, 275/60R20 all-season, blackwall (STD)
Tire, spare 255/80R17SL all-season, blackwall
Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
Bumper, front (Body-colour.)
Bumper, rear (Body colour.)
CornerStep, rear bumper
Recovery hooks, front, frame-mounted, black
Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
Grille (Body colour bars with black mesh inserts.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Exterior

Headlamps, halogen reflector with halogen Daytime Running Lamps

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel

Taillamps, LED with signature

Mirrors, outside heated power-adjustable

Glass, deep-tinted

Door handles, Black

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)

Tailgate, gate function manual no lift assist

LPO, Polished exhaust tip (dealer-installed) (Standard with 4.3L EcoTec3 V6 engine. Not available with (L82) 5.3L EcoTec3 V8 engine.)

Entertainment

Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)

Audio system feature, 6-speaker system

Bluetooth for phone, connectivity to vehicle infotainment system

USB port, located on instrument panel

Interior

Seats, front 40/20/40 split-bench (STD)

Seat trim, Cloth

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting

Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)

Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Interior

Driver Information Centre, 3.5" diagonal monochrome display

Brake lining wear indicator

Exterior Temperature Display located in radio display

Rear Seat Reminder

Windows, power front, drivers express up/down

Windows, power front, passenger express down

Windows, power rear, express down

Door locks, power

Remote Keyless Entry, with 2 transmitters

Cruise control, electronic with set and resume speed, steering wheel-mounted

Air conditioning, single-zone

Air vents, rear, heating/cooling

Power outlet, front auxiliary, 12-volt

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Rear Vision Camera

Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

WARRANTY

Basic Years: 3
Basic Miles/km: 60,000
Drivetrain Years: 5
Drivetrain Miles/km: 100,000
Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 160,000
Corrosion Miles/km: 60,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 100,000
Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MYC
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		

Mileage

EnerGuide Estimate - City	15.9 L/100 km	EnerGuide Estimate - Hwy	11.7 L/100 km
Cruising Range - City	572.01 km	Cruising Range - Hwy	777.36 km

Engine

Engine Order Code	L82	Engine Type	Gas V8
Displacement	5.3L-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	329
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	4.54 kg	Standard Weight - Rear	11.34 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	49.9 kg	Option Weight - Rear	46.27 kg
Reserve Axle Capacity - Front	381.48 kg	Reserve Axle Capacity - Rear	769.76 kg
As Spec'd Curb Weight	2,296.12 kg	As Spec'd Payload	924.44 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,151.24 kg	Total Option Weight	96.16 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,309.2 kg	Wt Distributing Hitch - Max Tongue Wt.	430.92 kg
Maximum Trailering Capacity	4,309.2 kg		

Frame

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Chassis

Suspension

Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QAB	Rear Tire Order Code	QAB
Spare Tire Order Code	QAQ	Front Tire Size	275/60R20
Rear Tire Size	275/60R20	Spare Tire Size	255/80R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	20" x 9" mm	Rear Wheel Size	20" x 9" mm
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x -TBD-mm
Rear Brake Rotor Diam x Thickness	358.14 x -TBD-mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.



[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" (142)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		

Exterior Dimensions

Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	5,885.18 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9420. Data Updated: 30-Apr-2019 10:26:00 PDT PM.