

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Express Cargo Van (CG23405) RWD 2500 135"

MSRP:\$39,100.00

Interior: Neutral, Custom Cloth Seat Trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, Vortec 6.0L V8 SFI FlexFuel

Transmission, 6-speed automatic, heavy-duty, electronically controlled

OPTIONS

CG23405 [Retail] 2019 Chevrolet Express Cargo Van (CG23405) RWD 2500 \$39,10 135" OPTIONS 1WT 2500 Van Preferred Equipment Group \$ 52G Neutral, Custom Cloth Seat Trim \$ A12 Glass, fixed rear doors windows Inc. AS5 Seats, front bucket with Custom Cloth trim \$10 ATG Remote Keyless Entry \$23 BA3 Console, engine cover with swing-out storage bin Inc. BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$5	
OPTIONS 1WT 2500 Van Preferred Equipment Group \$ 52G Neutral, Custom Cloth Seat Trim \$ A12 Glass, fixed rear doors windows Inc. AS5 Seats, front bucket with Custom Cloth trim \$10 ATG Remote Keyless Entry \$23 BA3 Console, engine cover with swing-out storage bin Inc. BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$5	MSRP
1WT 2500 Van Preferred Equipment Group \$2G Neutral, Custom Cloth Seat Trim \$10 A12 Glass, fixed rear doors windows Inc. AS5 Seats, front bucket with Custom Cloth trim \$10 ATG Remote Keyless Entry \$23 BA3 Console, engine cover with swing-out storage bin Inc. BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$26 Air conditioning, single-zone manual \$5 DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$6 K34 Cruise control \$5 Seats, front bucket Trim \$10 A12 Summit White \$10 A12 Summit White \$11 A12 A13 A12 ratio \$12 A13 A14 Cruise control \$14 A15	,100.00
Neutral, Custom Cloth Seat Trim Al2 Glass, fixed rear doors windows Inc. AS5 Seats, front bucket with Custom Cloth trim ATG Remote Keyless Entry BA3 Console, engine cover with swing-out storage bin BTV Remote vehicle starter system S33 C49 Defogger, rear-window electric C60 Air conditioning, single-zone manual DE5 Mirrors, outside heated power-adjustable, Black, manual-folding G80 Differential, heavy-duty locking rear S41 GAZ Summit White S42 K34 Cruise control S43 Cruise control	
A12 Glass, fixed rear doors windows Inc. AS5 Seats, front bucket with Custom Cloth trim \$10 ATG Remote Keyless Entry \$23 BA3 Console, engine cover with swing-out storage bin Inc. BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$5	\$0.00
AS5 Seats, front bucket with Custom Cloth trim \$10 ATG Remote Keyless Entry \$23 BA3 Console, engine cover with swing-out storage bin Inc. BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$5	\$0.00
ATG Remote Keyless Entry \$23 BA3 Console, engine cover with swing-out storage bin Inc. BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	
BA3 Console, engine cover with swing-out storage bin Inc. BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	105.00
BTV Remote vehicle starter system \$33 C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$33	230.00
C49 Defogger, rear-window electric \$22 C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	
C60 Air conditioning, single-zone manual \$ DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	330.00
DE5 Mirrors, outside heated power-adjustable, Black, manual-folding \$15 G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	220.00
G80 Differential, heavy-duty locking rear \$41 GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	\$0.00
GAZ Summit White \$ GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	155.00
GU6 Rear axle, 3.42 ratio \$ K34 Cruise control \$	410.00
K34 Cruise control \$	\$0.00
	\$0.00
KG4 Alternator, 150 amps \$10	\$0.00
	100.00
L96 Engine, Vortec 6.0L V8 SFI FlexFuel \$1,44	,445.00
MYD Transmission, 6-speed automatic, heavy-duty, electronically Inc. controlled	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



1	NP5	Steering wheel, leather-wrapped		\$285.00
ι	J05	Horn, dual-note high and low		\$20.00
ι	J0H	Audio system, AM/FM stereo with MP3 player and USB port		\$110.00
ι	JA1	Battery, heavy-duty 770 cold-cranking amps, maintenance-free		\$85.00
ι	JD7	Rear Park Assist		\$365.00
ι	JPF	Bluetooth for phone, personal cell phone connectivity to vehicle audio system		\$60.00
ι	JSR	Audio system feature, USB port	Inc.	
ι	UTJ	Theft Alarm Notification	Inc.	
١	W1Y	Steering wheel controls, mounted audio controls	Inc.	
`	YA2	Door, sliding passenger-side		\$185.00
Z	ZLP	Tire, spare LT245/75R16E all-season, blackwall		\$0.00
Z	ZQ3	Driver Convenience Package		\$545.00
Z	ZW2	Glass, rear doors		\$85.00
Z	ZW9	Body, standard		\$0.00
Z	ZX2	Seating arrangement, driver and front passenger high-back buckets,		\$0.00
Z	ZY1	Paint, solid		\$0.00
-		Federal air conditioning excise tax		\$100.00
		SUBTOTAL		\$43,835.00
		Adjustments Total		\$0.00
		Total Tax		\$100.00
		Destination Charge		\$1,795.00
		TOTAL PRICE		\$45,730.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



Standard Equipment

•	
Package	
	Power Convenience Package includes (A31) power windows and (AU3) power door locks
Mechanical	
	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (STD) (Reference the Engine/Axle page for availability.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode, includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)
	Body, standard (STD)
	Cold Climate Package includes (K05) engine block heater (Includes (K08) auxiliary heat generator when ordered with (LWN) 2.8L Duramax Turbo Diesel engine.)
	Engine block heater
	Transmission oil cooler, external (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine is ordered.)
	Rear wheel drive
	Cooling, external engine oil cooler (Not available with (LWN) 2.8L Duamax Turbo-Diesel engine.)
	Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
	Alternator, 105 amps (Not available with (Y3H) Paratransit Package, (C69) rear air conditioning, (9L7) Wiring junction block equipment accessory, (5BV) Upfitter electrical provisions or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Frame, full-length box ladder-type
	GVWR, 8600 lbs. (3901 kg) (Reference the Engine/Axle page for availability.)
	Suspension, front independent with coil springs and stabilizer bar
	Suspension, rear hypoid drive axle with multi-leaf springs
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc
	Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Door, swing-out passenger-side, 60/40 split (STD)
	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Grey centre caps and steel spare
	Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



Exterior	
	Tires, front LT245/75R16E all-season, blackwall
	Tires, rear LT245/75R16E all-season, blackwall
	Bumpers, front and rear painted Black with step-pad
	Headlamps, dual halogen composite
	Mirrors, outside manual, Black
	Glass, Solar-Ray light-tinted, all windows
	Wipers, front intermittent wet-arm with pulse washers
Entertainment	
	Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (STD) (Not available with (U2K) SiriusXM, (5BV) Upfitter electrical provisions or (WP9) Communications Package.)
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Included and only available with (UE1) OnStar. Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
Interior	
	Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (STD) (Requires (**W) interior trim. Includes (DAA) driver and front passenger vinyl visors.)
	Seating arrangement, driver and front passenger high-back buckets, with head restraints and vinyl or cloth trim (STD) (Not available with (AJ3) driver-side only frontal airbag.)
	Air conditioning, single-zone manual (STD) (Not available with (R6G) air conditioning delete.)
	Console, engine cover with open storage bin
	Floor covering, full-length Black rubberized-vinyl (Not available with (RFM) rear floor covering delete, (5BV) Upfitter electrical or (PCH) Hotel Shuttle Package.)
	Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
	Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
	Oil life monitor
	Warning tones, headlamp on and key-in-ignition
	Driver Information Centre includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
	Door locks, power with lock-out protection (Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



Interior	
	Windows, power (Included with (ZQ2) Power Convenience Package.)
	Tow/haul mode selector, instrument panel-mounted
	Theft-deterrent system, vehicle, PASS-Key III
	Defogger, side windows
	Cup holders, 3 on the engine console cover
	Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
	Power outlet, 120-volt
	Trim panels, hinged rear side doors and hinged rear doors (Not available with (Y3H) Paratransit Package or (5BV) Upfitter electrical provisions.)
	Mirror, inside rearview includes Rear Vision Camera display
	Headliner, cloth, over driver and passenger
	Visors, driver and front passenger, cloth, padded
	Assist handles, driver and right-front passenger
	Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches
	Cargo tie-downs 6 D-ring attachments on cargo area floor (Not available with (Y3H) Paratransit Package, (5BV) Upfitter electrical provisions or (ZP6) 5-passenger Express Crew Van.)
Safety-Mechanical	
	Brake/transmission shift interlock, for automatic transmissions
	Hill Start Assist
	StabiliTrak, traction assistance and vehicle stability enhancement system
Safety-Exterior	
	Door beams, steel-side
	Daytime Running Lamps
Safety-Interior	
	Airbags, frontal, driver and front passenger (Includes passenger-side airbag deactivation switch. Included with (ZX2) driver and front passenger high-back bucket seats or (ZP6) 5-passenger Express Crew Van Package. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal airbag.)
	Airbags, driver and right-front passenger, seat-mounted side-impact and roof-rail side-impact
	Airbag deactivation switch, frontal passenger-side (Not available with (AJ3) driver only airbag.)
	OnStar and Chevrolet connected services capable (Not available with (UXZ) radio provisions only. Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



Safety-Interior

Chevrolet Connected Access with 10 years of standard connectivity which enables services such as Vehicle Diagnostics, Dealer Maintenance Notification and more (Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)

Rear Vision Camera display integrated into rearview mirror (Display included with (DRJ) inside rearview mirror.)

Tire Pressure Monitoring System (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MYD
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



owertrain			
Mileage			
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Engine			
Engine Order Code	L96	Engine Type	Gas/Ethanol V8
Displacement	6.0L/364	Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	341 @ 5400	SAE Net Torque @ RPM	373 @ 4200
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	770	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	150	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	13.63 L		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Vehicle			
Rear Door Type	Dual Swing-out		
hassis			
Weight Information			
Standard Weight - Front	13.15 kg	Standard Weight - Rear	30.84 kg
Gross Axle Wt Rating - Front	1,859.76 kg	Gross Axle Wt Rating - Rear	2,431.3 kg
Curb Weight - Front	1,329.05 kg	Curb Weight - Rear	1,010.17 kg
Option Weight - Front	12.7 kg	Option Weight - Rear	19.5 kg
Reserve Axle Capacity - Front	504.86 kg	Reserve Axle Capacity - Rear	1,370.78 kg
As Spec'd Curb Weight	2,415.42 kg	As Spec'd Payload	1,485.54 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



nassis			
/eight Information			
Maximum Payload Capacity	1,561.74 kg	Gross Combined Wt Rating	7,257.6 kg
Gross Axle Weight Rating	4,291.06 kg	Curb Weight	2,339.22 kg
Reserve Axle Capacity	1,875.64 kg	Total Option Weight	32.21 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,900.96 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,536 kg	Wt Distributing Hitch - Max Tongue Wt.	453.6 kg
Maximum Trailering Capacity	4,536 kg		
rame			
Frame Type	Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Coil Spring	Suspension Type - Rear	Hypoid Multi-Lo
Spring Capacity - Front	1,859.76 kg	Spring Capacity - Rear	2,431.3 kg
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	1,859.76 kg	Axle Capacity - Rear	2,431.3 kg
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	XLP	Rear Tire Order Code	YLP
Spare Tire Order Code	ZLP	Front Tire Size	LT245/75R16E
Rear Tire Size	LT245/75R16E	Spare Tire Size	LT245/75R16E
Front Tire Capacity	1,000.19 kg	Rear Tire Capacity	1,379.85 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



ires			
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	406.4 x 165.1 mm	Rear Wheel Size	406.4 x 165.1 m
Spare Wheel Size	406.4 x 165.1 mm	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
iteering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	17.2
Steering Ratio (:1), At Lock	17.2	Turning Diameter - Curb to Curb	15 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	325.12 x 38.1 n
Rear Brake Rotor Diam x Thickness	330.2 x 27.94 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	117 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Mid-frame	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	2	Front Head Room	N/A
Front Leg Room	N/A	Front Shoulder Room	N/A
		On any dilland Danes	N/A
Front Hip Room	N/A	Second Head Room	IN/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.



Dimensions Exterior Dimensions Wheelbase 3,429 mm Length, Overall w/rear bumper 5,692.14 mm Length, Overall N/A Width, Max w/o mirrors 2,011.68 mm Height, Overall 2,148.84 mm Overhang, Front 1,008.38 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor 706.12 mm Ground to Top of Frame N/A N/A 279.4 mm Frame Width, Rear Ground Clearance, Front Ground Clearance, Rear Body Length 180.34 mm 0 m Rear Door Opening Height 1,254.76 mm Rear Door Opening Width 1,447.8 mm Side Door Opening Height 1,216.66 mm Side Door Opening Width 1,120.14 mm Step Up Height - Front 515.62 mm Step Up Height - Side 528.32 mm Cab to Body N/A **Cargo Area Dimensions** Cargo Area Length @ Floor to Console 3,901.44 mm Cargo Area Length @ Floor to Seat 1 3,164.84 mm Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline N/A Cargo Box Width @ Floor N/A Cargo Box Width @ Wheelhousings 1,338.58 mm N/A Cargo Box (Area) Height 1,343.66 mm Tailgate Width Cargo Volume N/A Ext'd Cab Cargo Volume N/A **Exterior Doors**

<u>GM</u>

Side Door Type

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9700. Data Updated: 4-Jun-2019 10:21:00 PDT PM.

5-Jun-2019 Page 10

Sliding