

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 1500 (CC10903) 2WD Reg Cab 140" Work Truck

MSRP:\$30,200.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 4.3L EcoTec3 V6

Transmission, 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CC10903	[Retail] 2019 Chevrolet Silverado 1500 (CC10903) 2WD Reg Cab 140" Work Truck		\$30,200.00
	OPTIONS		
1WT	Work Truck Preferred Equipment Group		\$0.00
A52	Seats, front 40/20/40 split-bench		\$0.00
AED	Windows, power front, passenger express down	Inc.	
AKO	Glass, deep-tinted	Inc.	
AQQ	Remote Keyless Entry, with 2 transmitters	Inc.	
AU3	Door locks, power	Inc.	
AXG	Windows, power front, drivers express up/down	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5U	GVWR, 6800 lbs. (3084 kg)		\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
СТТ	Hitch Guidance	Inc.	
DLF	Mirrors, outside heated power-adjustable	Inc.	
E63	Durabed, pickup bed		\$0.00
G80	Differential, heavy-duty locking rear		\$450.00
GAZ	Summit White		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



\$0.00	olour	Audio System, Chevrolet Infotainment 3 System, 7" diago touchscreen, AM/FM stereo.	IOR
\$150.00		Engine block heater	K05
	Inc.	Cruise control, electronic	K34
\$0.00		Engine, 4.3L EcoTec3 V6	LV3
\$0.00		Transmission, 6-speed automatic, electronically controlled	MYC
\$2,110.00		WT Convenience Package	PCV
\$0.00		Tires, 255/70R17 all-season, blackwall	QBN
	Inc.	Tailgate, gate function manual with EZ Lift	QT5
\$0.00		Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted	RD6
\$150.00		LED Cargo Area Lighting	UF2
\$215.00		LPO, Moulded splash guards, Black	VQK
\$450.00		Trailering Package	Z82
\$100.00		Federal air conditioning excise tax	
\$34,325.00		SUBTOTAL	
\$0.00		Adjustments Total	
\$100.00		Total Tax	
\$1,895.00		Destination Charge	
\$36,320.00		TOTAL PRICE	

FUEL ECONOMY

Est City:15.1 L/100 km

Est Highway:11.5 L/100 km

Est Highway Cruising Range:921.15 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



Standard Equipment

Mechanical	
	Engine, 4.3L EcoTec3 V6 (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	Durabed, pickup bed (STD)
	GVWR, 6800 lbs. (3084 kg) (STD) (Requires 2WD model with (LV3) 4.3L EcoTec3 V6 engine or (L3B) 2.7L Turbo engine or Double Cab or Regular Cab model 2WD model and (L82) 5.3L EcoTec3 V8 engine.)
	Rear wheel drive
	Cooling, external engine oil cooler
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front, Black (semi-gloss)
	Bumper, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Black bars and mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



amps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
aillamps, with incandescent tail, stop and reverse lights
Mirrors, outside manual, Black
Glass, solar absorbing, tinted
Door handles, Black
ailgate and bed rail protection cap, top
Failgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release ailgate when (PCV) WT Convenience Package is ordered.)
ailgate, gate function manual no lift assist
Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo. Additional eatures for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-hrough to phone, Apple CarPlay and Android Auto capable (STD)
Audio system feature, 2-speaker (Requires Regular Cab model.)
Bluetooth for phone, connectivity to vehicle infotainment system
JSB port, located on instrument panel
Seats, front 40/20/40 split-bench (STD)
Seat trim, Vinyl
Seat adjuster, driver 4-way manual
Seat adjuster, passenger 4-way manual
Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
Steering wheel, urethane
Steering column, Tilt-Wheel, manual with wheel locking security feature
nstrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage
and oil pressure
Oriver Information Centre, 3.5" diagonal monochrome display
· · ·
Driver Information Centre, 3.5" diagonal monochrome display
Oriver Information Centre, 3.5" diagonal monochrome display Brake lining wear indicator
St Ta Alleh All Ji



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



Interior	
	Air conditioning, single-zone
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
WARRANTY	
	Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 160,000 Corrosion Miles/km: 60,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 100,000 Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain Rear Wheel Drive Trans Order Code MYC



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



wertrain					
ansmission					
Trans Type	6	Trans Description Cont.	Automatic		
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03		
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53		
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85		
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06		
Clutch Size	N/A	Trans Power Take Off	N/A		
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A		
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A		
Transfer Case Power Take Off	N/A				
ileage					
EnerGuide Estimate - City	15.1 L/100 km	EnerGuide Estimate - Hwy	11.5 L/100 k		
Cruising Range - City	701.54 km	Cruising Range - Hwy	921.15 km		
ngine	LV3	Engine Type	Gas V6		
Engine Order Code		Engine Type			
Displacement © PRM	4.3L/-TBD-	Fuel System	Direct Injecti		
SAE Net Horsepower @ RPM	285 @ 5300	SAE Net Torque @ RPM	305 @ 3900		
Engine Oil Cooler	N/A				
ectrical					
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A		
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A		
poling System					
	N/A				
Total Cooling System Capacity	IN/A				
hicle					
Emissions					
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	316		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



Chassis **Weight Information** Standard Weight - Front 0 kg Standard Weight - Rear 0 kg Gross Axle Wt Rating - Front 1,678.32 kg Gross Axle Wt Rating - Rear 1,723.68 kg Curb Weight - Front 1,207.48 kg Curb Weight - Rear 774.3 kg Option Weight - Front 2.72 kg Option Weight - Rear 28.12 kg Reserve Axle Capacity - Front 468.12 kg Reserve Axle Capacity - Rear 921.26 kg As Spec'd Curb Weight As Spec'd Payload 1,071.86 kg 2,012.62 kg Maximum Payload Capacity **Gross Combined Wt Rating** 5,806.08 kg 1,102.7 kg Gross Axle Weight Rating 3,402 kg **Curb Weight** 1,981.78 kg Reserve Axle Capacity 1,389.38 kg **Total Option Weight** 30.84 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg Gross Vehicle Weight Rating 3,084.48 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 2,268 kg 226.8 kg Wt Distributing Hitch - Max Trailer Wt. Wt Distributing Hitch - Max Tongue Wt. 3,583.44 kg 358.34 kg Maximum Trailering Capacity 4,581.36 kg **Frame** Frame Type N/A Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension N/A Suspension Type - Front N/A Suspension Type - Rear Spring Capacity - Front N/A N/A Spring Capacity - Rear Axle Type - Front Axle Type - Rear N/A N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Ratio (:1) - Front N/A Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front 50.0 mm Shock Absorber Diameter - Rear 51.0 mm Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



hassis			
Tires			
Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	17" x 8" mm	Rear Wheel Size	17" x 8" mm
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	13.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x -TBD- mm
Rear Brake Rotor Diam x Thickness	358.14 x -TBD- mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	106 L	Aux Fuel Tank Capacity, Approx	N/A
	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.



Dimensions							
Interior Dimensions							
Passenger Capacity	3	Front Head Room	1,094.99 mm				
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,677.92 mm				
Front Hip Room	1,546.86 mm	Second Head Room	N/A				
Second Leg Room	N/A	Second Shoulder Room	N/A				
Second Hip Room	N/A						
Exterior Dimensions							
Wheelbase	3,544.82 mm	Length, Overall w/o rear bumper	5,829.3 mm				
Length, Overall	N/A	Width, Max w/o mirrors	2,060.96 mm				
Height, Overall	1,921 mm	Overhang, Front	N/A				
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A				
Cab to Axle	N/A	Cab to End of Frame	N/A				
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A				
Frame Width, Rear	N/A	Ground Clearance, Front	208.79 mm				
Ground Clearance, Rear	208.79 mm	Body Length	0 m				
Cab to Body	N/A		0				
Cas 10 2001,							
Cargo Area Dimensions							
Cargo Box Length @ Floor	2,493.77 mm	Cargo Box Width @ Top, Rear	N/A				
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm				
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A				
Cargo Volume	2,523.04 L	Ext'd Cab Cargo Volume	N/A				



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9820. Data Updated: 19-Jun-2019 9:50:00 PDT PM.