

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Custom

MSRP:\$41,900.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Shadow Grey Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10753	[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double C 147" Custom	ab	\$41,900.00
	OPTIONS		
1CX	Custom Preferred Equipment Group		\$0.00
A52	Seats, front 40/20/40 split-bench		\$0.00
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5W	GVWR, 7000 lbs. (3175 kg)		\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
СТТ	Hitch Guidance	Inc.	
G80	Differential, heavy-duty locking rear		\$450.00
GJI	Shadow Grey Metallic		\$495.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal color touchscreen, AM/FM stereo.	ur	\$0.00
JL1	Trailer brake controller, integrated		\$350.00
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
L82	Engine, 5.3L EcoTec3 V8		\$1,695.00
MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
N10	Exhaust, dual with polished outlets	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



\$0.00		Wheels, 20" x 9" (50.8 cm x 22.9 cm) Silver Painted Aluminum	NZP
\$950.00		Custom Convenience Package	PCX
\$0.00		Tires, 275/60R20 all-season, blackwall	QAB
	Inc.	Tailgate, gate function manual with EZ Lift	QT5
	Inc.	SiriusXM	U2K
	Inc.	OnStar and Chevrolet connected services capable	UE1
	Inc.	LED Cargo Area Lighting	UF2
	Inc.	Theft-deterrent system, unauthorized entry	UTJ
\$450.00		Trailering Package	Z82
\$655.00		Infotainment Package	ZLA
	Inc.	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free	
	Inc.	Compass	
	Inc.	Chevrolet Connected Access	
\$100.00		Federal air conditioning excise tax	
	Inc.	Chevrolet 4G LTE	
\$47,545.00		SUBTOTAL	
\$0.00		Adjustments Total	
\$100.00		Total Tax	
\$1,895.00		Destination Charge	
\$49,540.00		TOTAL PRICE	

FUEL ECONOMY

Est City:15.9 L/100 km

Est Highway:11.7 L/100 km

Est Highway Cruising Range:777.36 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



Standard Equipment

• •	
Mechanical	
	Durabed, pickup bed
	Engine, 4.3L EcoTec3 V6 (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine. Requires Double Cab 4WD model and (L82) 5.3L EcoTec3 V8 engine.)
	Transfer case, single speed electronic Autotrac with rotary dial control (4WD models only)
	Four wheel drive
	Cooling, external engine oil cooler
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.)
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Silver Painted Aluminum (STD)
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body colour.)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Body colour bars with black mesh inserts.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



Exterior	
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side o steering wheel
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable
	Glass, deep-tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)
	Tailgate, gate function manual no lift assist
	LPO, Polished exhaust tip (dealer-installed) (Standard with 4.3L EcoTec3 V6 engine. Not available with (L82) 5.3L EcoTec3 V8 engine.)
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	USB port, located on instrument panel
Interior	
	Seats, front 40/20/40 split-bench (STD)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	his document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



Interior	
	Driver Information Centre, 3.5" diagonal monochrome display
	Brake lining wear indicator
	Exterior Temperature Display located in radio display
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Air conditioning, single-zone
	Air vents, rear, heating/cooling
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera
	Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

_				
I ra	nsr	ทเร	SIC	n

Drivetrain	Four Wheel Drive	Trans Order Code	MYC
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		

Mileage

EnerGuide Estimate - City	15.9 L/100 km	EnerGuide Estimate - Hwy	11.7 L/100 km
Cruising Range - City	572.01 km	Cruising Range - Hwy	777.36 km

Engine

Engine Order Code	L82	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



owertrain			
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	329
hassis			
Neight Information			
Standard Weight - Front	3.63 kg	Standard Weight - Rear	10.43 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,298.66 kg	Curb Weight - Rear	885.43 kg
Option Weight - Front	39.01 kg	Option Weight - Rear	35.38 kg
Reserve Axle Capacity - Front	382.38 kg	Reserve Axle Capacity - Rear	792.44 kg
As Spec'd Curb Weight	2,272.54 kg	As Spec'd Payload	902.66 kg
Maximum Payload Capacity	991.12 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 k
Reserve Axle Capacity	1,174.82 kg	Total Option Weight	74.39 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,175.2 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - Max Tongue Wt.	435.46 kg
Maximum Trailering Capacity	4,354.56 kg		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



me			
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
spension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QAB	Rear Tire Order Code	QAB
Spare Tire Order Code	QAQ	Front Tire Size	275/60R20
Rear Tire Size	275/60R20	Spare Tire Size	255/80R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	20" x 9" mm	Rear Wheel Size	20" x 9" m
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
eering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



Chassis			
Brakes			
Brake Type	Pwr	Brake ABS System	
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	
Rear Brake Rotor Diam x Thickness	358.14 x -TBD- mm	Drum - Rear (Yes or)	
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A	Aux Fuel Tank Location	
Dimensions			
Interior Dimensions			
Passenger Capacity	6	Front Head Room	
Front Leg Room	1,131.06 mm	Front Shoulder Room	
Front Hip Room	1,553.97 mm	Second Head Room	
Second Leg Room	895.1 mm	Second Shoulder Room	
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	3,745.23 mm	Length, Overall w/o rear bumper	
Length, Overall	N/A	Width, Max w/o mirrors	
Height, Overall	1,921 mm	Overhang, Front	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	
Cab to Axle	N/A	Cab to End of Frame	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	
Frame Width, Rear	N/A	Ground Clearance, Front	
Ground Clearance, Rear	205.23 mm	Body Length	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



Dimensions Cargo Area Dimensions Cargo Box Length @ Floor 2,017.78 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,286 mm 1,813.56 mm Cargo Box Width @ Wheelhousings Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Cargo Volume Ext'd Cab Cargo Volume N/A 2,030.32 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.