

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

MSRP:\$45,100.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Cajun Red Tintcoat

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10753	[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT	\$45,100.00
OPTIONS		
1LT	LT Preferred Equipment Group	\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.
ATH	Keyless Open and Start	Inc.
AZ3	Seats, front 40/20/40 split-bench	Inc.
B1J	Wheelhouse liners, rear	Inc.
BTV	Remote vehicle starter system	Inc.
C49	Defogger, rear-window electric	Inc.
C5W	GVWR, 7000 lbs. (3175 kg)	\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.
CJ2	Air conditioning, dual-zone automatic climate control	Inc.
CTT	Hitch Guidance	Inc.
G80	Differential, heavy-duty locking rear	Inc.
GPJ	Cajun Red Tintcoat	\$595.00
GU5	Rear axle, 3.23 ratio	\$0.00
H0U	Jet Black, Cloth seat trim	\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo.	\$0.00
JL1	Trailer brake controller, integrated	\$350.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

KA1	Seating, heated driver and front passenger	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KI3	Steering wheel, heated	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,695.00
MQE	Transmission, 8-speed automatic, electronically controlled		\$0.00
N06	Steering column, lock control, electrical	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
PCL	Convenience Package	Inc.	
PDU	True North Edition		\$3,795.00
Q5U	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum		\$0.00
QDV	Tires, 265/70R17 all-terrain, blackwall		\$250.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$180.00
UF2	LED Cargo Area Lighting	Inc.	
USS	USB ports, dual, charge-only (2nd row)	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VQK	LPO, Moulded splash guards, Black		\$215.00
VXH	LPO, Assist steps, chromed tubular, 6" rectangular		\$900.00
WPQ	Bed Protection Package		\$780.00
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
Z82	Trailer Package	Inc.	
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$500.00
SUBTOTAL			\$53,440.00
Adjustments Total			\$0.00
Total Tax			\$100.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Destination Charge	\$1,895.00
TOTAL PRICE	\$55,435.00

FUEL ECONOMY

Est City:14.9 L/100 km

Est Highway:10.8 L/100 km

Est Highway Cruising Range:842.13 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Standard Equipment

Mechanical

Durabed, pickup bed

Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)

Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package.)

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine. Requires Double Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine without (NHT) Max Trailering Package.)

Automatic Stop/Start

Transfer case, single speed electronic Autotrac with rotary dial control (4WD models only)

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine.)

Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine, (VYU) Snow Plow Prep Package or (NHT) Max Trailering Package.)

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum (STD)

Tires, 255/70R17 all-season, blackwall (STD)

Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumper, front chrome

Bumper, rear chrome

CornerStep, rear bumper

Recovery hooks, front, frame-mounted, black (Included with 4WD models.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Exterior

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner

Grille (Chrome bars with high gloss Black mesh inserts.)

Headlamps, LED reflector with LED signature Daytime Running Lamps

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel

Taillamps, with incandescent tail, stop and reverse lights

Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)

Mirror caps, chrome

Glass, deep-tinted

Door handles, body-colour

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCL) Convenience Package is ordered.)

Tailgate, gate function manual with lift assist

Entertainment

Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)

Audio system feature, 6-speaker system

Bluetooth for phone, connectivity to vehicle infotainment system

Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)

USB ports, 2 (first row) located on instrument panel

Interior

Seats, front 40/20/40 split-bench with covered armrest storage (STD) (Not available with (PCL) Convenience Package.)

Seat trim, Cloth

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Interior

Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)

Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)

Steering wheel, urethane

Steering wheel audio controls

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Centre, 4.2" diagonal colour display includes driver personalization

Brake lining wear indicator

Exterior Temperature Display located in radio display

Compass located in instrument cluster

Rear Seat Reminder

Windows, power front, drivers express up/down

Windows, power front, passenger express down

Windows, power rear, express down

Door locks, power

Remote Keyless Entry, with 2 transmitters

Cruise control, electronic with set and resume speed, steering wheel-mounted

Air conditioning, single-zone manual, semi-automatic

Air vents, rear, heating/cooling

Power outlet, front auxiliary, 12-volt

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Safety-Interior

OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)

Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.)

Rear Vision Camera

Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3
Basic Miles/km: 60,000
Drivetrain Years: 5
Drivetrain Miles/km: 100,000
Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 160,000
Corrosion Miles/km: 60,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 100,000
Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Powertrain

Transmission

Final Drive Axle Ratio (:1)	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Power Take Off	N/A
Eighth Gear Ratio (:1)	0.65

Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	0.85

Mileage

EnerGuide Estimate - City	14.9 L/100 km
Cruising Range - City	610.41 km

EnerGuide Estimate - Hwy	10.8 L/100 km
Cruising Range - Hwy	842.13 km

Engine

Engine Order Code	L84
Displacement	5.3L/-TBD-
SAE Net Horsepower @ RPM	355 @ 5600
Engine Oil Cooler	N/A

Engine Type	Gas V8
Fuel System	Direct Injection
SAE Net Torque @ RPM	383 @ 4100

Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Maximum Alternator Capacity (amps)	170

Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	306
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	7.26 kg	Standard Weight - Rear	14.52 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,298.66 kg	Curb Weight - Rear	885.43 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Chassis

Weight Information

Option Weight - Front	62.14 kg	Option Weight - Rear	48.08 kg
Reserve Axle Capacity - Front	355.62 kg	Reserve Axle Capacity - Rear	775.66 kg
As Spec'd Curb Weight	2,316.08 kg	As Spec'd Payload	859.12 kg
Maximum Payload Capacity	991.12 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,131.28 kg	Total Option Weight	110.22 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,175.2 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,399.92 kg	Wt Distributing Hitch - Max Tongue Wt.	439.99 kg
Maximum Trailering Capacity	5,171.04 kg		

Frame

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QDV	Rear Tire Order Code	QDV
Spare Tire Order Code	XCQ	Front Tire Size	265/70R17



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Chassis

Tires

Rear Tire Size	265/70R17	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17" x 8" mm	Rear Wheel Size	17" x 8" mm
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x -TBD-mm
Rear Brake Rotor Diam x Thickness	358.14 x -TBD-mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	1,092.96 mm
--------------------	---	-----------------	-------------



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

Dimensions

Interior Dimensions

Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,012.95 mm
Second Leg Room	895.1 mm	Second Shoulder Room	1,647.95 mm
Second Hip Room	1,530.1 mm		

Exterior Dimensions

Wheelbase	3,745.23 mm	Length, Overall w/o rear bumper	5,885.18 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,921 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.23 mm
Ground Clearance, Rear	205.23 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	2,017.78 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	2,030.32 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.