

## **Window Sticker**

#### **SUMMARY**

[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT

MSRP:\$45,100.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

### **OPTIONS**

_				
	CODE	MODEL		MSRP
	CK10753	[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" LT		\$45,100.00
		OPTIONS		
	1LT	LT Preferred Equipment Group		\$0.00
	A2X	Seat adjuster, driver 10-way power including lumbar	Inc.	
	A48	Window, power, rear sliding	Inc.	
	ATH	Keyless Open and Start	Inc.	
	AZ3	Seats, front 40/20/40 split-bench	Inc.	
	B1J	Wheelhouse liners, rear	Inc.	
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	C5W	GVWR, 7000 lbs. (3175 kg)		\$0.00
	CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
	CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
	CTT	Hitch Guidance	Inc.	
	G80	Differential, heavy-duty locking rear	Inc.	
	GAZ	Summit White		\$0.00
	GU5	Rear axle, 3.23 ratio		\$0.00
	H0U	Jet Black, Cloth seat trim		\$0.00
	IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



JHD	Hill Descent Control	Inc.	
JL1	Trailer brake controller, integrated		\$350.00
K47	Air filter, high-capacity	Inc.	
KA1	Seating, heated driver and front passenger	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,695.00
MCR	USB Ports (Instrument Panel with bench seat), 2	Inc.	
MQE	Transmission, 8-speed automatic, electronically controlled		\$0.00
N06	Steering column, lock control, electrical	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package	Inc.	
PCM	Convenience Package II		\$1,235.00
PDU	True North Edition		\$3,795.00
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	Inc.	
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
RVS	LPO, Assist steps - 4" Black - round		\$900.00
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$180.00
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UF2	LED Cargo Area Lighting	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



UG1	Universal Home Remote	Inc.	
USS	USB ports, dual, charge-only (2nd row)	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
UVB	HD Rear Vision Camera	Inc.	
WPQ	Bed Protection Package		\$780.00
XCK	Tires, 265/65R18SL all-terrain, blackwall	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
Z71	Z71 Off-Road Package		\$1,400.00

SUBTOTAL	\$55,015.00
Adjustments Total	\$0.00

Inc.

\$100.00

-\$500.00

\$1,895.00

Total Tax \$100.00

TOTAL PRICE \$57,010.00

## **FUEL ECONOMY**

Z82

Est City:14.9 L/100 km

Est Highway:10.8 L/100 km

Est Highway Cruising Range:842.13 km

Trailering Package

**Destination Charge** 

Option/package discount

Federal air conditioning excise tax



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



# **Standard Equipment**

<u>.</u>	
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine. Requires Double Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with rotary dial control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine.)
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo- Diesel I6 engine, (VYU) Snow Plow Prep Package or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black (Included with 4WD models.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



.8 kg) per corner inserts.) aytime Running Lamps centre high mount stop lamp, with switch in bank on left side of se lights (PQB) Safety Package is ordered, includes Perimeter Lighting.)
inserts.)  aytime Running Lamps  centre high mount stop lamp, with switch in bank on left side of see lights
aytime Running Lamps centre high mount stop lamp, with switch in bank on left side of see lights
centre high mount stop lamp, with switch in bank on left side of se lights
se lights
•
(PQB) Safety Package is ordered, includes Perimeter Lighting.)
d door (Upgraded to (QT5) EZ Lift power lock and release dered.)
8" diagonal colour touchscreen, AM/FM stereo. Additional h audio streaming for 2 active devices, voice command passuto capable (STD)
ainment system
tspot for up to 7 devices; includes data trial for 1 month or 3GB onstar.ca for vehicle availability, details and system limitations. Inditions as well as geographical and technical restrictions. Idea plan. Data plans provided by AT&T or its local service at the Wi-Fi hotspot.)
nel
mrest storage (STD) (Not available with (PCL) Convenience
enger (includes child seat top tether anchor)
t t



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



Interior	
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering wheel audio controls
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Brake lining wear indicator
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Air conditioning, single-zone manual, semi-automatic
	Air vents, rear, heating/cooling
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	



for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



#### **Safety-Interior**

OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)

Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.)

#### Rear Vision Camera

Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

#### **WARRANTY**

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

# **Technical Specifications**

# Powertrain

#### **Transmission**

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



ransmission			
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
<b>f</b> ileage			
EnerGuide Estimate - City	14.9 L/100 km	EnerGuide Estimate - Hwy	10.8 L/100 km
Cruising Range - City	610.41 km	Cruising Range - Hwy	842.13 km
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	306
hassis			
Veight Information			
Standard Weight - Front	4.54 kg	Standard Weight - Rear	4.08 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,298.66 kg	Curb Weight - Rear	885.43 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



hassis			
Weight Information			
Option Weight - Front	66.68 kg	Option Weight - Rear	53.52 kg
Reserve Axle Capacity - Front	353.81 kg	Reserve Axle Capacity - Rear	780.65 kg
As Spec'd Curb Weight	2,312.91 kg	As Spec'd Payload	862.29 kg
Maximum Payload Capacity	991.12 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,134.45 kg	Total Option Weight	120.2 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,175.2 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,399.92 kg	Wt Distributing Hitch - Max Tongue Wt.	439.99 kg
Maximum Trailering Capacity	5,171.04 kg		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	XCK	Rear Tire Order Code	XCK
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



hassis			
Tires			
Rear Tire Size	265/65R18SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	18" x 8.5" mm	Rear Wheel Size	18" x 8.5" mr
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	342.9 x -TBD mm
Rear Brake Rotor Diam x Thickness	358.14 x -TBD- mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
imensions			
Interior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.



nensions			
nterior Dimensions			
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 r
Front Hip Room	1,553.97 mm	Second Head Room	1,012.95 ו
Second Leg Room	895.1 mm	Second Shoulder Room	1,647.95 ı
Second Hip Room	1,530.1 mm		
xterior Dimensions			
Wheelbase	3,745.23 mm	Length, Overall w/o rear bumper	5,885.18
Length, Overall	N/A	Width, Max w/o mirrors	2,063.5 m
Height, Overall	1,921 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.23 m
Ground Clearance, Rear	205.23 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	2,017.78 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	2,030.32 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9972. Data Updated: 8-Jul-2019 9:50:00 PDT PM.