

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$50,100.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2019 Chevrolet Silverado 1500 (CK10543) 4WD Crew 0 147" RST	Cab	\$50,100.00
	OPTIONS		
1SP	RST Preferred Equipment Group		\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.	
AAK	LPO, All-weather floor liners	Inc.	
AZ3	Seats, front 40/20/40 split-bench		\$0.00
B1J	Wheelhouse liners, rear	Inc.	
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
СТТ	Hitch Guidance	Inc.	
G80	Differential, heavy-duty locking rear	Inc.	
G9K	Satin Steel Metallic		\$495.00
GU5	Rear axle, 3.23 ratio		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 8" diagonal co touchscreen, AM/FM stereo.	olour	\$0.00
JHD	Hill Descent Control	Inc.	
JL1	Trailer brake controller, integrated		\$350.00
K47	Air filter, high-capacity	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



KA1	Seating, heated driver and front passenger	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KI3	Steering wheel, heated	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps	IIIC.	\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,695.00
MQE			\$0.00
	Transmission, 8-speed automatic, electronically controlled	la e	\$0.00
N10	Exhaust, dual with polished outlets	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package	Inc.	
PDU	True North Edition		\$2,695.00
PDZ	Z71 Off-Road and Protection Package		\$2,070.00
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	Inc.	
R70	Seat, Cloth Rear with Storage Package	Inc.	
RVS	LPO, Assist steps - 4" Black - round		\$900.00
SFE	LPO, Wheel locks, set of 4		\$80.00
WPQ	Bed Protection Package	Inc.	
XCK	Tires, 265/65R18SL all-terrain, blackwall	Inc.	
Z71	Z71 Off-Road Package	Inc.	
Z82	Trailering Package	Inc.	
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$500.00
	Option/package discount		-\$500.00
	SUBTOTAL		\$57,385.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,895.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



TOTAL PRICE \$59,380.00

FUEL ECONOMY

Est City:14.9 L/100 km

Est Highway:10.8 L/100 km

Est Highway Cruising Range:842.13 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



Standard Equipment

Otariaara Equ	··········
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with rotary dial control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine.)
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)
	Tires, 265/65R18SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire, spare 265/70R17SL all-season, blackwall
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body colour.)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



Exterior	
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Body colour bars with high gloss Black mesh inserts.)
	Black Bowtie, (front grille)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
	Mirror caps, painted (High gloss Black.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	USB ports, 2 (first row) located on instrument panel
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCH) Convenience Package with Bucket Seats.)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



Interior	
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering wheel audio controls
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Steering column, lock control, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Brake lining wear indicator
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Air conditioning, single-zone manual, semi-automatic
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)

Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.)

Rear Vision Camera

Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain Four Wheel Drive Trans Order Code MQE



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



Powertrain Transmission Trans Type 8 Trans Description Cont. Automatic First Gear Ratio (:1) Trans Description Cont. Again 4.56 N/A 2.08 Second Gear Ratio (:1) 2.97 Third Gear Ratio (:1) 1.27 Fourth Gear Ratio (:1) 1.69 Fifth Gear Ratio (:1) Reverse Ratio (:1) 3.82 Sixth Gear Ratio (:1) 1.00 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP3023/4 Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Gear Ratio (:1), High N/A Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 0.85 Eighth Gear Ratio (:1) 0.65 Mileage EnerGuide Estimate - City 14.9 L/100 km EnerGuide Estimate - Hwy 10.8 L/100 km Cruising Range - City 610.41 km Cruising Range - Hwy 842.13 km **Engine Engine Order Code** L84 **Engine Type** Gas V8 Displacement 5.3L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 355 @ 5600 SAE Net Torque @ RPM 383 @ 4100 **Engine Oil Cooler** N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) 730 Cold Cranking Amps @ 0° F (2nd) N/A Maximum Alternator Capacity (amps) 170 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System**



Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.

11-Jul-2019 Page 8

N/A



hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	306
nassis			
/eight Information			
Standard Weight - Front	6.35 kg	Standard Weight - Rear	6.8 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 k
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	69.85 kg	Option Weight - Rear	66.68 kg
Reserve Axle Capacity - Front	359.7 kg	Reserve Axle Capacity - Rear	753.88 kg
As Spec'd Curb Weight	2,333.77 kg	As Spec'd Payload	886.79 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 k
Reserve Axle Capacity	1,113.59 kg	Total Option Weight	136.53 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - Max Tongue Wt.	435.46 kg
Maximum Trailering Capacity	5,171.04 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



hassis			
Suspension			
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	XCK	Rear Tire Order Code	XCK
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	18.5" x 8.5" mm	Rear Wheel Size	18.5" x 8.5"
Spare Wheel Size	17" x 8" mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x -TBD mm
Rear Brake Rotor Diam x Thickness	358.14 x -TBD- mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.



-			
assis			
el Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
terior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 mn
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mn
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
terior Dimensions			
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	5,885.18 mn
Length, Overall	N/A	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		
argo Aroa Dimonsiona			
argo Area Dimensions Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor		Cargo Box Width @ Wheelhousings	
Cargo Dox Widin & Floor	1,813.56 mm	Cargo box width w wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9988. Data Updated: 10-Jul-2019 9:54:00 PDT PM.