

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Trax (1JS76) AWD 4dr LT

MSRP:\$25,898.00

Interior: Jet Black, Deluxe Cloth Seat Trim

Exterior 1: Mosaic Black Metallic

Exterior 2:No colour has been selected.

Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI

Transmission, 6-speed automatic

OPTIONS		
CODE	MODEL	MSRP
1JS76	[Retail] 2020 Chevrolet Trax (1JS76) AWD 4dr LT	\$25,898.00
	OPTIONS	
1LT	LT Preferred Equipment Group	\$0.00
AFP	Jet Black, Deluxe Cloth Seat Trim	\$0.00
AR9	Seats, front bucket with driver power lumbar	\$0.00
FXH	Axle, 3.53 final drive ratio	\$0.00
GB8	Mosaic Black Metallic	\$495.00
IOR	Audio system, Chevrolet Infotainment System	\$0.00
LUV	Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI	\$0.00
MNK	Transmission, 6-speed automatic	\$0.00
RAJ	Tires, P205/70R16 all-season, blackwall	\$0.00
RRZ	Wheels, 16" (40.6 cm) aluminum	\$0.00
SFE	LPO, Wheel locks	\$75.00
SG1	LPO, Black bowtie	\$255.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$26,723.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,800.00
	TOTAL PRICE	\$28,623.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



FUEL ECONOMY

Est City:10.0 L/100 km

Est Highway:8.0 L/100 km

Est Highway Cruising Range:662.08 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



Standard Equipment

• •	
Mechanical	
	Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI (138 hp [102.9 kW] @ 4900 rpm, 148 lb-ft of torque [199.8 N-m] @ 1850 rpm) (STD)
	Transmission, 6-speed automatic (STD)
	Axle, 3.53 final drive ratio
	Heater, oil pan
	Chassis, all-wheel drive
	Battery, 60AH
	Alternator, 130 amps
	Suspension, Ride and Handling
	Steering, power, non-variable ratio, electric
	Brakes, 4-wheel antilock, 4-wheel disc
	Mechanical jack with tools
Exterior	
	Wheels, 16" (40.6 cm) aluminum (STD)
	Tires, P205/70R16 all-season, blackwall (STD)
	Skid plate, front and rear fascia, silver-painted
	Wheel, spare, 16" (40.6 cm) steel
	Tire, compact spare
	Luggage rack, side rails, roof-mounted
	Headlamps, halogen projector type reflector with automatic on/off
	Tail lamps, sculpted with LED accent
	Mirrors, outside heated power-adjustable, body-colour, manual-folding
	Mouldings, beltline side glass (Chrome. Black when (WBL) Redline Edition is ordered.)
	Windshield, solar absorbing
	Windshield, acoustic laminated
	Glass, deep-tinted, rear windows and liftgate
	Wipers, front intermittent
	Wiper, rear intermittent
	Door handles, body-colour



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



Exterior	
	Cargo tie downs, 4
	Liftgate, rear applique, body-colour
Entertainment	
	Audio system, Chevrolet Infotainment System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	SiriusXM enjoy a 3-month XM All Access+ trial subscription with over 130 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with driver power lumbar (STD)
	Air conditioning, single-zone manual
	Seat trim, Deluxe cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, front passenger 2-way manual
	Seatback, front passenger flat-folding
	Head restraints, 2-way adjustable (up/down), front
	Armrest, driver seat
	Seat, rear 60/40 split-bench, folding
	Floor mats, colour-keyed and carpeted front and rear
	Steering wheel, 3-spoke, urethane
	Steering column, manual tilt and telescoping
	Steering wheel controls, mounted audio and phone interface controls
	Instrumentation, with analog speedometer and tachometer
	Driver Information Centre 3.5" monochrome display with True White back lighting and digital readouts, including speedometer, odometer, trip odometer and fuel gauge
	Compass display located in the Driver Information Centre



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



Interior	
	Remote vehicle starter system
	Remote Keyless Entry with panic alarm
	Keys, (2) foldable
	Door locks, power programmable
	Windows, power with driver Express-Up/Down and front passenger and rear Express-Down
	Cruise control, electronic, automatic
	Theft-deterrent system, unauthorized entry
	Air filter, particle
	Heater duct, rear, floor
	Defogger, rear-window, electric
	Cup holders, 4 in front console and 2 in rear centre armrest
	Power outlet, auxiliary, 12-volt
	Power outlet, 110-volt, located on rear of centre console
	Audio system feature, USB ports (2) with auxiliary input jack
	Storage drawer, front passenger underseat
	Map pocket, driver seatback
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger vanity mirrors, covered
	Assist handles, driver, front passenger and rear outboard includes coat hooks on rear handles
	Lighting, interior with front reading lights and dome light
	Shift knob, satin silver and chrome
	Cargo security cover, rigid, removable
	Cargo storage, tray under rear floor
	Lighting, cargo area
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system includes Traction Control
Safety-Exterior	
	Daytime Running Lamps, separate cavity, LED



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



Safety-Interior	
	Airbags, 10 total, frontal and knee for driver and front passenger, side-impact seat-mounted and roof rail for front and rear outboard seating positions includes Passenger Sensing System
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Tire Pressure Monitor System
	Seat belts, 3-point rear, all seating positions
	Seat belt pretensioners, driver and front passenger, dual
	LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
	Door locks, rear child security

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	All Wheel Drive	Trans Order Code	MNK
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.58
Second Gear Ratio (:1)	2.96	Third Gear Ratio (:1)	1.91
Fourth Gear Ratio (:1)	1.45	Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.75	Reverse Ratio (:1)	2.94
Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.53
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



leage			
EnerGuide Estimate - City	10.0 L/100 km	EnerGuide Estimate - Hwy	8.0 L/100 k
Cruising Range - City	529.65 km	Cruising Range - Hwy	662.08 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A		
ngine			
Engine Order Code	LUV	Engine Type	Turbocharg Gas 4-Cyl
Displacement	1.4L/-TBD-	Fuel System	Electronic F Injection
SAE Net Horsepower @ RPM	138 @ 4900	SAE Net Torque @ RPM	148 @ 185
lectrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	130
ooling System			
Total Cooling System Capacity	N/A		
hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	214
ehicle			
EPA Classification	Small Sport Utility Vehicle		
assis			
eight Information			
•		Curb Weight - Front	N/A
Base Curb Weight	1,455.15 kg	Curb Weight - Front	IN/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



hassis			
railering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		
Suspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Compound Cran
Suspension Type - Front (Cont.)	w/Coil Springs	Suspension Type - Rear (Cont.)	w/Coil Springs
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	RAJ	Rear Tire Order Code	RAJ
Spare Tire Order Code	N/A	Front Tire Size	P205/70R16
Rear Tire Size	P205/70R16	Spare Tire Size	Compact
Vheels			
Front Wheel Size	406.4 x -TBD- mm	Rear Wheel Size	406.4 x -TBD- mm
Spare Wheel Size	406.4 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	16.1
Lock to Lock Turns (Steering)	2.7	Turning Diameter - Curb to Curb	11.19 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	299.72 x 25.4 m
Rear Brake Rotor Diam x Thickness	269.24 x 12.7 mm	Drum - Rear (Yes or)	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.



hassis			
Brakes			
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	53 L	Aux Fuel Tank Capacity, Approx	N/A
imensions			
nterior Dimensions			
Passenger Capacity	5	Passenger Volume	2,627.81 L
Front Head Room	1,005.84 mm	Front Leg Room	1,036.32 mm
Front Shoulder Room	1,374.14 mm	Front Hip Room	1,313.18 mm
Second Head Room	985.52 mm	Second Leg Room	906.78 mm
Second Shoulder Room	1,341.12 mm	Second Hip Room	1,287.78 mm
Exterior Dimensions			
Wheelbase	2,555.24 mm	Length, Overall	4,257.04 mm
Width, Max w/o mirrors	1,775.46 mm	Height, Overall	1,684.02 mm
Track Width, Front	N/A	Track Width, Rear	N/A
Min Ground Clearance	N/A	Rear Door Opening Height	N/A
Rear Door Opening Width	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Cargo Area Length @ Floor to Seat 1	1,447.8 mm	Cargo Area Length @ Floor to Seat 2	744.22 mm
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	807.72 mm
Cargo Volume to Seat 1	1,370.54 L	Cargo Volume to Seat 2	529.53 L
Cargo Volume to Seat 3	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10150. Data Updated: 31-Jul-2019 11:04:00 PDT PM.