

### **Window Sticker**

### **SUMMARY**

[Retail] 2019 Cadillac Escalade (6K15706) 4WD 4dr Platinum

MSRP:\$110,295.00

Interior: Jet Black with Jet Black Accents, Semi-Aniline leather seating surfaces

Exterior 1:Crystal White Tricoat

Exterior 2:No colour has been selected.

Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)

Transmission, 10-speed automatic

0	PT	'n	N	S
u	ГΙ	ıv	IN	J

CODE	MODEL		MSRP
6K15706	[Retail] 2019 Cadillac Escalade (6K15706) 4WD 4dr Platinum	\$	110,295.00
	OPTIONS		
1SD	Platinum Preferred Equipment Group		\$0.00
50M	LPO, Digital headphones		\$220.00
5JL	LPO, Front Brake Kit-Performance		\$4,415.00
AN3	Seats, front bucket		\$0.00
ATN	Seats, second row bucket, power configurable		\$0.00
G1W	Crystal White Tricoat		\$900.00
GU5	Rear axle, 3.23 ratio		\$0.00
HJU	Jet Black with Jet Black Accents, Semi-Aniline leather seating surfaces		\$0.00
IO6	Cadillac user experience with embedded navigation		\$0.00
L86	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)		\$0.00
MF6	Transmission, 10-speed automatic		\$0.00
PDH	LPO, Interior Protection Package		\$405.00
RBR	Wheels, 22" (55.9 cm) steel interim		\$0.00
SEV	LPO, 22" (55.9 cm) 6-spoke alloy wheels with High-Gloss Black finish		\$2,675.00
SFE	LPO, Wheel locks, set of 4	Inc.	
VAV	LPO, All-weather floor mats, 1st, 2nd and 3rd row	Inc.	
VLI	LPO, All-weather cargo mat	Inc.	
	1SD 50M 5JL AN3 ATN G1W GU5 HJU IO6 L86 MF6 PDH RBR SEV SFE VAV	[Retail] 2019 Cadillac Escalade (6K15706) 4WD 4dr Platinum OPTIONS  1SD Platinum Preferred Equipment Group  50M LPO, Digital headphones  5JL LPO, Front Brake Kit-Performance  AN3 Seats, front bucket  ATN Seats, second row bucket, power configurable  G1W Crystal White Tricoat  GU5 Rear axle, 3.23 ratio  HJU Jet Black with Jet Black Accents, Semi-Aniline leather seating surfaces  IO6 Cadillac user experience with embedded navigation  L86 Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)  MF6 Transmission, 10-speed automatic  PDH LPO, Interior Protection Package  RBR Wheels, 22" (55.9 cm) steel interim  SEV LPO, 22" (55.9 cm) 6-spoke alloy wheels with High-Gloss Black finish  SFE LPO, Wheel locks, set of 4  VAV LPO, All-weather floor mats, 1st, 2nd and 3rd row	Retail] 2019 Cadillac Escalade (6K15706) 4WD 4dr Platinum OPTIONS  1SD Platinum Preferred Equipment Group  50M LPO, Digital headphones  5JL LPO, Front Brake Kit-Performance  AN3 Seats, front bucket  ATN Seats, second row bucket, power configurable  G1W Crystal White Tricoat  GU5 Rear axle, 3.23 ratio  HJU Jet Black with Jet Black Accents, Semi-Aniline leather seating surfaces  IO6 Cadillac user experience with embedded navigation  L86 Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)  MF6 Transmission, 10-speed automatic  PDH LPO, Interior Protection Package  RBR Wheels, 22" (55.9 cm) steel interim  SEV LPO, 22* (55.9 cm) 6-spoke alloy wheels with High-Gloss Black finish  SFE LPO, Wheel locks, set of 4 Inc.  VAV LPO, All-weather floor mats, 1st, 2nd and 3rd row Inc.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



[Retail] 2019 Cadillac Escalade (6K15706) 4WD 4dr Platinum			
Federal air conditioning excise tax	\$100.00		
SUBTOTAL	\$118,910.00		
Adjustments Total	\$0.00		
Total Tax	\$100.00		
Destination Charge	\$2,100.00		
TOTAL PRICE	\$121,110.00		

## **FUEL ECONOMY**

Est City:16.6 L/100 km

Est Highway:10.9 L/100 km

Est Highway Cruising Range:898.62 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



# **Standard Equipment**

Otanidara Equip	
Package	
	Driver Assist Package includes (KSG) Adaptive Cruise Control-Advanced, (AX7) Automatic Seat Belt Tightening, (UVZ) Forward and Reverse Automatic Braking and (J71) Electric Parking Brake
	Platinum includes unique grille design, (SGG) 22" Dual 9-spoke alloy wheels with Chrome inserts/Ultra Silver metallic finish, Semi-Aniline leather seating surfaces (first and second row), leather (third row), leather wrapped IP, console and door, interior colours (HJU) Jet Black with Jet Black accents or (HSJ) Maple Sugar with Jet Black accents, Sumi Black Tamo Ash unique exotic wood, 18-way seats with driver massage, microfiber sueded headliner, premium floor mats, Platinum sill plates, (AYE) DVD dual screens located on backside of front row head restraints and (DCK) front console compartment with cooler
	Theft-Deterrent Package includes (UTR) self-powered horn, (UTV) interior movement sensor and (UTU) inclination sensor, door lock shields and glass break sensors in rear quarter glass and liftgate window
Mechanical	
	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT) includes aluminum block construction (420 hp [313.2 kW] @ 5600 rpm, 460 lb-ft of torque [621 N-m] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, tow/haul mode and tap up/tap down shifting (STD)
	Rear axle, 3.23 ratio
	Air cleaner, high-capacity
	Transfer case, active, 2-speed with Neutral for dinghy/flat towing
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Cooling, external engine oil cooler, heavy-duty
	Keyless Start, push-button
	Alternator, 170 amps
	Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits and 7-way sealed connector
	GVWR, 7300 lbs (3311 kg)
	Suspension, Magnetic Ride Control with selectable sport mode
	Automatic load levelling, rear
	Steering, Electronic Power Steering (EPS)
	Capless fuel fill
	Brakes, 4-wheel antilock, 4-wheel disc



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



Mechanical	
	Brakes, VAC power, 17" disc, with Adaptive Cruise Control - Advanced
	Brakes, DuraLife rotors
	Brake, parking, electronic powered
Exterior	
	Wheels, 22" x 9" (55.9 cm x 22.9 cm) Dual 9-spoke alloy with Chrome inserts/Ultra Silver metallic finish (Upgradeable to (RPT) 22" x 9" Split 6-spoke alloy wheels with Chrome finish, (SMI) 22" x 9" 6-spoke alloy wheels with Chrome finish or (SH0) 22" x 9" 12-spoke alloy wheels with Polished finish.) (STD)
	Tires, P285/45R22 all-season, blackwall
	Tire Fill Alert provides visual and audible alerts outside the vehicle when inflating an under inflated tire to the recommended tire pressure
	Tire, spare P265/70R17 all-season, blackwall
	Wheel, full-size steel spare, 17" (43.2 cm) with Black finish
	Spare tire lock, hoist shaft
	Sunroof, power, tilt-sliding with express-open/-close and wind deflector (Not included when (A4K) sunroof delete is ordered.)
	Luggage rack, roof-mounted, chrome
	Assist steps, power-retractable, running side board with LED lighting
	Mouldings, bodyside, chrome
	Shutters, front active aero
	Headlamps, LED high beam/low beam, light pipe
	IntelliBeam, automatic high beam on/off
	Headlamps, automatic on/off
	Lamps, front cornering
	Tail lamps, LED illumination
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated, windshield and front door glass
	Windshield, solar absorbing
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, colour-keyed with integrated turn signal indicators, ground illumination and programmable to provide curb view when in reverse
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Door handles, illuminated



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



Exterior	
	Hands-Free Liftgate, open and close, programmable memory height
Entertainment	
	Cadillac user experience with embedded navigation AM/FM stereo with 8" diagonal colour information display featuring touch response, haptic feedback, gesture recognition, Enhanced Voice Recognition, Phone Integration for Apple CarPlay and Android Auto capability for compatible phone, Connected Apps and Teen Driver. Five USB ports, including one in the articulating storage door/bin and auxiliary audio port (STD)
	Cadillac 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)
	Entertainment system, rear seat includes 9" screen DVD player (Blu-Ray capable) with remote control, two 2-channel wireless digital headphones, USBs (2.1 amp) and HDMI/HML inputs on rear of centre console, sound compression, CD-R and CR-R/W capability, LED backlighting display, MP3 capable. Streaming available through HDMI and Digital Living Network Alliance (DLNA) (Two 4-channel wireless digital headphones replace the two 2-channel wireless digital headphones)
	DVD screens, dual located on backside of front row head restraints
	Bluetooth for phone, streaming audio for music for select phones
	SiriusXM Enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)
	Radio, HD
	Audio system feature, Bose Centerpoint Surround Sound system with 16 speakers
	Wireless Charging, located on the top of the centre console (The system wirelessly charges one PMA- or Qi- compatible mobile device. Some phones have built-in wireless charging technology and others require a special adaptor/back cover. To check for phone or other device compatibility, see cadillactotalconnect.ca or consult your carrier.)
Interior	
	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (Semi-Aniline leather seating surfaces, 18-way, including driver-side 3-mode massage setting (front passenger seat includes 2-mode massage setting).) (STD)
	Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding



bench seats.)

Active Noise Cancellation

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



Interior	
	Seats, heated and cooled driver and front passenger
	Seats, heated second row, outboard positions
	Seat adjuster, front passenger 12-way power
	Seats, third row 60/40 split-bench, power, fold flat
	Rear Seat Reminder
	Console, cooled with covered storage, large and small storage bins, dual cup holders, electronic climate controls and second row heated seat controls (inside console: auxiliary power outlet, two USB ports and auxiliary audio port), 110-volt outlet and auxiliary power outlet on the backside of console
	Floor covering, colour-keyed carpeting
	Floor mats, colour-keyed carpeted first and second row
	Steering wheel, power-tilt colour-keyed with wood and leather-wrapped rim, locking
	Steering column, power tilt and telescoping
	Steering wheel, heated
	Steering wheel controls, mounted audio and Driver Information centre controls
	Tow/haul mode selector, button located at end of shift lever
	Driver Information Centre with programmable personalization features such as door locking and unlocking, a trip computer with trip odometer and individual tire pressure read outs, fuel information such as range, average L/100km, litres used and oil life, and a message centre that displays dozens of warning messages such as low fuel and door ajar
	Gauge cluster, 12" colour, reconfigurable with Driver Information Centre
	Head-Up Display, 4-colour, reconfigurable
	Windows, power with driver and front passenger Express-Up/Down and rear passengers Express-Down
	Door locks, power programmable includes lockout protection and delayed locking
	Lock control, side door, electric
	Pedals, power-adjustable for accelerator and brake
	Memory settings includes two "presets" for driver seat adjuster, outside rearview mirrors, power tilt/telescoping steering column and power-adjustable pedals
	Keyless Access, passive entry
	Adaptive Remote Start
	Adaptive Cruise Control-Advanced
	Universal Home Remote includes garage door opener, 3-channel programmable
	Theft-deterrent system, unauthorized entry, engine immobilizer
	Theft-deterrent alarm system, content theft alarm self-powered horn



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



Interior	
	Sensor, inclination
	Sensor, vehicle interior movement will detect movement within cabin of the vehicle
	Climate control, tri-zone automatic with individual climate settings for driver, front passenger and rear passengers
	Defogger, rear-window electric
	Power outlet, 110-volt
	Accents, interior, piano black and chrome finish
	Rear Camera Mirror
	Lighting, interior, door handle release, door storage, console and footwell
	Lighting, interior, with theater dimming
	Cargo net, rear
Safety-Mechanical	
	StabiliTrak, vehicle stability enhancement system with Rollover Mitigation includes disable switch
	Forward Automatic Braking
	Forward and Reverse Automatic Braking
	Brakes, Hill Start-Assist/Hill Hold
Safety-Exterior	
	Rear Camera Mirror Washer
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Cadillac connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)
	Cadillac Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Cadillac vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)
	Front and Rear Park Assist
	Automatic Parking Assist includes front, rear, lateral-front parking assist and semi-automatic steering
	Surround Vision



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



Safety-Interior	
	Forward Collision Alert
	Lane Keep Assist with Lane Departure Warning
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Safety Alert Seat haptic vibration in seat cushion works with safety features
	Seat belts, 3-point, all positions, includes front seat belt pretensioners
	Automatic Seat Belt Tightening
	Door locks, rear child security
	Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you continue to coach your new driver
	Tire Pressure Monitoring System (does not apply to spare tire)
WADDANTV	

#### WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 4
Basic Miles/km: 80,000
Drivetrain Years: 6

Drivetrain Miles/km: 110,000 Corrosion Years (Rust-Through): 6

Corrosion Years: 4

Corrosion Miles/km (Rust-Through): Unlimited

Corrosion Miles/km: 80,000 Roadside Assistance Years: 6

Roadside Assistance Miles/km: 110,000

Maintenance Years: 4

Maintenance Miles/km: 80,000

# **Technical Specifications**

# Powertrain

### **Transmission**

Drivetrain	All Wheel Drive	Trans Order Code	MF6
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



Powertrain				
r	ransmission			
	Sixth Gear Ratio (:1)	N/A		Reverse Ratio (:1)
	Clutch Size	N/A		Trans Power Take Off
	Final Drive Axle Ratio (:1)	N/A		Transfer Case Model
	Transfer Case Gear Ratio (:1), High	1.00		Transfer Case Gear Ratio (:1), Low
	Transfer Case Power Take Off	N/A		Seventh Gear Ratio (:1)
	Eighth Gear Ratio (:1)	N/A		Ninth Gear Ratio (:1)
	Tenth Gear Ratio (:1)	N/A		
Mi	lileage			
	EnerGuide Estimate - City	16.6 L/100 km		EnerGuide Estimate - Hwy
	Cruising Range - City	590.05 km		Cruising Range - Hwy
_				
Er	ngine Engine Order Code	L86		Engine Tune
				Engine Type
	Displacement	6.2L/376		Fuel System
	SAE Net Horsepower @ RPM	420 @ 5600		SAE Net Torque @ RPM
	Engine Oil Cooler	Yes		
	landatani			
ΕI	lectrical	N1/A		Oald Caralina Assaul @ 00 F (Oal)
	Cold Cranking Amps @ 0° F (Primary)	N/A		Cold Cranking Amps @ 0° F (2nd)
	Maximum Alternator Capacity (amps)	170		Cold Cranking Amps @ 0° F (3rd)
Co	ooling System			
	Total Cooling System Capacity	15.8 L		
<b>Ve</b> l	hicle			
	missions			
c۱		N/A		G/km Of CO2 Emissions
	Kg/yr of CO2 Emissions @ 20K km/year	IN/A		G/KIII OI COZ EIIIISSIOIIS
Ve	ehicle			
	Rear Door Type	Liftgate		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



#### Chassis **Weight Information** Standard Weight - Front 68.95 kg Standard Weight - Rear 59.42 kg Gross Axle Wt Rating - Front 1,610.28 kg Gross Axle Wt Rating - Rear 1,905.12 kg Curb Weight - Front 1,315.89 kg Curb Weight - Rear 1,202.04 kg Option Weight - Front 14.97 kg Option Weight - Rear 15.42 kg Reserve Axle Capacity - Front 210.47 kg Reserve Axle Capacity - Rear 628.24 kg As Spec'd Curb Weight As Spec'd Payload 2,676.69 kg 634.59 kg Maximum Payload Capacity **Gross Combined Wt Rating** N/A 793.35 kg Gross Axle Weight Rating 3,515.4 kg **Curb Weight** 2,517.93 kg Reserve Axle Capacity 838.71 kg **Total Option Weight** 30.39 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg **Gross Vehicle Weight Rating** 3,311.28 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 2,268 kg 226.8 kg Wt Distributing Hitch - Max Trailer Wt. Wt Distributing Hitch - Max Tongue Wt. 3,674.16 kg 367.42 kg Maximum Trailering Capacity 3,674.16 kg **Frame** Box Ladder Frame Type Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension 5-Link Suspension Type - Front Short/Long Arm Suspension Type - Rear Spring Capacity - Front 1,632.96 kg Spring Capacity - Rear 1,905.12 kg Axle Type - Front Independent Axle Type - Rear Semi-Floating 1,905.12 kg Axle Capacity - Front 1,780.38 kg Axle Capacity - Rear Axle Ratio (:1) - Front 3.23 Axle Ratio (:1) - Rear 3.23 Shock Absorber Diameter - Front 1.81 mm Shock Absorber Diameter - Rear 1.81 mm Stabilizer Bar Diameter - Front 35.81 mm Stabilizer Bar Diameter - Rear 27.94 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



hassis			
Tires .			
Front Tire Order Code	QST	Rear Tire Order Code	QST
Spare Tire Order Code	N/A	Front Tire Size	P285/45R22
Rear Tire Size	P285/45R22	Spare Tire Size	P265/70R17
Front Tire Capacity	963.45 kg	Rear Tire Capacity	963.45 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	558.8 x 228.6 mm	Rear Wheel Size	558.8 x 228.6 mm
Spare Wheel Size	431.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	17.3
Steering Ratio (:1), At Lock	3.4	Turning Diameter - Curb to Curb	11.89 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	98 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



nensions			
ierisioris			
erior Dimensions			
Passenger Capacity	7	Front Head Room	1,008.38 m
Front Leg Room	1,150.62 mm	Front Shoulder Room	1,648.46 m
Front Hip Room	1,546.86 mm	Second Head Room	993.14 mm
Second Leg Room	990.6 mm	Second Shoulder Room	1,635.76 m
Second Hip Room	1,529.08 mm	Third Head Room	967.74 mm
Third Leg Room	629.92 mm	Third Shoulder Room	1,590.04 m
Third Hip Room	1,252.22 mm		
terior Dimensions			
Wheelbase	2,946.4 mm	Length, Overall w/rear bumper	5,179.06 m
Length, Overall	N/A	Width, Max w/o mirrors	2,044.7 mr
Height, Overall	1,889.76 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	815.34 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0 m
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		
rgo Area Dimensions			
Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	N/A
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	2,667.45 L
Cargo Volume to Seat 2	1,461.15 L	Cargo Volume to Seat 3	430.42 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.



Dimensions			
Cargo Area Dimensions			
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A
Exterior			
Doors			
Side Door Type	Swing-Out		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 10198. Data Updated: 6-Aug-2019 10:49:00 PDT PM.