



## **Window Sticker**

### **SUMMARY**

[Retail] 2020 Chevrolet Tahoe (CK15706) 4WD 4dr Premier

MSRP:\$74,898.00

Interior: Jet Black, Perforated leather-appointed seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 6.2L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing

Transmission, 10-speed automatic, electronically controlled

## **OPTIONS**

CODE	MODEL		MSRP
CK15706	[Retail] 2020 Chevrolet Tahoe (CK15706) 4WD 4dr Premier		\$74,898.00
	OPTIONS		
1LZ	Premier Preferred Equipment Group		\$0.00
AN3	Seats, front bucket with Perforated leather-appointed heated and ventilated seat cushions		\$0.00
CF5	Sunroof, power, tilt-sliding	Inc.	
GAZ	Summit White		\$0.00
GU5	Rear axle, 3.23 ratio	Inc.	
H2X	Jet Black, Perforated leather-appointed seat trim		\$0.00
IO6	Audio system, 8" diagonal colour touch-screen Navigation with Chevrolet Infotainment, AM/FM stereo	Inc.	
JL1	Trailer brake controller, integrated	Inc.	
K05	Engine block heater		\$195.00
K47	Air cleaner, high-capacity	Inc.	
KW7	Alternator, 170 amps, high output	Inc.	
L86	Engine, 6.2L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing	Inc.	
MF6	Transmission, 10-speed automatic, electronically controlled	Inc.	
NQH	Transfer case, active, 2-speed electronic Autotrac	Inc.	
РЗН	Black bowties, front and rear	Inc.	
PCJ	Sun, Entertainment and Destinations Package		\$3,595.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



QST	Tires, P285/45R22 all-season blackwall	Inc.	
RS4	Emblem, unique RST	Inc.	
SCN	RST Edition		\$3,095.0
SFE	LPO, Wheel locks		\$95.0
SGK	Wheels, 22" x 9" (55.9 cm x 22.9 cm) Gloss Black aluminum	Inc.	
U42	Entertainment system, rear seat, Blu-Ray/DVD	Inc.	
UHS	Driver Information Centre		\$995.0
UV6	Head-Up Display, includes digital multi-function readouts	Inc.	
WPK	RST 6.2L Performance Edition		\$3,495.0
ZY1	Paint scheme, solid application		\$0.0
	Federal air conditioning excise tax		\$100.0
	Option/package discount		-\$795.0
	SUBTOTAL		\$85,573.0
	Adjustments Total		\$0.0
	Total Tax		\$100.0
	Destination Charge		\$1,900.0
	TOTAL PRICE		\$87,573.0

## **FUEL ECONOMY**

Est City:16.5 L/100 km

Est Highway:10.9 L/100 km

Est Highway Cruising Range:898.62 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



## **Standard Equipment**

Package	į

Enhanced Driver Alert Package includes (UEU) Forward Collision Alert, (TQ5) IntelliBeam headlamps, (UHY) Automatic Emergency Braking, (UHX) Lane Keep Assist with Lane Departure Warning and Safety Alert Seat (When (Y66) Adaptive Cruise Control - Advanced is ordered, RPO Code (Y86) will be removed. All content of (Y86) will remain standard except (UHY) Automatic Emergency Braking, which is replaced by (UGN) Automatic

	Emergency Braking.)
Mechanical	
	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode (STD)
	Suspension Package, Magnetic Ride Control road sensing electronically controlled shock absorbers
	Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)
	GVWR, 7300 lbs. (3311 kg) (Requires 4WD model)
	Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed (Requires 4WD model. Not available with (NHT) Max Trailering Package.)
	Differential, heavy-duty locking rear
	4-wheel drive
	Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 720 cold-cranking amps with 80 amp hour rating
	Alternator, 150 amps
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
	Trailer sway control
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc, VAC power with Brake Assist
	Hill Start Assist
Exterior	

Wheels, 20" x 9" (50.8 cm x 22.9 cm) polished-aluminum (STD)

Tires, P275/55R20 all-season, blackwall (STD)

Tire, spare P265/70R17 all-season, blackwall



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



Exterior	
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, front
	Fascia, front body-colour
	Fascia, rear body-colour (Includes trailer hitch closeout.)
	Luggage rack side rails, roof-mounted (Includes bright accent.)
	Assist steps, Black (Premier includes chrome accent strip) (Deleted when (RVQ) assist step kit, Black, LPO, (VXH) assist step kit, Chrome, LPO or (BRS) power-retractable assist steps are ordered.)
	Mouldings, body-colour bodyside
	Headlamps, high intensity discharge
	IntelliBeam, automatic high beam on/off
	Fog lamps
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming with integrated turn signal indicators and ground illumination
	Glass, deep tinted
	Windshield style, acoustic laminated glass
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Liftgate, power, hands free
Entertainment	
	Audio system, 8" diagonal colour touch-screen Navigation with Chevrolet Infotainment, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. You can customize your content with audio, weather and more; featuring Apple CarPlay and Android Auto capability for compatible phone; 5 USB ports and 1 auxiliary jack (STD)
	Audio system feature, single-slot CD/MP3 player (Not included when (U42) rear seat entertainment system is ordered.)
	Audio system feature, Bose Centrepoint Surround Sound premium 10-speaker system
	HD Radio



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



Entertainment	
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
	Wireless Charging
	4G LTE Wi-Fi Hotspot capable (Requires (UE1) OnStar. Terms and limitations apply. See onstar.ca or dealer for details.)
nterior	
	Seats, front bucket with Perforated leather-appointed heated and ventilated seat cushions 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position memory, 4-way power lumbar control and power recline (STD)
	Seats, heated and vented driver and front passenger
	Seat adjuster, front passenger 6-way power
	Memory settings recalls presets for driver power seat adjuster and pedals (Also includes memory presets for outside rearview mirrors and power steering column.)
	Seats, second row bucket, power release
	Seats, heated second row outboard seats
	Seats, third row 60/40 split-bench, power fold
	Console, floor with storage area, cup holders and auxiliary jack
	Floor covering, colour-keyed carpeting
	Floor mats, colour-keyed carpeted first and second row, removable
	Steering column, power tilt and telescopic
	Steering wheel, heated, leather-wrapped and colour-keyed with theft-deterrent locking feature
	Steering wheel controls, mounted audio and cruise controls includes Driver Information Centre controls
	Driver Information Centre, 4.2" diagonal multi-colour (Not available with (UV6) Head-Up Display.)
	Door locks, power programmable with lockout protection and delayed locking
	Keyless start, push button
	Passive Entry System includes (AQQ) Remote Keyless Entry.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.

2-Dec-2019 Page 5

Windows, power, all express down, front express up



( V Complete	)
--------------	---

Interior	
	Cruise control, electronic with set and resume speed (Not included when (Y66) Adaptive Cruise Control - Advanced is ordered.)
	Universal Home Remote includes garage door opener, programmable
	Pedals, power-adjustable for accelerator and brake
	Theft-deterrent system, electrical, unauthorized entry
	Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers
	Defogger, rear-window electric
	Power outlet, 110-volt
	Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of console, 1 in 3rd row and 1 in cargo area
	Mirror, inside rearview auto-dimming
	Conversation mirror (Deleted when (UTT) Theft Protection Package is ordered.)
	Assist handles, 1st row passenger and 2nd row outboard seats
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo net
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with brake assist includes traction control
	Automatic Emergency Braking (Replaced with (UGN) Automatic Emergency Braking when (Y66) Adaptive Cruise Control - Advanced is ordered.)
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	Door locks, rear child security
	Safety Alert Seat



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



( V Complete )
----------------

Safety-Interior	
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Lane Keep Assist with Lane Departure Warning
	Front and rear parking assist
	Rear Vision Camera
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Forward Collision Alert
	LATCH System (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Centre (does not apply to spare tire), includes Tire Fill Alert
	Warning tones headlamp on, key-in-ignition, driver and right-front passenger seat belt unfasten and turn signal on
WARRANTY	

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

# **Technical Specifications**

## **Powertrain**

### **Transmission**

Drivetrain	Four Wheel Drive	Trans Order Code	MF6
Trans Type	10	Trans Description Cont.	Automatic



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



owertrain			
ransmission			
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		
lileage			
EnerGuide Estimate - City	16.5 L/100 km	EnerGuide Estimate - Hwy	10.9 L/100 km
Cruising Range - City	593.64 km	Cruising Range - Hwy	898.62 km
ngine			
Engine Order Code	L86	Engine Type	Gas V8
Displacement	6.2L/-TBD-	Fuel System	Direct Injection
		•	Biroot injootion
SAE Net Horsepower @ RPM	420 @ 5600	SAE Net Torque @ RPM	460 @ 4100
SAE Net Horsepower @ RPM Engine Oil Cooler	420 @ 5600 Yes		
·			
Engine Oil Cooler			
Engine Oil Cooler	Yes	SAE Net Torque @ RPM	460 @ 4100
Engine Oil Cooler  lectrical  Cold Cranking Amps @ 0° F (Primary)	Yes 720	SAE Net Torque @ RPM  Cold Cranking Amps @ 0° F (2nd)	460 @ 4100 N/A
Engine Oil Cooler  Clectrical  Cold Cranking Amps @ 0° F (Primary)  Maximum Alternator Capacity (amps)	Yes 720	SAE Net Torque @ RPM  Cold Cranking Amps @ 0° F (2nd)	460 @ 4100 N/A
Engine Oil Cooler  Clectrical  Cold Cranking Amps @ 0° F (Primary)  Maximum Alternator Capacity (amps)  Cooling System	Yes 720 170	SAE Net Torque @ RPM  Cold Cranking Amps @ 0° F (2nd)	460 @ 4100 N/A
Engine Oil Cooler  Cold Cranking Amps @ 0° F (Primary)  Maximum Alternator Capacity (amps)  Cooling System  Total Cooling System Capacity	Yes 720 170	SAE Net Torque @ RPM  Cold Cranking Amps @ 0° F (2nd)	460 @ 4100 N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



hicle			
ehicle			
Rear Door Type	Liftgate		
assis			
eight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,632.96 kg	Gross Axle Wt Rating - Rear	1,859.76 kg
Curb Weight - Front	1,291.85 kg	Curb Weight - Rear	1,182.99 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	341.11 kg	Reserve Axle Capacity - Rear	676.77 kg
As Spec'd Curb Weight	2,474.84 kg	As Spec'd Payload	836.44 kg
Maximum Payload Capacity	836.44 kg	Gross Combined Wt Rating	6,350.4 kg
Gross Axle Weight Rating	3,492.72 kg	Curb Weight	2,474.84 kg
Reserve Axle Capacity	1,017.88 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,311.28 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,674.16 kg	Wt Distributing Hitch - Max Tongue Wt.	367.42 kg
Maximum Trailering Capacity	N/A		
rame			
Frame Type	Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent Coil- Over-Shock	Suspension Type - Rear	Multi-Link



Axle Type - Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.

Axle Type - Rear

Semi-Floating

2-Dec-2019 Page 9

Independent



nassis			
Suspension			
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ïres			
Front Tire Order Code	QST	Rear Tire Order Code	QST
Spare Tire Order Code	XCQ	Front Tire Size	P285/45R22
Rear Tire Size	P285/45R22	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	558.8 x 228.6 mm	Rear Wheel Size	558.8 x 228.6 mr
Spare Wheel Size	431.8 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Electric Pwr Rack & Pinion	Steering Ratio (:1), On Centre	17.3
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	11.89 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	330.2 x 30.48 mr
Rear Brake Rotor Diam x Thickness	345.44 x 20.32 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



(	Complete)
( ~	Complete )

l Tank			
Fuel Tank Capacity, Approx	98.0 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
ensions			
rior Dimensions			
Passenger Capacity	7	Front Head Room	1,087.12 mm
Front Leg Room	1,150.62 mm	Front Shoulder Room	1,645.92 mm
Front Hip Room	1,544.32 mm	Second Head Room	982.98 mm
Second Leg Room	990.6 mm	Second Shoulder Room	1,653.54 mm
Second Hip Room	1,531.62 mm	Third Head Room	967.74 mm
Third Leg Room	629.92 mm	Third Shoulder Room	1,590.04 mm
Third Hip Room	1,252.22 mm		
erior Dimensions			
Wheelbase	2,946.4 mm	Length, Overall w/rear bumper	5,181.6 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,044.7 mm
Height, Overall	1,889.76 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
0 1 4 4 1	N/A	Cab to End of Frame	N/A
Cab to Axie			
	912.11 mm	Ground to Top of Frame	N/A
Ground to Top of Load Floor		Ground to Top of Frame Ground Clearance, Front	N/A 199.9 mm
Ground to Top of Load Floor Frame Width, Rear	912.11 mm		
Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	912.11 mm N/A	Ground Clearance, Front	199.9 mm
Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Rear Door Opening Height	912.11 mm N/A 199.9 mm	Ground Clearance, Front Body Length	199.9 mm 0 m
Ground to Top of Load Floor  Frame Width, Rear  Ground Clearance, Rear  Rear Door Opening Height  Side Door Opening Height	912.11 mm N/A 199.9 mm N/A	Ground Clearance, Front  Body Length  Rear Door Opening Width	199.9 mm 0 m N/A
Ground to Top of Load Floor  Frame Width, Rear  Ground Clearance, Rear  Rear Door Opening Height  Side Door Opening Height  Step Up Height - Front	912.11 mm N/A 199.9 mm N/A N/A	Ground Clearance, Front  Body Length  Rear Door Opening Width  Side Door Opening Width	199.9 mm 0 m N/A N/A
Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Rear Door Opening Height Side Door Opening Height Step Up Height - Front Cab to Body	912.11 mm N/A 199.9 mm N/A N/A 558.8 mm	Ground Clearance, Front  Body Length  Rear Door Opening Width  Side Door Opening Width	199.9 mm 0 m N/A N/A
Cab to Axle  Ground to Top of Load Floor  Frame Width, Rear  Ground Clearance, Rear  Rear Door Opening Height  Side Door Opening Height  Step Up Height - Front  Cab to Body  Tgo Area Dimensions  Cargo Area Length @ Floor to Console	912.11 mm N/A 199.9 mm N/A N/A 558.8 mm	Ground Clearance, Front  Body Length  Rear Door Opening Width  Side Door Opening Width	199.9 mm 0 m N/A N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.



( 🎺	Complete )

## **Dimensions**

## **Cargo Area Dimensions**

Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	1,252.22 mm
Cargo Box (Area) Height	862.08 mm	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	2,681.61 L
Cargo Volume to Seat 2	1,463.98 L	Cargo Volume to Seat 3	433.25 L
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

## **Exterior**

### **Doors**

Side Door Type N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11113. Data Updated: 1-Dec-2019 10:12:00 PST PM.

Page 12 2-Dec-2019