



Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" High Country

MSRP:\$74,298.00

Interior: Jet Black, Perforated leather-appointed front seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8

Transmission, Allison 10-speed automatic

OPTIONS

CODE	MODEL		MSRP
CK20743	[Retail] 2020 Chevrolet Silverado 2500HD (CK20743) 4WD Cr Cab 159" High Country	ew	\$74,298.00
	OPTIONS		
3LZ	High Country Preferred Equipment Group		\$0.00
A50	Seats, front bucket		\$0.00
BHP	Winter Grille Cover	Inc.	
CF5	Sunroof, power on Crew Cab models		\$1,325.00
CMT	Gooseneck/5th Wheel Package	Inc.	
CWM	Technology Package	Inc.	
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
GBA	Black		\$0.00
GU6	Rear axle, 3.42 ratio	Inc.	
H2U	Jet Black, Perforated leather-appointed front seat trim		\$0.00
HS1	Safety Alert Seat	Inc.	
IOT	Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation		\$0.00
JGL	GVWR, 11,350 lbs. (5148 kg)		\$0.00
JHD	Hill Descent Control	Inc.	
K05	Engine block heater	Inc.	
K40	Exhaust brake	Inc.	
KW5	Alternator, 220 amps	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





L5P	Engine, Duramax 6.6L Turbo-Diesel V8		\$11,005.00
MGM	Transmission, Allison 10-speed automatic	Inc.	
NZZ	Skid Plates	Inc.	
PDJ	Safety Package II	Inc.	
PDM	High Country Deluxe		\$3,750.00
PTT	Trailer Tire Pressure Monitor Sensors		\$60.00
SFZ	LPO, Black Bowtie emblem, front		\$180.00
TQ5	IntelliBeam, automatic high beam on/off	Inc.	
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
UE4	Following Distance Indicator	Inc.	
UEU	Forward Collision Alert	Inc.	
UF3	High idle switch		\$240.00
UFL	Lane Departure Warning	Inc.	
UHY	Automatic Emergency Braking	Inc.	
UV6	Multi-colour 15" Diagonal Head-Up Display	Inc.	
UVN	Bed View Camera	Inc.	
UVS	HD Surround Vision with Two Trailer View Camera Provisions	Inc.	
VQK	LPO, Moulded splash guards, Black		\$215.00
Z6A	Gooseneck/5th Wheel Prep Package	Inc.	
Z71	Z71 Off-Road Package		\$440.00
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr	Inc.	
	Federal air conditioning excise tax		\$100.00
	Capped Fuel Fill	Inc.	
	Option/package discount		-\$500.00
	Suspension, Off-Road	Inc.	
	SUBTOTAL		\$91,098.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$93,098.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.

Page 3 7-Dec-2019





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,650 lbs. (4831 kg) (STD) (Requires CK20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20943 and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, high-capacity
	Air filtration monitoring
	Transfer case, two-speed active electronic Autotrac with push button control
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Advanced Trailering System includes checklist, trailer maintenance reminders, trailer security alerts, trailer mileage, tow/haul reminder, trailer electrical diagnostics and Trailer Tire Pressure Monitor System module
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	LPO, Chrome recovery hooks (dealer-installed)
	Suspension Package
	Steering, Digital Variable Steering Assist this system automatically adjusts steering based on speed, road conditions, and other inputs to reduce driver effort and fatigue
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





Mechanical	
	LPO, Polished exhaust tip (dealer installed) (Requires (L8T) 6.6L V8 gas engine. Not included when (L5P) Duramax 6.6L Turbo-Diesel V8 engine is ordered.)
Exterior	
	Wheels, 20" (50.8 cm) polished aluminum 16-spoke (STD)
	Tires, LT275/65R20 all-terrain, blackwall
	Tire, spare LT275/70R18 all-terrain, blackwall
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door
	Wheelhouse liners, rear
	Bumper, front (Body-colour.)
	Bumper, rear (Body-colour.)
	Assist steps, chrome tubular, 6" rectangular (factory installed)
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side
	Mouldings, beltline, stainless steel
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Chrome front grille bar with Gold bowtie. Includes Chrome grille inserts with Bronze accents.)
	Headlamps, LED reflector (high intensity) with LED signature curtain Daytime Running Lamps
	Taillamps, LED with signature
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel.
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Fog lamps, front, LED
	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass (driver and passenger) lower convex mirrors, turn signal indicators, puddle lamps, perimeter lighting, auxiliary lighting, power folding/extending (extends 3.31" [84.25mm])
	Mirror caps, chrome
	Glass, deep-tinted
	Chevytec spray-on bedliner Black with Chevrolet logo (does not include spray-on liner on tailgate due to Black composite inner panel)
	Tailgate and bed rail protection cap, top
	Tailgate, gate function power up/down with power lock and release
	Door handles, chrome



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, enhanced voice recognition, additional memory for in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Radio, HD
	Bose Sound System, premium 7-speaker system with Richbass woofer
	Steering wheel audio controls
	Bluetooth for phone connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console, for Crew Cab and Double Cab models (STD)
	Perforated leather-appointed front seat trim
	Seating, heated driver and front outboard passenger
	Seats, ventilated driver and front passenger
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seats, heated second row outboard seats
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width under-seat storage, (includes child seat top tether anchor) (Rear seat is leather-appointed)
	Centre Console, floor-mounted with cup holders, cell phone storage, power cord management, hanging file folder capability
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when LPO floor liners are ordered.)
This d	ocument contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





Interior	
	Floor mats, carpeted rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, leather-wrapped
	Steering wheel, heated
	Steering column, manual tilt and telescoping
	Steering column, lock control, electrical
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, enhanced, 8" diagonal multi-colour digital display includes analogue speedometer and tachometer gauges
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Window, power, rear sliding with rear defogger
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Universal Home Remote
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Wireless Charging (Not compatible with all phones. Compliant batteries include QI and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.)
	USB ports, 2 (first row) located on instrument panel
	USB Ports (Inside Console with bucket seats), 2 also includes 1 SD card reader and auxiliary jack
	USB ports, dual, charge-only (2nd row)
	Power outlet, front auxiliary, 12-volt
	Power outlet, rear auxiliary, 12-volt
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)




This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





Interior	
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist, ultrasonic
	HD Rear Vision Camera
	Hitch Guidance
	Hitch Guidance with Hitch View
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	



Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain

nsmi	

Drivetrain	Four Wheel Drive	Trans Order Code	MGM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
Second Gear Ratio (:1)	2.86	Third Gear Ratio (:1)	2.06
Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48
Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.68
Tenth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





Powertrain			
Engine			
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8
Displacement	6.6L/403	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Chassis			
Weight Information			
Standard Weight - Front	82.1 kg	Standard Weight - Rear	114.76 kg
Gross Axle Wt Rating - Front	2,540.16 kg	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,745.91 kg	Curb Weight - Rear	1,262.82 kg
Option Weight - Front	371.04 kg	Option Weight - Rear	119.3 kg
Reserve Axle Capacity - Front	341.11 kg	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	3,695.93 kg	As Spec'd Payload	1,452.43 kg
Maximum Payload Capacity	2,139.63 kg	Gross Combined Wt Rating	12,474 kg
Gross Axle Weight Rating	N/A	Curb Weight	3,008.73 kg
Reserve Axle Capacity	N/A	Total Option Weight	490.34 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	5,148.36 kg		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	8,391.6 kg	Wt Distributing Hitch - Max Tongue Wt.	839.16 kg
Maximum Trailering Capacity	8,391.6 kg		
rame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Spring
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QF9	Rear Tire Order Code	QF9
Spare Tire Order Code	ZYG	Front Tire Size	LT275/65R20
Rear Tire Size	LT275/65R20	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	508 x -TBD- mm	Rear Wheel Size	508 x -TBD- mm
Spare Wheel Size	457.2 x 203.2 mm	Front Wheel Material	Aluminum



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





Chassis			
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 mm
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	4,037.08 mm	Length, Overall w/o rear bumper	6,348.73 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,078.99 mm
Height, Overall	2,027.43 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	1,069.34 mm	Cab to End of Frame	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.





Dimensions Exterior Dimensions Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 257.05 mm Ground Clearance, Rear 257.05 mm **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor 2,089.15 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,316.99 mm Cargo Box (Area) Height 533.4 mm Tailgate Width N/A Cargo Volume 1,968.02 L Ext'd Cab Cargo Volume N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11152. Data Updated: 6-Dec-2019 10:51:00 PST PM.