

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Window Sticker

SUMMARY

[Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT

MSRP:\$15,895.00

Interior:Jet Black/Dark Anderson Silver Metallic, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 1.4L DOHC 4-cylinder MFI

Transmission, Continuous Variable (CVT)

OPTIONS

| CODE | MODEL | MSRP |
|----------------|--|-------------|
| 1DS48 | [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT | \$15,895.00 |
| OPTIONS | | |
| 1SD | 1LT Preferred Equipment Group | \$0.00 |
| AV5 | Seats, front high-back bucket | \$0.00 |
| GAZ | Summit White | \$0.00 |
| HJG | Jet Black/Dark Anderson Silver Metallic, Cloth seat trim | \$0.00 |
| IOR | Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. | \$0.00 |
| LV7 | Engine, 1.4L DOHC 4-cylinder MFI | \$0.00 |
| MR8 | Transmission, Continuous Variable (CVT) | \$0.00 |
| — | Federal air conditioning excise tax | \$100.00 |

| | |
|--------------------|--------------------|
| SUBTOTAL | \$15,895.00 |
| Adjustments Total | \$0.00 |
| Total Tax | \$100.00 |
| Destination Charge | \$1,600.00 |
| TOTAL PRICE | \$17,595.00 |

FUEL ECONOMY

Est City:7.9 L/100 km

Est Highway:6.2 L/100 km

Est Highway Cruising Range:564.45 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Standard Equipment

Mechanical

Emissions, Federal requirements (STD)

Engine, 1.4L DOHC 4-cylinder MFI (98 hp [73.07 kW] @ 6200 rpm, 94 lb-ft of torque [127.4 N-m] @ 4400 rpm) (STD)

Transmission, Continuous Variable (CVT) (STD)

Axle, 3.76 final drive ratio

Front wheel drive

Battery, 375 cold-cranking amps

Alternator, 80 amps

Suspension, front, MacPherson struts

Suspension, rear, compound crank

Steering, power, non-variable ratio, electric

Brakes, 4-wheel antilock, front disc/rear drum

Fuel tank, 35L, 9 gallons

Jack, mechanical with tools

Exterior

Wheels, 15" (38.1 cm) aluminum

Wheel, 14" (35.6 cm) steel spare (Requires (ZAL) T105/70D14 blackwall spare tire.)

Tires, P185/55R15 all-season blackwall

Tire, spare, T105/70D14, blackwall

Spoiler, rear, Aero

Headlamps, halogen with automatic exterior lamp control and Daytime Running Lamps

Headlamps, projection-type

Mirrors, heated, outside manual-folding, body-colour

Glass, solar absorbing

Wipers, front intermittent, variable

Wiper, rear intermittent, 2-speed

Door handles, body-colour

License plate bracket, front



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Entertainment

Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)

SiriusXM enjoy a 3-month XM Select+ trial subscription with over 120 channels including commercial-free music, plus sports, news and entertainment. Free listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-888-539-7474. SiriusXM Canada products, programming, services are subject to change. The use of the SiriusXM Canada radio service constitutes acceptance of our Customer Agreement available at siriusxm.ca/terms.)

USB data ports, 2, illuminated located in the front centre stack storage bin

Audio system feature, 6-speaker system

Chevrolet 4G LTE and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) from delivery date (Visit onstar.ca for vehicle availability, details and system limitations. Services and connectivity vary by model and conditions as well as geographical and technical restrictions. Requires active connected vehicle services and data plan. Data plans provided by AT&T or its local service provider. Accessory Power must be active to use the Wi-Fi hotspot.)

Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface)

Antenna, roof-mounted

Interior

Seats, front high-back bucket (STD)

Seat adjuster, driver 4-way fore/aft (up/down) manual with manual recline

Seat adjuster, 2-way manual front passenger with manual recline

Seat adjuster, front passenger, manual recline

Seat, rear 60/40 split-bench, folding

Head restraints, 2-way adjustable (up/down) front and rear

Console, rear, centre with storage tray

Floor mats, carpeted front and rear

Foot rest, driver side

Steering column, Tilt-Wheel

Steering wheel controls, mounted audio and phone interface controls

Instrumentation, analog with kph speedometer

Driver Information Centre, segmented display

Oil life monitoring system



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Interior

Outside temperature display

Windows, power with driver express up/down

Door handles, Black

Remote Keyless Entry includes panic alarm button

Keys, foldable (2)

Cruise control, electronic with set and resume speed, steering wheel-mounted

Fuel filler door release, remote

Theft-deterrent system, content theft alarm

Engine immobilizer

Air conditioning, single-zone manual

Cabin air filter

Defogger, rear-window

Glovebox, non-locking

Storage, passenger IP storage tray

Storage, lower centre IP bin

Cup holders, 2 front and 2 rear

Power outlet, auxiliary 12-volt, located in front centre stack storage bin

Armrest, driver seat

Mirror, inside rearview manual day/night

Visors, driver and front passenger vanity mirrors, covered

Assist handle, front passenger

Lighting, interior overhead courtesy lamp with OnStar controls

Lighting, dimming instrument panel cluster

Lighting, rear cargo compartment lamp

Map pocket, front passenger seatback

Coat hooks, rear seat

Cargo security shelf, rear

Safety-Mechanical

StabiliTrak, stability control system with Brake Assist

Traction control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Safety-Mechanical

Hill Start Assist

Safety-Exterior

Daytime Running Lamps, LED with signature lighting

Safety-Interior

Rear Vision Camera

Remote panic alarm

Airbags, 10 total

Airbags, dual-stage, frontal, driver and right-front passenger includes Passenger Sensing System

Airbags, thorax side-impact seat-mounted, side-front and rear outboard seating positions

Airbags, roof rail, side-front and rear outboard seating positions

Airbags, knee, driver and front passenger

Door locks, power, emergency unlock, automatic

OnStar and Chevrolet connected services capable (Fleet orders receive a 3-month trial. Visit onstar.ca for coverage map, details and system limitations. Services vary by model. Subscription required.)

Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the vehicle delivery date for model year 2018 or newer Chevrolet vehicles. See onstar.ca for details and further plan limitations. Connected Access does not include emergency or security services. Availability of Connected Access and any of its services are dependent on compatible 4G LTE wireless networks and are also subject to change.)

Seat belt pretensioners, driver and front passenger, dual

Seat belts, 3-point, all positions

LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats

Tire Pressure Monitoring System (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Technical Specifications

Powertrain

Transmission

| | | | |
|-------------------------------|-------------------|-------------------------|-----------|
| Drivetrain | Front Wheel Drive | Trans Order Code | MR8 |
| Trans Type | 1 | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | N/A |
| Reverse Ratio (:1) | N/A | Clutch Size | N/A |
| Final Drive Axle Ratio (:1) | 3.76 | | |

Mileage

| | | | |
|--|--------------|-------------------------------------|--------------|
| EnerGuide Estimate - City | 7.9 L/100 km | EnerGuide Estimate - Hwy | 6.2 L/100 km |
| Cruising Range - City | 442.98 km | Cruising Range - Hwy | 564.45 km |
| EnerGuide Estimate Equivalent - Combined | N/A | EnerGuide Estimate Equivalent - Hwy | N/A |
| EnerGuide Estimate Equivalent - City | N/A | Battery Range | N/A |

Engine

| | | | |
|--------------------------|-----------|----------------------|---------------------------|
| Engine Order Code | LV7 | Engine Type | Gas I4 |
| Displacement | 1.4L/85 | Fuel System | Electronic Fuel Injection |
| SAE Net Horsepower @ RPM | 98 @ 6200 | SAE Net Torque @ RPM | 94 @ 4400 |

Electrical

| | | | |
|-------------------------------------|-----|------------------------------------|----|
| Cold Cranking Amps @ 0° F (Primary) | 375 | Maximum Alternator Capacity (amps) | 80 |
|-------------------------------------|-----|------------------------------------|----|

Cooling System

| | | | |
|-------------------------------|-----|--|--|
| Total Cooling System Capacity | N/A | | |
|-------------------------------|-----|--|--|

Vehicle

Emissions

| | | | |
|--------------------------------------|-----|-----------------------|-----|
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 167 |
|--------------------------------------|-----|-----------------------|-----|

Vehicle

| | | | |
|--------------------|----------------|--|--|
| EPA Classification | Subcompact Car | | |
|--------------------|----------------|--|--|



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Chassis

Weight Information

| | |
|------------------|-------------|
| Base Curb Weight | 1,048.72 kg |
|------------------|-------------|

Trailer

| | | | |
|---|-----|--|-----|
| Dead Weight Hitch - Max Trailer Wt. | N/A | Dead Weight Hitch - Max Tongue Wt. | N/A |
| Wt Distributing Hitch - Max Trailer Wt. | N/A | Wt Distributing Hitch - Max Tongue Wt. | N/A |

Suspension

| | | | |
|---------------------------------|------------------|--------------------------------|----------------|
| Suspension Type - Front | MacPherson Strut | Suspension Type - Rear | Compound Crank |
| Suspension Type - Front (Cont.) | N/A | Suspension Type - Rear (Cont.) | N/A |
| Shock Absorber Diameter - Front | N/A | Shock Absorber Diameter - Rear | N/A |
| Stabilizer Bar Diameter - Front | N/A | Stabilizer Bar Diameter - Rear | N/A |

Tires

| | | | |
|-----------------------|------------|----------------------|------------|
| Front Tire Order Code | QGD | Rear Tire Order Code | QGD |
| Spare Tire Order Code | ZAL | Front Tire Size | P185/55R15 |
| Rear Tire Size | P185/55R15 | Spare Tire Size | T105/70D14 |

Wheels

| | | | |
|---------------------|------------------|----------------------|----------------|
| Front Wheel Size | 381 x -TBD- mm | Rear Wheel Size | 381 x -TBD- mm |
| Spare Wheel Size | 355.6 x -TBD- mm | Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum | Spare Wheel Material | Steel |

Steering

| | | | |
|---------------------------------|------------------------|---------------------------------|--------|
| Steering Type | Electric Rack & Pinion | Steering Ratio (:1), Overall | N/A |
| Lock to Lock Turns (Steering) | N/A | Turning Diameter - Curb to Curb | 10.3 m |
| Turning Diameter - Wall to Wall | N/A | | |

Brakes

| | | | |
|--------------------------------|-----|------------------------|---------|
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.

Vehicle: [Retail] 2019 Chevrolet Spark (1DS48) 4dr HB CVT LT w/1LT ( Complete)

Chassis

Brakes

| | | | |
|-----------------------------------|------------------|------------------------------------|------------------|
| Disc - Rear (Yes or) | N/A | Front Brake Rotor Diam x Thickness | 236.22 x -TBD-mm |
| Rear Brake Rotor Diam x Thickness | N/A | Drum - Rear (Yes or) | Yes |
| Rear Drum Diam x Width | 200.66 x -TBD-mm | | |

Fuel Tank

| | | | |
|----------------------------|------|--------------------------------|-----|
| Fuel Tank Capacity, Approx | 35 L | Aux Fuel Tank Capacity, Approx | N/A |
|----------------------------|------|--------------------------------|-----|

Dimensions

Interior Dimensions

| | | | |
|----------------------|-------------|------------------|-------------|
| Passenger Capacity | 4 | Passenger Volume | 2,350.3 L |
| Front Head Room | 990.6 mm | Front Leg Room | 1,059.18 mm |
| Front Shoulder Room | 1,290.32 mm | Front Hip Room | 1,224.28 mm |
| Second Head Room | 939.8 mm | Second Leg Room | 838.2 mm |
| Second Shoulder Room | 1,264.92 mm | Second Hip Room | 1,219.2 mm |

Exterior Dimensions

| | | | |
|------------------------|-------------|-------------------|-------------|
| Wheelbase | 2,385.06 mm | Length, Overall | 3,634.74 mm |
| Width, Max w/o mirrors | 1,595.12 mm | Height, Overall | 1,483.36 mm |
| Track Width, Front | 1,384.3 mm | Track Width, Rear | 1,384.3 mm |
| Min Ground Clearance | N/A | Liftover Height | N/A |

Cargo Area Dimensions

| | | | |
|--------------------------------|----------|----------------------------------|----------|
| Cargo Volume with Rear Seat Up | 314.32 L | Cargo Volume with Rear Seat Down | 770.22 L |
| Trunk Volume | N/A | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11233. Data Updated: 16-Dec-2019 10:09:00 PST PM.