

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Trax (1JR76) AWD 4dr LS

MSRP:\$23,898.00

Interior: Jet Black, Cloth Seat Trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI

Transmission, 6-speed automatic

OPTIONS		
CODE	MODEL	MSRP
1JR76	[Retail] 2020 Chevrolet Trax (1JR76) AWD 4dr LS	\$23,898.00
	OPTIONS	
1LS	LS Preferred Equipment Group	\$0.00
AFJ	Jet Black, Cloth Seat Trim	\$0.00
AR9	Seats, front bucket with driver power lumbar	\$0.00
C60	Air conditioning, single-zone manual	\$0.00
FXH	Axle, 3.53 final drive ratio	\$0.00
GAZ	Summit White	\$0.00
IOR	Audio system, Chevrolet Infotainment System	\$0.00
LUV	Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI	\$0.00
MNK	Transmission, 6-speed automatic	\$0.00
SFE	LPO, Wheel locks	\$75.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$23,973.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,800.00
	TOTAL PRICE	\$25,873.00

FUEL ECONOMY



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



Est City:10.0 L/100 km

Est Highway:8.0 L/100 km

Est Highway Cruising Range:662.08 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



Standard Equipment

Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI (138 hp [102.9 kW 4900 rpm, 148 lb-ft of torque [199.8 N-m] @ 1850 rpm) (STD) Transmission, 6-speed automatic (STD) Axle, 3.55 final drive ratio Heater, oil pan Chassis, all-wheel drive Battery, 60AH Alternator, 130 amps Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Uper, rear intermittent Door handles, body-colour Cargo tie downs, 4		
4900 rpm, 148 lb-ft of torque [199.8 N-m] @ 1850 rpm) (STD) Transmission, 6-speed automatic (STD) Axle, 3.53 final drive ratio Heater, oil pan Chassis, all-wheel drive Battery, 60AH Alternator, 130 amps Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16* (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16* (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour	Mechanical	
Axle, 3.53 final drive ratio Heater, oil pan Chassis, all-wheel drive Battery, 60AH Alternator, 130 amps Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Wipers, front intermittent Wiper, rear intermittent Wiper, rear intermittent Door handles, body-colour		Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI (138 hp [102.9 kW] @ 4900 rpm, 148 lb-ft of torque [199.8 N-m] @ 1850 rpm) (STD)
Heater, oil pan Chassis, all-wheel drive Battery, 60AH Alternator, 130 amps Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Wiper, rear intermittent Wiper, rear intermittent Door handles, body-colour		Transmission, 6-speed automatic (STD)
Chassis, all-wheel drive Battery, 60AH Alternator, 130 amps Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Upor handles, body-colour		Axle, 3.53 final drive ratio
Battery, 60AH Alternator, 130 amps Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Heater, oil pan
Alternator, 130 amps Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16* (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16* (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Chassis, all-wheel drive
Suspension, Ride and Handling Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16* (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16* (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wiper, front intermittent Wiper, rear intermittent Door handles, body-colour		Battery, 60AH
Steering, power, non-variable ratio, electric Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Alternator, 130 amps
Brakes, 4-wheel antilock, 4-wheel disc Mechanical jack with tools Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Suspension, Ride and Handling
Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Steering, power, non-variable ratio, electric
Exterior Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Brakes, 4-wheel antilock, 4-wheel disc
Wheels, 16" (40.6 cm) aluminum Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Mechanical jack with tools
Tires, P205/70R16 all-season, blackwall Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour	Exterior	
Wheel, spare, 16" (40.6 cm) steel Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Wheels, 16" (40.6 cm) aluminum
Tire, compact spare Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Tires, P205/70R16 all-season, blackwall
Headlamps, halogen reflector with automatic on/off Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Wheel, spare, 16" (40.6 cm) steel
Tail lamps, sculpted Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Tire, compact spare
Mirrors, outside power-adjustable, body-colour, manual-folding with Black base. Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Headlamps, halogen reflector with automatic on/off
Mouldings, beltline side glass (Black.) Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Tail lamps, sculpted
Windshield, solar absorbing Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Mirrors, outside power-adjustable, body-colour, manual-folding with Black base.
Windshield, acoustic laminated Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Mouldings, beltline side glass (Black.)
Glass, solar absorbing Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Windshield, solar absorbing
Wipers, front intermittent Wiper, rear intermittent Door handles, body-colour		Windshield, acoustic laminated
Wiper, rear intermittent Door handles, body-colour		Glass, solar absorbing
Door handles, body-colour		Wipers, front intermittent
·		Wiper, rear intermittent
Cargo tie downs, 4		Door handles, body-colour
		Cargo tie downs, 4
Liftgate, rear applique, body-colour		Liftgate, rear applique, body-colour



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



Entertainment	
	Audio system, Chevrolet Infotainment System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with driver power lumbar (STD)
	Air conditioning, single-zone manual
	Seat trim, cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, front passenger 2-way manual
	Seatback, front passenger flat-folding
	Head restraints, 2-way adjustable (up/down), front
	Armrest, driver seat
	Seat, rear 60/40 split-bench, folding
	Floor mats, colour-keyed and carpeted front and rear
	Steering wheel, 3-spoke, urethane
	Steering column, manual tilt and telescoping
	Steering wheel controls, mounted audio and phone interface controls
	Instrumentation, with analog speedometer and tachometer
	Driver Information Centre 3.5" monochrome display with True White back lighting and digital readouts, including speedometer, odometer, trip odometer and fuel gauge
	Compass display located in the Driver Information Centre
	Remote Keyless Entry with panic alarm
	Keys, (2) foldable
	Door locks, power programmable
	Windows, power with driver Express-Up/Down and front passenger and rear Express-Down
	Theft-deterrent system, unauthorized entry
	Air filter, particle
	Heater duct, rear, floor
	Defogger, rear-window, electric



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



Interior	
	Cup holders, 4 in front console and 2 in rear centre armrest
	Power outlet, auxiliary, 12-volt
	Audio system feature, USB ports (2) with auxiliary input jack
	Map pocket, driver seatback
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger vanity mirrors, covered
	Assist handles, driver, front passenger and rear outboard includes coat hooks on rear handles
	Lighting, interior with front reading lights and dome light
	Shift knob, satin silver and chrome
	Cargo storage, tray under rear floor
	Lighting, cargo area
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system includes Traction Control
Safety-Exterior	
	Daytime Running Lamps, reduced intensity low beam
Safety-Interior	
	Airbags, 10 total, frontal and knee for driver and front passenger, side-impact seat-mounted and roof rail for front and rear outboard seating positions includes Passenger Sensing System
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Tire Pressure Monitor System
	Seat belts, 3-point rear, all seating positions
	Seat belt pretensioners, driver and front passenger, dual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats
	Door locks, rear child security



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3
Basic Miles/km: 60,000
Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

_			
l ra	nsm	บรร	เเดท

Drivetrain	All Wheel Drive	Trans Order Code	MNK
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.58
Second Gear Ratio (:1)	2.96	Third Gear Ratio (:1)	1.91
Fourth Gear Ratio (:1)	1.45	Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.75	Reverse Ratio (:1)	2.94
Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.53
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A

Mileage

EnerGuide Estimate - City	10.0 L/100 km	EnerGuide Estimate - Hwy	8.0 L/100 km
Cruising Range - City	529.65 km	Cruising Range - Hwy	662.08 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A		

Engine

Engine Order Code	LUV	Engine Type	Turbocharged Gas 4-Cyl
Displacement	1.4L/-TBD-	Fuel System	Electronic Fuel



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



Powertrain			
Engine			
			Injection
SAE Net Horsepower @ RPM	138 @ 4900	SAE Net Torque @ RPM	148 @ 1850
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	130
Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	214
Vehicle			
EPA Classification	Small Sport Utility Vehicle		
Chassis			
Weight Information			
Base Curb Weight	1,455.15 kg	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Curb Weight	N/A
Total Option Weight	0 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		
Suspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Compound Crank
Suspension Type - Front (Cont.)	w/Coil Springs	Suspension Type - Rear (Cont.)	w/Coil Springs
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



spension			
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	RAJ	Rear Tire Order Code	RAJ
Spare Tire Order Code	N/A	Front Tire Size	P205/70R16
Rear Tire Size	P205/70R16	Spare Tire Size	Compact
Vheels			
Front Wheel Size	406.4 x -TBD- mm	Rear Wheel Size	406.4 x -TBD- mm
Spare Wheel Size	406.4 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	16.1
Lock to Lock Turns (Steering)	2.7	Turning Diameter - Curb to Curb	11.19 m
Turning Diameter - Wall to Wall	N/A		
arakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	299.72 x 25.4 r
Rear Brake Rotor Diam x Thickness	269.24 x 12.7 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	53 L	Aux Fuel Tank Capacity, Approx	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Passenger Volume	2,627.81 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.



sions			
or Dimensions			
Front Head Room	1,005.84 mm	Front Leg Room	1,036.32 mm
Front Shoulder Room	1,374.14 mm	Front Hip Room	1,313.18 mm
Second Head Room	985.52 mm	Second Leg Room	906.78 mm
Second Shoulder Room	1,341.12 mm	Second Hip Room	1,287.78 mm
xterior Dimensions			
Wheelbase	2,555.24 mm	Length, Overall	4,257.04 mm
Width, Max w/o mirrors	1,775.46 mm	Height, Overall	1,656.08 mm
Track Width, Front	N/A	Track Width, Rear	N/A
Min Ground Clearance	N/A	Rear Door Opening Height	N/A
Rear Door Opening Width	N/A	Liftover Height	N/A
argo Area Dimensions			
Cargo Area Length @ Floor to Seat 1	1,447.8 mm	Cargo Area Length @ Floor to Seat 2	744.22 mm
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	807.72 mm
Cargo Volume to Seat 1	1,370.54 L	Cargo Volume to Seat 2	529.53 L
Cargo Volume to Seat 3	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11406. Data Updated: 7-Jan-2020 11:47:00 PST PM.