

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Colorado (12N43) 4WD Crew Cab 128" LT

MSRP:\$37,898.00

Interior: No colour has been selected.

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

0	P٦	ΓΙΟ	N	S

OPTIONS 4LT LT Preferred Equipment Group 5GD Tow/Haul Mode Inc.	MSRP \$37,898.00 \$0.00
OPTIONS 4LT LT Preferred Equipment Group 5GD Tow/Haul Mode Inc.	
4LT LT Preferred Equipment Group 5GD Tow/Haul Mode Inc.	\$0.00
5GD Tow/Haul Mode Inc.	\$0.00
ACC	
A28 Window, rear-sliding, manual Inc.	
AAQ Seat adjuster, 4-way power front passenger Inc.	
AL9 Seat adjuster, power driver lumbar control Inc.	
AR7 Seats, front bucket	\$0.00
AT9 Seat adjuster, power passenger lumbar control Inc.	
BTV Remote vehicle starter system Inc.	
C49 Defogger, rear-window electric Inc.	
C5J GVWR, 6000 lbs. (2722 kg) Inc.	
C68 Air conditioning, single-zone automatic climate control Inc.	
CGN Bedliner, spray-on, Black	\$550.00
CTT Trailering assist, guidelines Inc.	
DD8 Mirror, inside rearview auto-dimming Inc.	
DG6 Mirrors, outside heated power-adjustable, body-colour, manual- Inc. folding	
G80 Differential, automatic locking rear	\$410.00
GBA Black	\$0.00
GU6 Rear axle, 3.42 ratio Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



IOS	Audio system, Chevrolet Infotainment 3 Plus system		\$0.00
JL1	Trailer brake controller, integrated		\$300.00
KA1	Seats, heated driver and front passenger	Inc.	
LGZ	Engine, 3.6L DI DOHC V6 VVT		\$0.00
M5T	Transmission, 8-speed automatic		\$0.00
PCK	Luxury Package		\$2,455.00
PCM	LT Convenience Package		\$760.00
Q5U	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum		\$0.00
QHR	Tires, 255/65R17 all-season, blackwall		\$0.00
SFE	LPO, Wheel locks		\$80.00
SG1	LPO, Black Bowtie Emblem Package		\$270.00
T3C	Headlamps, projector-type	Inc.	
T3U	Fog lamps, front	Inc.	
UVD	Steering wheel, heated	Inc.	
Z82	Trailering Package, heavy-duty		\$295.00
ZJJ	Tire, spare 265/70R16 all-season, blackwall	Inc.	
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$43,018.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$45,018.00

FUEL ECONOMY

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Standard Equipment

Mechanical	
	Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)
	Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)
	Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box models. Standard on Crew Cab Long Box models.)
	GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
	Transfer case, electric, 2-speed AutoTrac
	Four wheel drive
	Capless Fuel Fill
	Recovery hooks, front
	Frame, fully-boxed
	Pickup box
	Steering, Electric Power Steering (EPS) assist
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum (STD)
	Tires, 255/65R17 all-season, blackwall (STD)
	Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box. Standard on Crew Cab Long Box.)
	Bumper, rear body-colour (Deleted when (TGK) Special Paint is ordered.)
	CornerStep, rear bumper
	Mouldings, Chrome beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of cab
	Mirrors, outside power-adjustable, body-colour, manual-folding
	Mirror, spotter, located in corner of driver-side outside mirror
	Glass, windshield shade band
	Handles, door release, front and rear, chrome
	Door handles, body-colour
	Tailgate, EZ-Lift and Lower



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Exterior	
	Tailgate, remote locking (locks and unlocks with key fob)
	Tailgate handle, Black
Entertainment	
	Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period (STD)
	Audio system feature, 6-speaker system
	HD Radio
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Microphones, Driver side and Passenger side
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way power
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seat, rear folding bench (Crew Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, multi-colour
	Windows, power with driver Express-Up and Down



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Interior	
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	USB data ports, 2 includes auxiliary input jack, located on the front console
	USB charging-only ports, 2, located on the rear of the centre console
	Air conditioning, single-zone manual climate control
	Mirror, inside rearview manual day/night
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic
Safety-Exterior	
	Daytime Running Lamps
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitor System



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Safety-Interior

Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	Yes
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3025G
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		

Mileage

EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Powertrain			
Engine			
Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Cooling System Total Cooling System Capacity	N/A		
	14/73		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	286
Chassis			
Weight Information			
Standard Weight - Front	88.91 kg	Standard Weight - Rear	26.76 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	991.57 kg	Curb Weight - Rear	789.26 kg
Option Weight - Front	4.99 kg	Option Weight - Rear	28.58 kg
Reserve Axle Capacity - Front	366.06 kg	Reserve Axle Capacity - Rear	743 kg
As Spec'd Curb Weight	1,930.07 kg	As Spec'd Payload	791.53 kg
Maximum Payload Capacity	940.77 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,780.83 kg
Reserve Axle Capacity	1,109.05 kg	Total Option Weight	33.57 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



. 4			
ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Maximum Trailering Capacity	3,447.36 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-elliptic, 2- stage, multi-lea
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QHR	Rear Tire Order Code	QHR
Spare Tire Order Code	ZJJ	Front Tire Size	255/65R17
Rear Tire Size	255/65R17	Spare Tire Size	265/70R16
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	431.8 x 203.2 mm	Rear Wheel Size	431.8 x 203.2 r
Spare Wheel Size	406.4 x 177.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



nassis			
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 r
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 m
Front Hip Room	1,397 mm	Second Head Room	972.82 mr
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 r
Second Hip Room	1,353.82 mm		
Exterior Dimensions			
Wheelbase	3,258.82 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,402.58 mm	Width, Max w/o mirrors	1,887.22 r
Height, Overall	1,793.24 mm	Overhang, Front	937.26 mr
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	607.06 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	208.28 mi



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Dimensions			
Exterior Dimensions			
Ground Clearance, Rear	208.28 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.