

Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (✓ Complete)

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck

MSRP:\$31,198.00

Interior: Jet Black/Dark Ash, Vinyl seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

| OPT | IONS | | | |
|-----|-------|--|------|-------------|
| | CODE | MODEL | | MSRP |
| | 12M53 | [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck | | \$31,198.00 |
| | | OPTIONS | | |
| | 4WT | Work Truck Preferred Equipment Group | | \$0.00 |
| | 5GD | Tow/Haul Mode | Inc. | |
| | A91 | Tailgate, remote locking | Inc. | |
| | AR7 | Seats, front bucket | | \$0.00 |
| | ATG | Remote Keyless Entry, extended range | Inc. | |
| | C4F | GVWR, 5900 lbs. (2676 kg) | Inc. | |
| | CGN | Bedliner, spray-on, Black | | \$550.00 |
| | CTT | Trailering assist, guidelines | Inc. | |
| | D75 | Door handles, body-colour | Inc. | |
| | DL6 | Mirrors, outside power-adjustable, body-colour, manual-folding | Inc. | |
| | G80 | Differential, automatic locking rear | | \$410.00 |
| | GBA | Black | | \$0.00 |
| | GU6 | Rear axle, 3.42 ratio | Inc. | |
| | H2Q | Jet Black/Dark Ash, Vinyl seat trim | | \$0.00 |
| | IOR | Audio system, Chevrolet Infotainment 3 System | | \$0.00 |
| | JL1 | Trailer brake controller, integrated | | \$300.00 |
| | K34 | Cruise control, electronic, automatic | Inc. | |
| | LGZ | Engine, 3.6L DI DOHC V6 VVT | | \$1,480.00 |
| | | | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (✓ complete)

| \$0.00 | | Transmission, 8-speed automatic | M5T |
|---|------|---|-----|
| \$625.00 | | WT Convenience Package | PCN |
| \$2,565.00 | | Custom Special Edition | PCP |
| , | Inc. | Tailgate, EZ-Lift and Lower | PPA |
| | Inc. | Tires, 265/60R18 all-season, blackwall | QIA |
| | Inc. | Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum | RCV |
| | Inc. | Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel | S1K |
| \$270.00 | | LPO, Black Bowtie Emblem Package | SG1 |
| \$155.00 | | LPO, Black Colorado Rear Emblem | SMG |
| | Inc. | OnStar and Chevrolet connected services capable | UE1 |
| | Inc. | Theft-deterrent system, unauthorized entry | UTJ |
| | Inc. | LPO, Grille, body-colour | VAT |
| | Inc. | Bumper, rear body-colour | VT5 |
| | Inc. | 4G LTE Wi-Fi Hotspot capable | VV4 |
| \$295.00 | | Trailering Package, heavy-duty | Z82 |
| | Inc. | Tire, spare 265/70R16 all-season, blackwall | ZJJ |
| | Inc. | Chevrolet Connected Access capable | |
| \$100.00 | | Federal air conditioning excise tax | |
| -\$500.00 | | Option/package discount | |
| \$37,348.00 | | SUBTOTAL | |
| \$0.00 | | Adjustments Total | |
| \$100.00 | | Total Tax | |
| \$1,900.00 | | Destination Charge | |
| \$39,348.00 | | TOTAL PRICE | |

FUEL ECONOMY

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (✓ Complete)

Standard Equipment

| Mechanical | |
|------------|--|
| | Engine, 2.5L I4, DI, DOHC, VVT (200 hp [149.0 kW] @ 6300 rpm, 191 lb-ft of torque [259 N-m] @ 4400 rpm) (STD) (Not included on Crew Cab models.) |
| | Transmission, 6-speed automatic, HMD, 6L50 (STD) (Included and only available with (LCV) 2.5L I4 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.) |
| | Rear axle, 4.10 ratio (Requires (LCV) 2.5L I4 engine. Not included on Crew Cab models.) |
| | GVWR, 5600 lbs. (2540 kg) (STD) (Standard on Extended Cab models with (LCV) 2.5L I4 engine only.) |
| | Transfer case, electric, 2-speed |
| | Four wheel drive |
| | Capless Fuel Fill |
| | Recovery hooks, front |
| | Frame, fully-boxed |
| | Pickup box |
| | Steering, Electric Power Steering (EPS) assist |
| | Brakes, 4-wheel antilock, 4-wheel disc |
| Exterior | |
| | Wheels, 16" x 7" (40.6 cm x 17.8 cm) Ultra Silver Metallic steel (STD) |
| | Tires, 265/70R16 all-season, blackwall (STD) |
| | Tire, compact spare T175/90D18, blackwall (STD) (Requires (RTX) 18" x 4.5" (45.7 cm x 11.4 cm) Black cast aluminum, compact spare wheel.) |
| | Wheel, compact spare, 18" \times 4.5" (45.7 cm \times 11.4 cm) Black cast aluminum (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab models.) |
| | Bumper, rear chrome |
| | CornerStep, rear bumper |
| | Mouldings, Black beltline |
| | Headlamps, halogen with automatic exterior lamp control |
| | Cargo box light, back of cab |
| | Mirrors, outside manual-folding, Black |
| | Glass, windshield shade band |
| | Handles, door release, front and rear, Jet Black |
| | Door handles, Black |
| | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (e)

| ✓ Complete |
|------------|
|------------|

| Exterior | |
|---------------|--|
| | Tailgate, locking |
| | Tailgate handle, Black |
| Entertainment | |
| | Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD) |
| | Audio system feature, 6-speaker system |
| Interior | |
| | Seats, front bucket (STD) |
| | Seat trim, Vinyl |
| | Seat adjuster, driver 4-way power with manual recline |
| | Seat adjuster, passenger 2-way manual fore/aft with manual recline |
| | Seats, dual rear with underseat storage (Extended Cab models only.) |
| | Console, floor, front compartment, custom |
| | Floor covering, colour-keyed carpeting |
| | Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering.) |
| | Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering.) |
| | Steering wheel, urethane |
| | Steering column, tilt, manual |
| | Speedometer, miles/kilometres |
| | Display, driver instrument information enhanced, one colour |
| | Windows, power with driver Express-Up and Down |
| | Door locks, power |
| | Theft-deterrent system, immobilization |
| | USB data ports, 2 includes auxiliary input jack, located on the front console |
| | Air conditioning, single-zone manual climate control |
| | Mirror, inside rearview manual day/night |
| | Visors, driver and front passenger with passenger vanity mirror |
| | Lighting, interior, centre dome |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (✓ Complete)

Safety-Mechanical

StabiliTrak, stability control system

Traction control, electronic

Safety-Exterior

Daytime Running Lamps

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitor System

Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100.000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

| Drivetrain | Four Wheel Drive | Trans Order Code | M5T |
|-------------------------------|------------------|-------------------------|-----------|
| Trans Type | 8 | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | 4.62 |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (ete)

| √ | Compl | e |
|----------|-------|---|
| | | |

| owertrain | | | |
|--------------------------------------|---------------|------------------------------------|------------------|
| Fransmission | | | |
| Second Gear Ratio (:1) | 3.04 | Third Gear Ratio (:1) | 2.07 |
| Fourth Gear Ratio (:1) | 1.66 | Fifth Gear Ratio (:1) | 1.26 |
| Sixth Gear Ratio (:1) | 1.00 | Reverse Ratio (:1) | 3.93 |
| Clutch Size | N/A | Trans Power Take Off | Yes |
| Final Drive Axle Ratio (:1) | N/A | Transfer Case Model | Magna MP162 |
| Transfer Case Gear Ratio (:1), High | 1.00 | Transfer Case Gear Ratio (:1), Low | 2.72 |
| Transfer Case Power Take Off | N/A | Seventh Gear Ratio (:1) | 0.85 |
| Eighth Gear Ratio (:1) | 0.66 | | |
| Mileage | | | |
| EnerGuide Estimate - City | 14.0 L/100 km | EnerGuide Estimate - Hwy | 9.9 L/100 km |
| Cruising Range - City | 563.98 km | Cruising Range - Hwy | 797.55 km |
| Engine | | | |
| Engine Order Code | LGZ | Engine Type | Gas V6 |
| Displacement | 3.6L/-TBD- | Fuel System | Direct Injection |
| SAE Net Horsepower @ RPM | 308 @ 6800 | SAE Net Torque @ RPM | 275 @ 4000 |
| Engine Oil Cooler | N/A | | |
| Electrical | | | |
| Cold Cranking Amps @ 0° F (Primary) | N/A | Cold Cranking Amps @ 0° F (2nd) | N/A |
| Maximum Alternator Capacity (amps) | N/A | Cold Cranking Amps @ 0° F (3rd) | N/A |
| Cooling System | | | |
| Total Cooling System Capacity | N/A | | |
| ehicle | | | |
| Emissions | | | |
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 286 |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (✓ Complete)



| Chassis | | | |
|---|-------------|--|--|
| Weight Information | | | |
| Standard Weight - Front | 148.33 kg | Standard Weight - Rear | 36.29 kg |
| Gross Axle Wt Rating - Front | 1,451.52 kg | Gross Axle Wt Rating - Rear | 1,587.6 kg |
| Curb Weight - Front | 993.38 kg | Curb Weight - Rear | 768.4 kg |
| Option Weight - Front | 51.26 kg | Option Weight - Rear | 36.29 kg |
| Reserve Axle Capacity - Front | 258.55 kg | Reserve Axle Capacity - Rear | 746.63 kg |
| As Spec'd Curb Weight | 2,033.94 kg | As Spec'd Payload | 642.3 kg |
| Maximum Payload Capacity | 914.46 kg | Gross Combined Wt Rating | 5,443.2 kg |
| Gross Axle Weight Rating | 3,039.12 kg | Curb Weight | 1,761.78 kg |
| Reserve Axle Capacity | 1,005.18 kg | Total Option Weight | 87.54 kg |
| Payload Weight Front | 0 kg | Payload Weight Rear | 0 kg |
| Gross Vehicle Weight Rating | 2,676.24 kg | | |
| Trailering | | | |
| Dead Weight Hitch - Max Trailer Wt. | 2,268 kg | Dead Weight Hitch - Max Tongue Wt. | 226.8 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 3,175.2 kg | Wt Distributing Hitch - Max Tongue Wt. | 317.52 kg |
| Maximum Trailering Capacity | 3,492.72 kg | c c | G |
| | | | |
| Frame | | | |
| Frame Type | N/A | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |
| Suspension | | | |
| Suspension Type - Front | Independent | Suspension Type - Rear | Semi-elliptic, 2- stage, multi-leaf |
| Spring Capacity - Front | N/A | Spring Capacity - Rear | N/A |
| Axle Type - Front | Independent | Axle Type - Rear | Semi-Floating |
| Axle Capacity - Front | N/A | Axle Capacity - Rear | N/A |
| Axle Ratio (:1) - Front | 3.42 | Axle Ratio (:1) - Rear | 3.42 |
| Shock Absorber Diameter - Front | N/A | Shock Absorber Diameter - Rear | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.

Page 7 10-Jan-2020



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (ete)

| 4 | | |
|--------------|-----|----|
| \checkmark | Com | ρl |

| Chassis | | | |
|-----------------------------------|------------------|------------------------------------|------------------|
| Suspension | | | |
| Stabilizer Bar Diameter - Front | N/A | Stabilizer Bar Diameter - Rear | N/A |
| Tires | | | |
| Front Tire Order Code | QIA | Rear Tire Order Code | QIA |
| Spare Tire Order Code | ZJJ | Front Tire Size | 265/60R18 |
| Rear Tire Size | 265/60R18 | Spare Tire Size | 265/70R16 |
| Front Tire Capacity | N/A | Rear Tire Capacity | N/A |
| Spare Tire Capacity | N/A | Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A | Revolutions/Mile @ 45 mph - Spare | N/A |
| Wheels | | | |
| Front Wheel Size | 457.2 x 215.9 mm | Rear Wheel Size | 457.2 x 215.9 mm |
| Spare Wheel Size | 406.4 x 177.8 mm | Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum | Spare Wheel Material | Steel |
| Steering | | | |
| Steering Type | Pwr | Steering Ratio (:1), On Centre | N/A |
| Steering Ratio (:1), At Lock | N/A | Turning Diameter - Curb to Curb | 12.59 m |
| Turning Diameter - Wall to Wall | N/A | | |
| Brakes | | | |
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | N/A |
| Rear Brake Rotor Diam x Thickness | N/A | Drum - Rear (Yes or) | N/A |
| Rear Drum Diam x Width | N/A | | |
| Fuel Tank | | | |
| Fuel Tank Capacity, Approx | 79 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (e)

| V | Comple | te |
|---|--------|----|
| | O 0p.o | • |

| Dimensions | | | |
|-----------------------------|-------------|---------------------------------|-------------|
| Interior Dimensions | | | |
| Passenger Capacity | 4 | Front Head Room | 1,051.56 mm |
| Front Leg Room | 1,143 mm | Front Shoulder Room | 1,460.5 mm |
| Front Hip Room | 1,397 mm | Second Head Room | 932.18 mm |
| Second Leg Room | 726.44 mm | Second Shoulder Room | 1,455.42 mm |
| Second Hip Room | 1,325.88 mm | | |
| Exterior Dimensions | | | |
| Wheelbase | 3,258.82 mm | Length, Overall w/o rear bumper | N/A |
| Length, Overall | 5,402.58 mm | Width, Max w/o mirrors | 1,887.22 mm |
| Height, Overall | 1,785.62 mm | Overhang, Front | 937.26 mm |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | 919.48 mm | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | 868.68 mm | Ground to Top of Frame | N/A |
| Frame Width, Rear | N/A | Ground Clearance, Front | 210.82 mm |
| Ground Clearance, Rear | 210.82 mm | Body Length | 0 m |
| Cab to Body | N/A | | |
| Cargo Area Dimensions | | | |
| Cargo Box Length @ Floor | 1,879.6 mm | Cargo Box Width @ Top, Rear | N/A |
| Cargo Box Width @ Floor | 1,468.12 mm | Cargo Box Width @ Wheelhousings | 1,127.76 mm |
| Cargo Box (Area) Height | N/A | Tailgate Width | N/A |
| Cargo Volume | N/A | Ext'd Cab Cargo Volume | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11422. Data Updated: 9-Jan-2020 10:20:00 PST PM.