

### **Window Sticker**

#### **SUMMARY**

[Retail] 2020 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LT

MSRP:\$56,398.00

Interior: Jet Black, Cloth seat trim

Exterior 1: Northsky Blue Metallic

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8

Transmission, Allison 10-speed automatic

#### **OPTIONS**

СО	DDE	MODEL		MSRP
CK	20743	[Retail] 2020 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LT		\$56,398.00
		OPTIONS		
1L7	Т	LT Preferred Equipment Group		\$0.00
A22	X	Seat adjuster, driver 10-way power	Inc.	
A48	8	Window, power, rear sliding	Inc.	
A50	0	Seats, front bucket		\$625.00
AA	K	LPO, All-weather floor liners	Inc.	
AT	Н	Keyless Open and Start	Inc.	
B1.	J	Wheelhouse liners, rear	Inc.	
ВН	P	Winter Grille Cover	Inc.	
BT	V	Remote vehicle starter system	Inc.	
BV	Q	Assist steps, chrome tubular, 6" rectangular		\$915.00
C4	9	Defogger, rear-window electric	Inc.	
CF	5	Sunroof, power on Crew Cab models		\$1,325.00
CG	SN	Chevytec spray-on bedliner	Inc.	
CJ	2	Air conditioning, dual-zone automatic climate control	Inc.	
CM	1T	Gooseneck/5th Wheel Package		\$630.00
D0	7	Centre Console, floor-mounted	Inc.	
DD	08	Mirror, inside rearview auto-dimming	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



DWI	Mirrors, outside power-adjustable vertical trailering with heated auto-dimming upper glass	d and	\$610.00
GA0	Northsky Blue Metallic		\$495.00
GU6	Rear axle, 3.42 ratio	Inc.	
H0U	Jet Black, Cloth seat trim		\$0.00
IOS	Audio system, Chevrolet Infotainment 3 Plus system	Inc.	
JGL	GVWR, 11,350 lbs. (5148 kg)		\$0.00
JHD	Hill Descent Control	Inc.	
K05	Engine block heater	Inc.	
K40	Exhaust brake	Inc.	
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary		\$440.00
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
L5P	Engine, Duramax 6.6L Turbo-Diesel V8		\$11,195.00
MCR	USB Ports (Instrument Panel with bench seat), 2	Inc.	
MGM	Transmission, Allison 10-speed automatic	Inc.	
N06	Steering column, lock control, electrical	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package	Inc.	
PCM	Convenience Package II		\$1,695.00
PDU	True North Edition		\$4,505.00
PDZ	Z71 Off-Road and Protection Package		\$2,300.00
PQB	Safety Package	Inc.	
PTT	Trailer Tire Pressure Monitor Sensors		\$60.00
PYV	Wheels, 18" (45.7 cm) machined aluminum	Inc.	
PZ8	Hitch Guidance with Hitch View	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



vernoie. [retail] 20	520 Oneviolet Gilverado 2000 1D (Ortzor 40) 4VD Orew O	db 105 E1 (	V Complete )
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
R70	Seat, Cloth Rear with Storage Package	Inc.	
T3U	Fog lamps, front, LED	Inc.	
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
U1D	Advanced Trailering System	Inc.	
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UD5	Front and Rear Park Assist, ultrasonic	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UF3	High idle switch		\$240.00
UFG	Rear Cross Traffic Alert	Inc.	
UG1	Universal Home Remote	Inc.	
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
USS	USB ports, dual, charge-only (2nd row)	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
UVB	HD Rear Vision Camera	Inc.	
VK3	License plate kit, front		\$0.00
Z6A	Gooseneck/5th Wheel Prep Package	Inc.	
Z71	Z71 Off-Road Package	Inc.	
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall	Inc.	
	SiriusXM with 360L	Inc.	
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr	Inc.	
	Federal air conditioning excise tax		\$100.00
	Capped Fuel Fill	Inc.	
	Option/package discount		-\$1,000.00
	Suspension, Off-Road	Inc.	
	SUBTOTAL		\$80,518.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$82,518.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



### **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



# **Standard Equipment**

-	•
Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,450 lbs. (5012 kg) (STD) (Requires CK20743 model and (L8T) 6.6L V8 gas engine with 17" wheels or CK20903 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels.)
	Air filter, high-capacity
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.

Page 5 11-Jan-2020



( <	V Co	mp	lete
-----	------	----	------

Exterior	
	Wheels, 17" (43.2 cm) machined aluminum (STD)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Chrome front grille bar with "CHEVROLET". Includes moulded in colour Black grille inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel.
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCL) Convenience Package or (ZL6) Advanced Trailering Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual with EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, body-colour

#### **Entertainment**

Audio system, Chevrolet Infotainment 3 system 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command passthrough to phone, Apple CarPlay and Android Auto capable. (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



Entertainment	
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Steering wheel audio controls
	Bluetooth for phone connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage (STD) (Not available with (PCL) Convenience Package.)
	Cloth seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double cab model.)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Not available with Regular Cab models. Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available on Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



Interior	
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.

11-Jan-2020 Page 8

wheel trailering (Not available with (ZW9) pickup bed delete.)





#### **WARRANTY**

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

## **Technical Specifications**

### **Powertrain**

#### **Transmission**

DrivetrainFour Wheel DriveTrans Order CodeMGMTrans Type10Trans Description Cont.AutomaticTrans Description Cont. AgainN/AFirst Gear Ratio (:1)4.54Second Gear Ratio (:1)2.86Third Gear Ratio (:1)2.06Fourth Gear Ratio (:1)1.72Fifth Gear Ratio (:1)1.48Sixth Gear Ratio (:1)1.26Reverse Ratio (:1)4.54Clutch SizeN/ATrans Power Take OffN/AFinal Drive Axle Ratio (:1)N/ATransfer Case ModelMagna MP1Transfer Case Gear Ratio (:1), High1.00Transfer Case Gear Ratio (:1), Low2.72Transfer Case Power Take OffN/ASeventh Gear Ratio (:1)1.00Eighth Gear Ratio (:1)0.85Ninth Gear Ratio (:1)0.68Tenth Gear Ratio (:1)0.63				
Trans Description Cont. Again N/A First Gear Ratio (:1) 4.54  Second Gear Ratio (:1) 2.86 Third Gear Ratio (:1) 2.06  Fourth Gear Ratio (:1) 1.72 Fifth Gear Ratio (:1) 1.48  Sixth Gear Ratio (:1) 1.26 Reverse Ratio (:1) 4.54  Clutch Size N/A Trans Power Take Off N/A  Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP1  Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.72  Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00  Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.68	Drivetrain	Four Wheel Drive	Trans Order Code	MGM
Second Gear Ratio (:1)  Fourth Gear Ratio (:1)  Sixth Gear Ratio (:1)  1.72  Fifth Gear Ratio (:1)  1.48  Reverse Ratio (:1)  Clutch Size  N/A  Final Drive Axle Ratio (:1)  N/A  Transfer Case Gear Ratio (:1), High  Transfer Case Power Take Off  N/A  Eighth Gear Ratio (:1)  N/A  Seventh Gear Ratio (:1)  Ninth Gear Ratio (:1)  O.68	Trans Type	10	Trans Description Cont.	Automatic
Fourth Gear Ratio (:1)  1.72  Fifth Gear Ratio (:1)  1.48  Sixth Gear Ratio (:1)  1.26  Reverse Ratio (:1)  4.54  Clutch Size  N/A  Trans Power Take Off  N/A  Transfer Case Model  Magna MP1  Transfer Case Gear Ratio (:1), High  1.00  Transfer Case Gear Ratio (:1), Low  2.72  Transfer Case Power Take Off  N/A  Seventh Gear Ratio (:1)  Eighth Gear Ratio (:1)  0.85  Ninth Gear Ratio (:1)  0.68	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
Sixth Gear Ratio (:1)  1.26  Reverse Ratio (:1)  4.54  Clutch Size  N/A  Trans Power Take Off  N/A  Transfer Case Model  Magna MP10  Transfer Case Gear Ratio (:1), High  1.00  Transfer Case Gear Ratio (:1), Low  2.72  Transfer Case Power Take Off  N/A  Seventh Gear Ratio (:1)  Eighth Gear Ratio (:1)  0.85  Ninth Gear Ratio (:1)  0.68	Second Gear Ratio (:1)	2.86	Third Gear Ratio (:1)	2.06
Clutch Size N/A Trans Power Take Off N/A  Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP10  Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.72  Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00  Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.68	Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48
Final Drive Axle Ratio (:1)  N/A  Transfer Case Model  Magna MP1  Transfer Case Gear Ratio (:1), High  1.00  Transfer Case Gear Ratio (:1), Low  2.72  Transfer Case Power Take Off  N/A  Seventh Gear Ratio (:1)  Eighth Gear Ratio (:1)  0.85  Ninth Gear Ratio (:1)  0.68	Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54
Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.72  Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00  Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.68	Clutch Size	N/A	Trans Power Take Off	N/A
Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00  Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.68	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6
Eighth Gear Ratio (:1)  0.85  Ninth Gear Ratio (:1)  0.68	Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
	Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Tenth Gear Ratio (:1) 0.63	Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.68
	Tenth Gear Ratio (:1)	0.63		

### Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



Powertrain			
Engine			
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8
Displacement	6.6L/403	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	390	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
chassis			
Weight Information			
Standard Weight - Front	9.53 kg	Standard Weight - Rear	8.16 kg
Gross Axle Wt Rating - Front	2,540.16 kg	Gross Axle Wt Rating - Rear	2,993.76 kg
Curb Weight - Front	1,745.91 kg	Curb Weight - Rear	1,262.82 kg
Option Weight - Front	400.08 kg	Option Weight - Rear	181.89 kg
Reserve Axle Capacity - Front	384.65 kg	Reserve Axle Capacity - Rear	1,540.88 kg
As Spec'd Curb Weight	3,608.39 kg	As Spec'd Payload	1,539.97 kg
Maximum Payload Capacity	2,139.63 kg	Gross Combined Wt Rating	12,474 kg
Gross Axle Weight Rating	5,533.92 kg	Curb Weight	3,008.73 kg
Reserve Axle Capacity	1,925.53 kg	Total Option Weight	581.97 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	5,148.36 kg		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



,	$\checkmark$	Complete	)
L	•	Complete	,

railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	8,391.6 kg	Wt Distributing Hitch - Max Tongue Wt.	839.16 kg
Maximum Trailering Capacity	8,391.6 kg		
rame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Spring
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QF6	Rear Tire Order Code	QF6
Spare Tire Order Code	ZYG	Front Tire Size	LT275/70R18E
Rear Tire Size	LT275/70R18E	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	457.2 x -TBD- mm	Rear Wheel Size	457.2 x -TBD- mm
Spare Wheel Size	457.2 x 203.2 mm	Front Wheel Material	Aluminum



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



4		
( 🎺	Complete	e)

ssis			
15515			
eering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
akes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm
Second Hip Room	1,530.1 mm		
terior Dimensions			
Wheelbase	4,037.08 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	6,348.73 mm	Width, Max w/o mirrors	2,078.99 mm
Height, Overall	2,027.43 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	1,069.34 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.



( Comple	ete )
----------	-------

mensions			
idth, Rear	N/A	Ground Clearance, Front	257.05 mm
earance, Rear	257.05 mm	Body Length	0 m
dy	N/A		
Dimensions			
ox Length @ Floor	2,089.15 mm	Cargo Box Width @ Top, Rear	N/A
x Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,316.99 mm
ox Width @ Floor	1,813.56 mm 533.4 mm	Cargo Box Width @ Wheelhousings Tailgate Width	1,316.99 mm N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11430. Data Updated: 10-Jan-2020 10:06:00 PST PM.