

Window Sticker

SUMMARY

[Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr Premium Luxury

MSRP:\$99,498.00

\$2,100.00

Interior: Kona Brown with Jet Black Accents, Leather seats

Exterior 1:Crystal White Tricoat

Exterior 2:No colour has been selected.

Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)

Transmission, 10-speed automatic

PTIONS			
CODE	MODEL	MSRP	
6K15706	[Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr Premium Luxury	\$99,498.00	
	OPTIONS		
1SC	Premium Luxury Preferred Equipment Group	\$0.00	
AN3	Seats, front bucket	\$0.00	
ATN	Seats, second row bucket, power configurable	\$0.00	
BRS	Assist steps, power-retractable, running side board with LED lighting	\$1,995.00	
G1W	Crystal White Tricoat	\$1,395.00	
GU5	Rear axle, 3.23 ratio	\$0.00	
HEY	Kona Brown with Jet Black Accents, Leather seats	\$2,295.00	
IO6	Cadillac user experience with embedded navigation	\$0.00	
K05	Engine block heater	\$195.00	
L86	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)	\$0.00	
MF6	Transmission, 10-speed automatic	\$0.00	
RPT	Wheels, 22" x 9" (55.9 cm x 22.9 cm) Split 6-spoke alloy with Chrome finish	\$2,095.00	
	Federal air conditioning excise tax	\$100.00	
	SUBTOTAL	\$107,473.00	
	Adjustments Total	\$0.00	
	Total Tax	\$100.00	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.

15-Jan-2020 Page 1

Destination Charge



TOTAL PRICE

• •

\$109,673.00

FUEL ECONOMY

Est City:16.7 L/100 km

Est Highway:11.1 L/100 km

Est Highway Cruising Range:882.43 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



Standard Equipment

• •	
Package	
	Driver Awareness Package includes Safety Alert Seat, (UEU) Forward Collision Alert, (UHX) Lane Keep Assist with Lane Departure Warning, (UKC) Lane Change Alert with Side Blind Zone Alert, (UFG) Rear Cross Traffic Alert, (UHY) Automatic Emergency Braking and (TQ5) IntelliBeam ((UGN) Enhanced Automatic Emergency Braking and (UVZ) Reverse Automatic Braking replaces (UHY) Automatic Emergency Braking.)
	Driver Assist Package includes (KSG) Adaptive Cruise Control-Advanced, (AX7) Automatic Seat Belt Tightening, (UGN) Enhanced Automatic Emergency Braking, (UVZ) Reverse Automatic Braking and (J71) Electric Parking Brake
	Theft-Deterrent Package includes (UTR) self-powered horn, (UTV) interior movement sensor and (UTU) inclination sensor, door lock shields and glass break sensors in rear quarter glass and liftgate window
Mechanical	
	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT) includes aluminum block construction (420 hp [313.2 kW] @ 5600 rpm, 460 lb-ft of torque [621 N-m] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, tow/haul mode and tap up/tap down shifting (STD)
	Rear axle, 3.23 ratio
	Air cleaner, high-capacity
	Transfer case, active, 2-speed with Neutral for dinghy/flat towing
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Cooling, external engine oil cooler, heavy-duty
	Keyless Start, push-button
	Alternator, 170 amps
	Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits and 7-way sealed connector
	GVWR, 7300 lbs (3311 kg)
	Suspension, Magnetic Ride Control with selectable sport mode
	Automatic load levelling, rear
	Steering, Electronic Power Steering (EPS)
	Capless fuel fill
	Brakes, 4-wheel antilock, 4-wheel disc
	Brakes, VAC power, 17" disc, with Adaptive Cruise Control - Advanced



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



Mechanical	
	Brakes, DuraLife rotors
	Brake, parking, electronic powered
Exterior	
	Wheels, 22" x 9" (55.9 cm x 22.9 cm) 7-spoke alloy with Chrome inserts/Pearl Nickel finish (Upgradeable to (RPT) 22" x 9" Split 6-spoke alloy wheels with Chrome finish, (RVA) 22" x 9" Dual 7-spoke alloy wheels with Ultra Bright Machined/Midnight Silver finish, (SH0) 22" x 9" 12-spoke alloy wheels with Polished finish or (SMI) 22" x 9" 6-spoke alloy wheels with Chrome finish.) (STD)
	Tires, P285/45R22 all-season, blackwall
	Tire Fill Alert provides visual and audible alerts outside the vehicle when inflating an under inflated tire to the recommended tire pressure
	Tire, spare P265/70R17 all-season, blackwall
	Wheel, full-size steel spare, 17" (43.2 cm) with Black finish
	Spare tire lock, hoist shaft
	Sunroof, power, tilt-sliding with express-open/-close and wind deflector (Not included when (A4K) sunroof delete is ordered.)
	Luggage rack, roof-mounted, chrome
	Assist steps, running side board (Upgradeable to (BRS) power-retractable assist steps.)
	Mouldings, bodyside, chrome
	Shutters, front active aero
	Headlamps, LED high beam/low beam, light pipe
	IntelliBeam, automatic high beam on/off
	Headlamps, automatic on/off
	Lamps, front cornering
	Tail lamps, LED illumination
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated, windshield and front door glass
	Windshield, solar absorbing
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, colour-keyed with integrated turn signal indicators, ground illumination and programmable to provide curb view when in reverse
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Door handles, illuminating



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





Exterior	
	Hands-Free Liftgate, open and close, programmable memory height
Entertainment	
	Cadillac user experience with embedded navigation AM/FM stereo with 8" diagonal colour information display featuring touch response, haptic feedback, gesture recognition, Enhanced Voice Recognition, Phone Integration for Apple CarPlay and Android Auto capability for compatible phone, Connected Apps and Teen Driver. Five USB ports, including one in the articulating storage door/bin and auxiliary audio port (STD)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Entertainment system, rear seat includes 9" screen DVD player (Blu-Ray capable) with remote control, two 2-channel wireless digital headphones, USBs (2.1 amp) and HDMI/HML inputs on rear of centre console, sound compression, CD-R and CR-R/W capability, LED backlighting display, MP3 capable. Streaming available through HDMI and Digital Living Network Alliance (DLNA)
	Bluetooth for phone, streaming audio for music for select phones
	SiriusXM enjoy an All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Radio, HD
	Audio system feature, Bose Centrepoint Surround Sound system with 16 speakers
Interior	
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD)
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD) Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD) Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding bench seats.)
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD) Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding bench seats.) Active Noise Cancellation
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD) Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding bench seats.) Active Noise Cancellation Seats, heated and cooled driver and front passenger
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD) Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding bench seats.) Active Noise Cancellation Seats, heated and cooled driver and front passenger Seats, heated second row, outboard positions
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD) Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding bench seats.) Active Noise Cancellation Seats, heated and cooled driver and front passenger Seats, heated second row, outboard positions Seat adjuster, front passenger 12-way power
Interior	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD) Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding bench seats.) Active Noise Cancellation Seats, heated and cooled driver and front passenger Seats, heated second row, outboard positions Seat adjuster, front passenger 12-way power Seats, third row 60/40 split-bench, power, fold flat



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



V	Comp	lete
----------	------	------

Interior	
	Floor mats, colour-keyed carpeted first and second row
	Steering wheel, power-tilt colour-keyed with wood and leather-wrapped rim, locking
	Steering column, power tilt and telescoping
	Steering wheel, heated
	Steering wheel controls, mounted audio and Driver Information centre controls
	Tow/haul mode selector, button located at end of shift lever
	Driver Information Centre with programmable personalization features such as door locking and unlocking, a trip computer with trip odometer and individual tire pressure read outs, fuel information such as range, average L/100km, litres used and oil life, and a message centre that displays dozens of warning messages such as low fuel and door ajar
	Gauge cluster, 12" colour, reconfigurable with Driver Information Centre
	Head-Up Display, 4-colour, reconfigurable
	Windows, power with driver and front passenger Express-Up/Down and rear passengers Express-Down
	Door locks, power programmable includes lockout protection and delayed locking
	Lock control, side door, electric
	Pedals, power-adjustable for accelerator and brake
	Memory settings includes two "presets" for driver seat adjuster, outside rearview mirrors, power tilt/telescoping steering column and power-adjustable pedals
	Keyless Access, passive entry
	Adaptive Remote Start
	Adaptive Cruise Control - Advanced
	Universal Home Remote includes garage door opener, 3-channel programmable
	Theft-deterrent system, unauthorized entry, engine immobilizer
	Theft-deterrent alarm system, content theft alarm self-powered horn
	Sensor, inclination
	Sensor, vehicle interior movement will detect movement within cabin of the vehicle
	Climate control, tri-zone automatic with individual climate settings for driver, front passenger and rear passengers
	Defogger, rear-window electric
	Power outlet, 110-volt



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



Interior	
interior	Wireless Charging, located on the top of the centre console (The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adaptor/back cover. To check for phone or other device compatibility, see cadillactotalconnect.ca or consult your carrier.)
	Accents, interior, piano black and chrome finish
	Rear Camera Mirror
	Lighting, interior, door handle release, door storage, console and footwell
	Lighting, interior, with theater dimming
	Cargo net, rear
	Cadillac Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, vehicle stability enhancement system with Rollover Mitigation includes disable switch
	Enhanced Automatic Emergency Braking
	Reverse Automatic Braking
	Brakes, Hill Start-Assist/Hill Hold
Safety-Exterior	
	Rear Camera Mirror Washer
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Cadillac connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist
	Automatic Parking Assist includes front, rear, lateral-front parking assist and semi-automatic steering
	Surround Vision
	Forward Collision Alert
	Lane Keep Assist with Lane Departure Warning
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Safety Alert Seat haptic vibration in seat cushion works with safety features



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



Safety-Interior	
	Seat belts, 3-point, all positions, includes front seat belt pretensioners
	Automatic Seat Belt Tightening
	Door locks, rear child security
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 4

Basic Miles/km: 80,000 Drivetrain Years: 6

Drivetrain Miles/km: 110,000 Corrosion Years (Rust-Through): 6

Corrosion Years: 4

Corrosion Miles/km (Rust-Through): Unlimited

Corrosion Miles/km: 80,000 Roadside Assistance Years: 6

Roadside Assistance Miles/km: 110,000

Maintenance Years: 4

Maintenance Miles/km: 80,000

Technical Specifications

Transmission

Powertrain

Drivetrain	All Wheel Drive	Trans Order Code	MF6
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



у	(V Complete)	

owertrain		
Fransmission Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)
Tenth Gear Ratio (:1)	N/A	- Ninui Scal Ratio (.1)
(),		
Mileage		
EnerGuide Estimate - City	16.7 L/100 km	EnerGuide Estimate - Hwy
Cruising Range - City	586.53 km	Cruising Range - Hwy
ingine		
Engine Order Code	L86	Engine Type
Displacement	6.2L/376	Fuel System
SAE Net Horsepower @ RPM	420 @ 5600	SAE Net Torque @ RPM
Engine Oil Cooler	Yes	
lectrical		
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F
poling System		
Total Cooling System Capacity	15.8 L	
hicle		
missions	NI/A	O/less Of OCO 5
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions
ehicle		
Rear Door Type	Liftgate	
nassis		
Veight Information		
Standard Weight - Front	55.79 kg	Standard Weight - Rear
Gross Axle Wt Rating - Front	1,542.24 kg	Gross Axle Wt Rating - Rear



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



Ch	Chassis				
W	Weight Information				
	Curb Weight - Front	1,315.89 kg	Curb Weight - Rear	1,202.04 kg	
	Option Weight - Front	20.87 kg	Option Weight - Rear	20.41 kg	
	Reserve Axle Capacity - Front	149.69 kg	Reserve Axle Capacity - Rear	591.95 kg	
	As Spec'd Curb Weight	2,660.36 kg	As Spec'd Payload	650.92 kg	
	Maximum Payload Capacity	793.35 kg	Gross Combined Wt Rating	N/A	
	Gross Axle Weight Rating	3,402 kg	Curb Weight	2,517.93 kg	
	Reserve Axle Capacity	741.64 kg	Total Option Weight	41.28 kg	
	Payload Weight Front	0 kg	Payload Weight Rear	0 kg	
	Gross Vehicle Weight Rating	3,311.28 kg			
т,	ailering				
•••	Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg	
	Wt Distributing Hitch - Max Trailer Wt.	3,674.16 kg	Wt Distributing Hitch - Max Tongue Wt.	367.42 kg	
	Maximum Trailering Capacity	3,674.16 kg			
		5,51 m 5 mg			
Fr	Frame				
	Frame Type	Box Ladder	Sect Modulus Rails Only	N/A	
	Frame RBM	N/A	Frame Strength	N/A	
	Frame Thickness	N/A			
Sı	uspension				
	Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	5-Link	
	Spring Capacity - Front	1,542.24 kg	Spring Capacity - Rear	1,859.76 kg	
	Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating	
	Axle Capacity - Front	1,542.24 kg	Axle Capacity - Rear	1,905.12 kg	
	Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23	
	Shock Absorber Diameter - Front	1.81 mm	Shock Absorber Diameter - Rear	1.81 mm	
	Stabilizer Bar Diameter - Front	35.81 mm	Stabilizer Bar Diameter - Rear	27.94 mm	
Ti	res				
	Front Tire Order Code	QST	Rear Tire Order Code	QST	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



(✓ Complete	,
---------------------	---

Chassis

Spare Tire Order Code	XCQ	Front Tire Size	P285/45R22
Rear Tire Size	P285/45R22	Spare Tire Size	P265/70R17
Front Tire Capacity	963.45 kg	Rear Tire Capacity	963.45 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	558.8 x 228.6 mm	Rear Wheel Size	558.8 x 228.6 mm
Spare Wheel Size	431.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

•			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	17.3
Steering Ratio (:1), At Lock	3.4	Turning Diameter - Curb to Curb	11.89 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	330.2 x 30.48 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.32 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	98 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.

Page 11 15-Jan-2020



nanaiana			
nensions			
terior Dimensions			
Passenger Capacity	7	Front Head Room	1,008.38 m
Front Leg Room	1,150.62 mm	Front Shoulder Room	1,648.46 m
Front Hip Room	1,546.86 mm	Second Head Room	993.14 mm
Second Leg Room	990.6 mm	Second Shoulder Room	1,635.76 m
Second Hip Room	1,529.08 mm	Third Head Room	967.74 mm
Third Leg Room	629.92 mm	Third Shoulder Room	1,590.04 m
Third Hip Room	1,252.22 mm		
cterior Dimensions			
Wheelbase	2,946.4 mm	Length, Overall w/rear bumper	N/A
Length, Overall	5,179.06 mm	Width, Max w/o mirrors	2,044.7 mn
Height, Overall	1,889.76 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	815.34 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0 m
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		
argo Area Dimensions			
Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	N/A
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	2,667.45 L
Cargo Volume to Seat 2	1,461.15 L	Cargo Volume to Seat 3	430.42 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.



Dimensions			
Cargo Area Dimensions			
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A
Exterior			

Doors

Exterior

Dimensions

Side Door Type

Swing-Out



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.