



Window Sticker

SUMMARY

[Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr Luxury

MSRP:\$94,598.00

Interior: Jet Black, Leather seating surfaces

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)

Transmission, 10-speed automatic

OP	ı	IO	NS

OPTIONS		
CODE	MODEL	MSRP
6K15706	[Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr Luxury	\$94,598.00
	OPTIONS	
1SB	Luxury Preferred Equipment Group	\$0.00
AN3	Seats, front bucket	\$0.00
ATN	Seats, second row bucket, power configurable	\$0.00
G9K	Satin Steel Metallic	\$900.00
GU5	Rear axle, 3.23 ratio	\$0.00
H2X	Jet Black, Leather seating surfaces	\$0.00
106	Cadillac user experience with embedded navigation	\$0.00
K05	Engine block heater	\$195.00
L86	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)	\$0.00
MF6	Transmission, 10-speed automatic	\$0.00
SFE	LPO, Wheel locks, set of 4	\$95.00
SMI	Wheels, 22" x 9" (55.9 cm x 22.9 cm) 6-spoke alloy with Chrome finish	\$2,095.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$97,883.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$2,100.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



TOTAL PRICE

\$100,083.00

FUEL ECONOMY

Est City:16.7 L/100 km

Est Highway:11.1 L/100 km

Est Highway Cruising Range:882.43 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Standard Equipment

Otanida a Equi	P
Package	
	Driver Awareness Package includes Safety Alert Seat, (UEU) Forward Collision Alert, (UHX) Lane Keep Assist with Lane Departure Warning, (UKC) Lane Change Alert with Side Blind Zone Alert, (UFG) Rear Cross Traffic Alert, (UHY) Automatic Emergency Braking and (TQ5) IntelliBeam
	Theft-Deterrent Package includes (UTR) self-powered horn, (UTV) interior movement sensor and (UTU) inclination sensor, door lock shields and glass break sensors in rear quarter glass and liftgate window
Mechanical	
	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT) includes aluminum block construction (420 hp [313.2 kW] @ 5600 rpm, 460 lb-ft of torque [621 N-m] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, tow/haul mode and tap up/tap down shifting (STD)
	Rear axle, 3.23 ratio
	Air cleaner, high-capacity
	Transfer case, active, 2-speed with Neutral for dinghy/flat towing
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Cooling, external engine oil cooler, heavy-duty
	Keyless Start, push-button
	Alternator, 170 amps
	Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits and 7-way sealed connector
	GVWR, 7300 lbs (3311 kg)
	Suspension, Magnetic Ride Control with selectable sport mode
	Automatic load levelling, rear
	Steering, Electronic Power Steering (EPS)
	Capless fuel fill
	Brakes, 4-wheel antilock, 4-wheel disc
	Brakes, VAC power, 17" disc
	Brakes, DuraLife rotors



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Exterior	
	Wheels, 22" x 9" (55.9 cm x 22.9 cm) 7-spoke alloy with Chrome inserts/Pearl Nickel finish (Upgradeable to (RPT) 22" x 9" Split 6-spoke alloy wheels with Chrome finish, (RVA) 22" x 9" Dual 7-spoke alloy wheels with Ultra Bright Machined/Midnight Silver finish, (SH0) 22" x 9" 12-spoke alloy wheels with Polished finish or (SMI) 22" x 9" 6-spoke alloy wheels with Chrome finish.) (STD)
	Tires, P285/45R22 all-season, blackwall
	Tire Fill Alert provides visual and audible alerts outside the vehicle when inflating an under inflated tire to the recommended tire pressure
	Tire, spare P265/70R17 all-season, blackwall
	Wheel, full-size steel spare, 17" (43.2 cm) with Black finish
	Spare tire lock, hoist shaft
	Sunroof, power, tilt-sliding with express-open/-close and wind deflector (Not included when (A4K) sunroof delete is ordered.)
	Luggage rack, roof-mounted, chrome
	Assist steps, running side board (Upgradeable to (BRS) power-retractable assist steps.)
	Mouldings, bodyside, chrome
	Shutters, front active aero
	Headlamps, LED high beam/low beam, light pipe
	IntelliBeam, automatic high beam on/off
	Headlamps, automatic on/off
	Tail lamps, LED illumination
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated, windshield and front door glass
	Windshield, solar absorbing
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, colour-keyed with integrated turn signal indicators, ground illumination and programmable to provide curb view when in reverse
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Hands-Free Liftgate, open and close, programmable memory height
F., ((- ! (

Entertainment

Cadillac user experience with embedded navigation AM/FM stereo with 8" diagonal colour information display featuring touch response, haptic feedback, gesture recognition, Enhanced Voice Recognition, Phone Integration for Apple CarPlay and Android Auto capability for compatible phone, Connected Apps and Teen Driver. Five USB ports, including one in the articulating storage door/bin and auxiliary audio port (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



(Complete

4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Bluetooth for phone, streaming audio for music for select phones
SiriusXM enjoy an All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
Radio, HD
Audio system feature, Bose Centrepoint Surround Sound system with 16 speakers
Audio system feature, single-slot CD/MP3 player
Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD)
Seats, second row bucket, power configurable (STD) (May substitute (ATT) second row 60/40 split-folding bench seats.)
Active Noise Cancellation
Seats, heated and cooled driver and front passenger
Seats, heated second row, outboard positions
Seat adjuster, front passenger 12-way power
Seats, third row 60/40 split-bench, power, fold flat
Rear Seat Reminder
Console, floor with covered storage, large and small storage bins, dual cup holders, electronic climate controls and second row heated seat controls (inside console: auxiliary power outlet, two USB ports and auxiliary audio port), 110-volt outlet and auxiliary power outlet on the backside of console
Floor covering, colour-keyed carpeting
Floor mats, colour-keyed carpeted first and second row
Steering wheel, power-tilt colour-keyed with wood and leather-wrapped rim, locking
Steering column, power tilt and telescoping
Steering wheel, heated
Steering wheel controls, mounted audio and Driver Information centre controls
Tow/haul mode selector, button located at end of shift lever



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Interior	
IIILETIOI	
	Driver Information Centre with programmable personalization features such as door locking and unlocking, a trip computer with trip odometer and individual tire pressure read outs, fuel information such as range, average L/100km, litres used and oil life, and a message centre that displays dozens of warning messages such as low fuel and door ajar
	Gauge cluster, 12" colour, reconfigurable with Driver Information Centre
	Head-Up Display, 4-colour, reconfigurable
	Windows, power with driver and front passenger Express-Up/Down and rear passengers Express-Down
	Door locks, power programmable includes lockout protection and delayed locking
	Lock control, side door, electric
	Pedals, power-adjustable for accelerator and brake
	Memory settings includes two "presets" for driver seat adjuster, outside rearview mirrors, power tilt/telescoping steering column and power-adjustable pedals
	Keyless Access, passive entry
	Adaptive Remote Start
	Cruise control, electronic with set and resume speed
	Universal Home Remote includes garage door opener, 3-channel programmable
	Theft-deterrent system, unauthorized entry, engine immobilizer
	Theft-deterrent alarm system, content theft alarm self-powered horn
	Sensor, inclination
	Sensor, vehicle interior movement will detect movement within cabin of the vehicle
	Climate control, tri-zone automatic with individual climate settings for driver, front passenger and rear passengers
	Defogger, rear-window electric
	Power outlet, 110-volt
	Wireless Charging, located on the top of the centre console (The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adaptor/back cover. To check for phone or other device compatibility, see cadillactotalconnect.ca or consult your carrier.)
	Accents, interior, piano black and chrome finish
	Rear Camera Mirror
	Lighting, interior, door handle release, door storage, console and footwell
	Lighting, interior, with theater dimming
	Cargo net, rear



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Interior	
	Cadillac Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, vehicle stability enhancement system with Rollover Mitigation includes disable switch
	Automatic Emergency Braking
	Brakes, Hill Start-Assist/Hill Hold
Safety-Exterior	
	Rear Camera Mirror Washer
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Cadillac connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist
	Automatic Parking Assist includes front, rear, lateral-front parking assist and semi-automatic steering
	Surround Vision
	Forward Collision Alert
	Lane Keep Assist with Lane Departure Warning
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Safety Alert Seat haptic vibration in seat cushion works with safety features
	Seat belts, 3-point, all positions, includes front seat belt pretensioners
	Door locks, rear child security
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 4

Basic Miles/km: 80,000 Drivetrain Years: 6

Drivetrain Miles/km: 110,000 Corrosion Years (Rust-Through): 6

Corrosion Years: 4

Corrosion Miles/km (Rust-Through): Unlimited

Corrosion Miles/km: 80,000 Roadside Assistance Years: 6

Roadside Assistance Miles/km: 110,000

Maintenance Years: 4

Maintenance Miles/km: 80,000

Technical Specifications

Powertrain

_			
Ira	nsm	บรร	sion

Drivetrain	All Wheel Drive	Trans Order Code	MF6
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		

Mileage

EnerGuide Estimate - City	16.7 L/100 km	EnerGuide Estimate - Hwy	11.1 L/100 km
Cruising Range - City	586.53 km	Cruising Range - Hwy	882.43 km

Engine

Engine Order Code	L86	Engine Type	Gas
		9	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Vehicle: [Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr Luxury

(V Complete)	omplete)	(<	
----------------	----------	-----	--

owertrain			
Engine			
Displacement	6.2L/376	Fuel System	Electronic Foundation
SAE Net Horsepower @ RPM	420 @ 5600	SAE Net Torque @ RPM	460 @ 4100
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	15.8 L		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	333
Vehicle			
Rear Door Type	Liftgate		
hassis			
Weight Information			
Standard Weight - Front	49.44 kg	Standard Weight - Rear	39.01 kg
Gross Axle Wt Rating - Front	1,542.24 kg	Gross Axle Wt Rating - Rear	1,859.76 kg
Curb Weight - Front	1,315.89 kg	Curb Weight - Rear	1,202.04 kg
Option Weight - Front	13.61 kg	Option Weight - Rear	13.15 kg
Reserve Axle Capacity - Front	163.3 kg	Reserve Axle Capacity - Rear	605.56 kg
As Spec'd Curb Weight	2,633.15 kg	As Spec'd Payload	678.13 kg



Maximum Payload Capacity

Gross Axle Weight Rating

Reserve Axle Capacity

Payload Weight Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Curb Weight

Total Option Weight

Payload Weight Rear

Gross Combined Wt Rating

N/A

0 kg

2,517.93 kg

26.76 kg

15-Jan-2020 Page 9

793.35 kg

3,402 kg

768.85 kg

0 kg



		_	_	_
١.,	ha	×	×	S

Weiaht Inforn	nation
---------------	--------

Gross Vehicle Weight Rating 3,311.28 kg

Trailering

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,674.16 kg	Wt Distributing Hitch - Max Tongue Wt.	367.42 kg
Maximum Trailering Capacity	3,674.16 kg		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	5-Link
Spring Capacity - Front	1,542.24 kg	Spring Capacity - Rear	1,859.76 kg
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	1,542.24 kg	Axle Capacity - Rear	1,905.12 kg
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	1.81 mm	Shock Absorber Diameter - Rear	1.81 mm
Stabilizer Bar Diameter - Front	35.81 mm	Stabilizer Bar Diameter - Rear	27.94 mm

Tires

Front Tire Order Code	QST	Rear Tire Order Code	QST
Spare Tire Order Code	XCQ	Front Tire Size	P285/45R22
Rear Tire Size	P285/45R22	Spare Tire Size	P265/70R17
Front Tire Capacity	963.45 kg	Rear Tire Capacity	963.45 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size 558.8 x 228.6 mm Rear Wheel Size 558.8 x 228.6 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Chassis			
Wheels			
Spare Wheel Size	431.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	17.3
Steering Ratio (:1), At Lock	3.4	Turning Diameter - Curb to Curb	11.89 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	330.2 x 30.48 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.32 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	98 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	7	Front Head Room	1,008.38 mm
Front Leg Room	1,150.62 mm	Front Shoulder Room	1,648.46 mm
Front Hip Room	1,546.86 mm	Second Head Room	993.14 mm
Second Leg Room	990.6 mm	Second Shoulder Room	1,635.76 mm
Second Hip Room	1,529.08 mm	Third Head Room	967.74 mm
Third Leg Room	629.92 mm	Third Shoulder Room	1,590.04 mm
Third Hip Room	1,252.22 mm		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Vehicle: [Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr Luxury

(🗸	Complete)
-----	----------	---

Dimensions

Exterior	I IIMAN	CIONC
		310113

Wheelbase	2,946.4 mm
Length, Overall	5,179.06 mm
Height, Overall	1,889.76 mm
Overhang, Rear w/o bumper	N/A
Cab to Axle	N/A
Ground to Top of Load Floor	815.34 mm
Frame Width, Rear	N/A
Frame Width, Rear Ground Clearance, Rear	N/A N/A
,	
Ground Clearance, Rear	N/A
Ground Clearance, Rear Rear Door Opening Height	N/A N/A

Length, Overall w/rear bumper	N/A
Width, Max w/o mirrors	2,044.7 mm
Overhang, Front	N/A
Front Bumper to Back of Cab	N/A
Cab to End of Frame	N/A
Ground to Top of Frame	N/A
Ground Clearance, Front	N/A
Body Length	0 m
Rear Door Opening Width	N/A
Side Door Opening Width	N/A
Step Up Height - Side	N/A

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	N/A
Cargo Area Length @ Floor to Seat 2	N/A
Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	N/A
Cargo Box (Area) Height	N/A
Cargo Volume	N/A
Cargo Volume to Seat 2	1,461.15 L
Cargo Volume to Seat 4	N/A

Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 3	N/A
Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Wheelhousings	N/A
Tailgate Width	N/A
Cargo Volume to Seat 1	2,667.45 L
Cargo Volume to Seat 3	430.42 L
Ext'd Cab Cargo Volume	N/A

Exterior

Doors

Side Door Type

Swing-Out



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.