

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Spark (1DS48) 4dr HB Man LT w/1LT

MSRP:\$14,698.00

Interior:Jet Black/Dark Anderson Silver Metallic, Cloth seat trim

Exterior 1:Raspberry

Exterior 2:No colour has been selected.

Engine, 1.4L DOHC 4-cylinder MFI

Transmission, 5-speed manual

OPTIONS

OF HONS		
CODE	MODEL	MSRP
1DS48	[Retail] 2020 Chevrolet Spark (1DS48) 4dr HB Man LT w/1LT	\$14,698.00
	OPTIONS	
1SC	1LT Preferred Equipment Group	\$0.00
AV5	Seats, front high-back bucket	\$0.00
GUO	Raspberry	\$455.00
HJG	Jet Black/Dark Anderson Silver Metallic, Cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo.	\$0.00
LV7	Engine, 1.4L DOHC 4-cylinder MFI	\$0.00
MR7	Transmission, 5-speed manual	\$0.00
SFE	LPO, Wheel lock kit	\$70.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$15,223.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,600.00
	TOTAL PRICE	\$16,923.00

FUEL ECONOMY

Est City:8.0 L/100 km

Est Highway:6.2 L/100 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Est Highway Cruising Range:564.45 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Standard Equipment

• •	
Mechanical	
	Engine, 1.4L DOHC 4-cylinder MFI (98 hp [73.07 kW] @ 6200 rpm, 94 lb-ft of torque [127.4 N-m] @ 4400 rpm) (STD)
	Transmission, 5-speed manual (STD)
	Axle, 3.91 ratio, final drive
	Front wheel drive
	Battery, 375 cold-cranking amps
	Alternator, 80 amps
	Suspension, front, MacPherson struts
	Suspension, rear, compound crank
	Steering, power, non-variable ratio, electric
	Brakes, 4-wheel antilock, front disc/rear drum
	Fuel tank, 35L, 9 gallons
	Jack, mechanical with tools
Exterior	
	Wheels, 15" (38.1 cm) aluminum
	Wheel, 14" (35.6 cm) steel spare
	Tires, P185/55R15 all-season blackwall
	Tire, spare, T105/70D14, blackwall
	Spoiler, rear, Aero
	Grille, chrome
	Headlamps, halogen projector with automatic exterior lamp control
	Lamp, centre high-mounted stop/brake (CHMSL)
	Mirrors, heated, outside manual-folding, body-colour
	Glass, solar absorbing
	Wipers, front intermittent, variable
	Wiper, rear intermittent, 2-speed
	Door handles, body-colour
	License plate bracket, front



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Entertainment	
	nent 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional clude: Bluetooth audio streaming for 2 active devices, voice command passand Android Auto capable. (STD)
sports, news and entertainment. P connected devices is included, so to the world of SiriusXM. (If you de automatically renew thereafter and current rates. Fees and taxes apply	subscription with over 140+ channels including commercial-free music, plus Plus listening on the SiriusXM app, online and at home on compatible you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome ecide to continue service after your trial, the subscription plan you choose will d you will be charged according to your chosen payment method at thenly. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete content, features, and availability are subject to change.)
Audio system feature, 6-speaker s	system
4G LTE Wi-Fi Hotspot capable (Te	erms and limitations apply. See onstar.ca or dealer for details.)
Bluetooth for phone personal cell p Interface)	phone connectivity to vehicle audio system and HMI (Human Machine
Antenna, roof-mounted	
USB data ports, 2, illuminated loca	ated in the front centre stack storage bin
Interior	
Seats, front high-back bucket (STE	D)
Seat trim, Cloth	
Seat adjuster, driver 4-way fore/aft	t (up/down) manual with manual recline
Seat adjuster, 2-way manual front	passenger with manual recline
Seat adjuster, front passenger, ma	anual recline
Seat, rear 60/40 split-bench, foldin	ng
Head restraints, 2-way adjustable	(up/down) front and rear
Console, rear, centre with storage	tray
Floor mats, carpeted front and real	ır
Foot rest, driver side	
Steering column, Tilt-Wheel	
Steering wheel, 3-spoke	
Steering wheel controls, mounted	audio and phone interface controls
Instrumentation, analog with speed	dometer, tachometer and fuel gauge
Driver Information Centre, segmen	nted display
Oil life monitoring system	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



	Complete
$\overline{}$	Complete

Interior	
	Windows, power with driver express up/down
	Door handles, Black
	Remote Keyless Entry includes panic alarm button
	Keys, foldable (2)
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Fuel filler door release, remote
	Theft-deterrent system, content theft alarm
	Engine immobilizer
	Air conditioning, single-zone manual
	Cabin air filter
	Defogger, rear-window
	Glovebox, non-locking
	Storage, passenger IP storage tray
	Storage, lower centre IP bin
	Cup holders, 2 front and 2 rear
	Power outlet, auxiliary located in front centre stack storage bin
	Armrest, driver seat
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger vanity mirrors, covered
	Assist handle, front passenger
	Lighting, dimming instrument panel cluster
	Lighting, rear cargo compartment lamp
	Map pocket, front passenger seatback
	Coat hooks, rear seat
	Cargo security shelf, rear
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Brake Assist
	Traction control
	Hill Start Assist



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



	4		
	\ /	Complete	1
L		O Up. 010	

Safety-Exterior	
	Daytime Running Lamps, LED with signature lighting
Safety-Interior	
	Rear Vision Camera
	Remote panic alarm
	Airbags driver and front passenger frontal and knee, seat-mounted side-impact and roof rail-mounted head-curtain for all outboard seating positions, and Passenger Sensing System for front passenger
	Door locks, power, emergency unlock, automatic
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Seat belt pretensioners, driver and front passenger, dual
	Seat belts, 3-point, all positions
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats
	Tire Pressure Monitoring System (does not monitor spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Front Wheel Drive	Trans Order Code	MR7
Trans Type	5	Trans Description Cont.	Manual
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.636
Second Gear Ratio (:1)	1.864	Third Gear Ratio (:1)	1.189
Fourth Gear Ratio (:1)	1.00	Fifth Gear Ratio (:1)	0.756



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



	4		
1	V	Complete	١
l	_	Complete	1

Powertrain			
Transmission			
Reverse Ratio (:1)	3.385	Clutch Size	N/A
Final Drive Axle Ratio (:1)	3.91		
Mileage			
EnerGuide Estimate - City	8.0 L/100 km	EnerGuide Estimate - Hwy	6.2 L/100 km
Cruising Range - City	437.44 km	Cruising Range - Hwy	564.45 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A	Battery Range	N/A
Engine			
Engine Order Code	LV7	Engine Type	Gas I4
Displacement	1.4L/85.4	Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	98 @ 6200	SAE Net Torque @ RPM	94 @ 4400
Electrical			
Cold Cranking Amps @ 0° F (Primary)	375	Maximum Alternator Capacity (amps)	80
Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	170
Vehicle			
EPA Classification	Subcompact Car		
Chassis			
Weight Information			
Base Curb Weight	1,027.86 kg		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



(√	Complete)
---	----------	----------	---

assis			
railering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
uspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Compound Cra
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QGD	Rear Tire Order Code	QGD
Spare Tire Order Code	ZAL	Front Tire Size	P185/55R15
Rear Tire Size	P185/55R15	Spare Tire Size	T105/70D14
/heels			
Front Wheel Size	381 x -TBD- mm	Rear Wheel Size	381 x -TBD- m
Spare Wheel Size	355.6 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	10.3 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	236.22 x -TBD mm
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	Yes



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



	4		
•	V/	Complete	١
ı.	~	Complete	,

nassis			
iassis			
rakes			
Rear Drum Diam x Width	200.66 x -TBD- mm		
uel Tank			
Fuel Tank Capacity, Approx	35 L	Aux Fuel Tank Capacity, Approx	N/A
mensions			
nterior Dimensions			
Passenger Capacity	4	Passenger Volume	2,350.3 L
Front Head Room	990.6 mm	Front Leg Room	1,059.18 mm
Front Shoulder Room	1,290.32 mm	Front Hip Room	1,224.28 mm
Second Head Room	939.8 mm	Second Leg Room	838.2 mm
Second Shoulder Room	1,264.92 mm	Second Hip Room	1,219.2 mm
exterior Dimensions			
Wheelbase	2,385.06 mm	Length, Overall	3,634.74 mm
Width, Max w/o mirrors	1,595.12 mm	Height, Overall	1,483.36 mm
Track Width, Front	1,384.3 mm	Track Width, Rear	1,384.3 mm
Min Ground Clearance	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Cargo Volume with Rear Seat Up	314.32 L	Cargo Volume with Rear Seat Down	770.22 L
Trunk Volume	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.