


Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Window Sticker

### SUMMARY

[Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS

MSRP:\$9,998.00

Interior:Jet Black/Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 1.4L DOHC 4-cylinder MFI

Transmission, 5-speed manual

### OPTIONS

CODE	MODEL	MSRP
1DR48	[Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS	\$9,998.00
<b>OPTIONS</b>		
1SA	LS Preferred Equipment Group	\$0.00
AV5	Seats, front high-back bucket	\$0.00
GAZ	Summit White	\$0.00
HBI	Jet Black/Jet Black, Cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo.	\$0.00
LV7	Engine, 1.4L DOHC 4-cylinder MFI	\$0.00
MR7	Transmission, 5-speed manual	\$0.00

<b>SUBTOTAL</b>	<b>\$9,998.00</b>
Adjustments Total	\$0.00
Destination Charge	\$1,600.00
<b>TOTAL PRICE</b>	<b>\$11,598.00</b>

### FUEL ECONOMY


Est City:8.0 L/100 km

Est Highway:6.2 L/100 km

Est Highway Cruising Range:564.45 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Standard Equipment

### Mechanical

Engine, 1.4L DOHC 4-cylinder MFI (98 hp [73.07 kW] @ 6200 rpm, 94 lb-ft of torque [127.4 N-m] @ 4400 rpm) (STD)

Transmission, 5-speed manual (STD)

Axle, 3.91 ratio, final drive

Front wheel drive

Battery, 375 cold-cranking amps

Alternator, 80 amps

Suspension, front, MacPherson struts

Suspension, rear, compound crank

Steering, power, non-variable ratio, electric

Brakes, 4-wheel antilock, front disc/rear drum

Fuel tank, 35L, 9 gallons

Jack, mechanical with tools

### Exterior

Wheels, 15" (38.1 cm) steel

Wheel, 14" (35.6 cm) steel spare

Tires, P185/55R15 all-season blackwall

Tire, spare, T105/70D14, blackwall

Spoiler, rear, Aero

Grille, chrome

Headlamps, halogen projector with automatic exterior lamp control

Lamp, centre high-mounted stop/brake (CHMSL)

Mirrors, outside, Black, manual folding, manual adjustable

Glass, solar absorbing

Wipers, front intermittent, variable


Wiper, rear intermittent, 2-speed

Door handles, body-colour

License plate bracket, front



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Entertainment

Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 4-speaker system

4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface)

Antenna, roof-mounted

USB data ports, 2, illuminated located in the front centre stack storage bin

## Interior

Seats, front high-back bucket (STD)

Seat trim, Cloth

Seat adjuster, driver 4-way fore/aft (up/down) manual with manual recline

Seat adjuster, 2-way manual front passenger with manual recline

Seat adjuster, front passenger, manual recline

Seat, rear 60/40 split-bench, folding

Head restraints, 2-way adjustable (up/down) front and rear

Console, rear, centre with storage tray

Floor mats, carpeted front and rear

Foot rest, driver side

Steering column, Tilt-Wheel

Steering wheel, 3-spoke

Instrumentation, analog with speedometer, tachometer and fuel gauge

Driver Information Centre, segmented display

Oil life monitoring system

Outside temperature display

Windows, manual

Door handles, Black


Keys, rigid (2)

Fuel filler door release, remote

Engine immobilizer



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Interior

Heater, outside air with fan

Defogger, rear-window

Glovebox, non-locking

Storage, passenger IP storage tray

Storage, lower centre IP bin

Cup holders, 2 front and 2 rear

Power outlet, auxiliary located in front centre stack storage bin

Armrest, driver seat

Mirror, inside rearview manual day/night

Visors, driver and front passenger vanity mirrors, covered

Assist handle, front passenger

Lighting, dimming instrument panel cluster

Lighting, rear cargo compartment lamp

Map pocket, front passenger seatback

Coat hooks, rear seat

Cargo security shelf, rear

Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)

## Safety-Mechanical

StabiliTrak, stability control system with Brake Assist

Traction control

Hill Start Assist

## Safety-Exterior

Daytime Running Lamps, separate cavity

## Safety-Interior

Rear Vision Camera

Airbags driver and front passenger frontal and knee, seat-mounted side-impact and roof rail-mounted head-curtain for all outboard seating positions, and Passenger Sensing System for front passenger


OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Seat belt pretensioners, driver and front passenger, dual

Seat belts, 3-point, all positions



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Safety-Interior

LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats

Tire Pressure Monitoring System (does not monitor spare tire)

## WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

## Technical Specifications

### Powertrain

#### Transmission


Drivetrain	Front Wheel Drive	Trans Order Code	MR7
Trans Type	5	Trans Description Cont.	Manual
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.636
Second Gear Ratio (:1)	1.864	Third Gear Ratio (:1)	1.189
Fourth Gear Ratio (:1)	1.00	Fifth Gear Ratio (:1)	0.756
Reverse Ratio (:1)	3.385	Clutch Size	N/A
Final Drive Axle Ratio (:1)	3.91		

#### Mileage

EnerGuide Estimate - City	8.0 L/100 km	EnerGuide Estimate - Hwy	6.2 L/100 km
Cruising Range - City	437.44 km	Cruising Range - Hwy	564.45 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A	Battery Range	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Powertrain

### Engine

Engine Order Code	LV7	Engine Type	Gas I4
Displacement	1.4L/85.4	Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	98 @ 6200	SAE Net Torque @ RPM	94 @ 4400

### Electrical

Cold Cranking Amps @ 0° F (Primary)	375	Maximum Alternator Capacity (amps)	80
-------------------------------------	-----	------------------------------------	----

### Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

## Vehicle

### Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	170
--------------------------------------	-----	-----------------------	-----

### Vehicle

EPA Classification	Subcompact Car
--------------------	----------------

## Chassis

### Weight Information

Base Curb Weight	1,018.79 kg
------------------	-------------

### Trailer


Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A

### Suspension

Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Compound Crank
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Chassis

### Tires

Front Tire Order Code	QGD	Rear Tire Order Code	QGD
Spare Tire Order Code	ZAL	Front Tire Size	P185/55R15
Rear Tire Size	P185/55R15	Spare Tire Size	T105/70D14

### Wheels

Front Wheel Size	381 x -TBD- mm	Rear Wheel Size	381 x -TBD- mm
Spare Wheel Size	355.6 x -TBD- mm	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

### Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	10.3 m
Turning Diameter - Wall to Wall	N/A		

### Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	N/A	Front Brake Rotor Diam x Thickness	236.22 x -TBD- mm
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	Yes
Rear Drum Diam x Width	200.66 x -TBD- mm		

### Fuel Tank

Fuel Tank Capacity, Approx	35 L	Aux Fuel Tank Capacity, Approx	N/A
----------------------------	------	--------------------------------	-----


## Dimensions

### Interior Dimensions

Passenger Capacity	4	Passenger Volume	2,350.3 L
Front Head Room	990.6 mm	Front Leg Room	1,059.18 mm
Front Shoulder Room	1,290.32 mm	Front Hip Room	1,224.28 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Spark (1DR48) 4dr HB Man LS (  Complete )

## Dimensions

### Interior Dimensions

Second Head Room	939.8 mm
Second Shoulder Room	1,264.92 mm

Second Leg Room	838.2 mm
Second Hip Room	1,219.2 mm

### Exterior Dimensions

Wheelbase	2,385.06 mm
Width, Max w/o mirrors	1,595.12 mm
Track Width, Front	1,384.3 mm
Min Ground Clearance	N/A

Length, Overall	3,634.74 mm
Height, Overall	1,483.36 mm
Track Width, Rear	1,384.3 mm
Liftover Height	N/A

### Cargo Area Dimensions

Cargo Volume with Rear Seat Up	314.32 L
Trunk Volume	N/A

Cargo Volume with Rear Seat Down	770.22 L
----------------------------------	----------



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.