



Technical Specifications

Powertrain Transmission Four Wheel Drive Trans Order Code MYC Drivetrain Trans Type Trans Description Cont. Automatic 4.03 Trans Description Cont. Again N/A First Gear Ratio (:1) Second Gear Ratio (:1) 2.36 Third Gear Ratio (:1) 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 Sixth Gear Ratio (:1) 0.67 Reverse Ratio (:1) 3.06 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP3023/4 Transfer Case Gear Ratio (:1), High 2.69 N/A Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City 16.7 (Est) L/100 13.1 (Est) L/100 EnerGuide Estimate - Hwy km km 338.42 mi 431.42 mi Cruising Range - City Cruising Range - Hwy **Engine Engine Order Code** L82 **Engine Type** Gas V8 Displacement 5.3L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 355 @ 5600 SAE Net Torque @ RPM 383 @ 4100 **Engine Oil Cooler** N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) 720 Cold Cranking Amps @ 0° F (2nd) N/A Maximum Alternator Capacity (amps) 170 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System**



Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.

14-Jan-2020 Page 1

N/A





/ehicle				
Emissions				
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	354 (Est)	
hassis				
Veight Information				
Standard Weight - Front	33.00 lbs	Standard Weight - Rear	72.00 lbs	
Gross Axle Wt Rating - Front	3800 lbs	Gross Axle Wt Rating - Rear	3800 lbs	
Curb Weight - Front	2839 lbs	Curb Weight - Rear	1976 lbs	
Option Weight - Front	122.00 lbs	Option Weight - Rear	99.00 lbs	
Reserve Axle Capacity - Front	806.00 lbs	Reserve Axle Capacity - Rear	1653.00 lbs	
As Spec'd Curb Weight	5141.00 lbs	As Spec'd Payload	1859.00 lbs	
Maximum Payload Capacity	2185.00 lbs	Gross Combined Wt Rating	15000 lbs	
Gross Axle Weight Rating	7600.00 lbs	Curb Weight	4815.00 lbs	
Reserve Axle Capacity	2459.00 lbs	Total Option Weight	221.00 lbs	
Payload Weight Front	Front 0 lbs Payload Weight Rear	0 lbs		
Gross Vehicle Weight Rating	7000.00 lbs			
railering				
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs	
Wt Distributing Hitch - Max Trailer Wt.	9500 lbs	Wt Distributing Hitch - Max Tongue Wt.	950 lbs	
Maximum Trailering Capacity	9500 lbs			
rame				
Frame Type	N/A	Sect Modulus Rails Only	N/A	
Frame RBM	N/A	Frame Strength	N/A	
Frame Thickness	N/A			
Suspension				
Suspension Type - Front	N/A	Suspension Type - Rear	N/A	
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A	
Axle Type - Front	N/A	Axle Type - Rear	N/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





assis				
uspension				
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A	
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42	
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	51.0 mm	
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A	
ires				
Front Tire Order Code	R3O	Rear Tire Order Code	R3O	
Spare Tire Order Code	XCQ	Front Tire Size	LT275/65R18C	
Rear Tire Size	LT275/65R18C	Spare Tire Size	265/70R17SL	
Front Tire Capacity	N/A	Rear Tire Capacity	N/A	
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A	
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A	
/heels	40.5" 0.5"	D W 10:	40.5% 0.5%	
Front Wheel Size	18.5" x 8.5" in	Rear Wheel Size	18.5" x 8.5" in	
Spare Wheel Size	N/A	Front Wheel Material	Aluminum	
Rear Wheel Material	Aluminum	Spare Wheel Material N/A		
teering				
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A	
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	46.3 ft	
Turning Diameter - Wall to Wall	N/A			
rakes				
Brake Type	Pwr	Brake ABS System	4-Wheel	
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes	
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A	
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A	
		,		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





assis			
el Tank			
Fuel Tank Capacity, Approx	91 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
erior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.16 in
Second Hip Room	60.24 in		
terior Dimensions			
Wheelbase	147.53 in	Length, Overall w/o rear bumper	N/A
Length, Overall	231.7 in	Width, Max w/o mirrors	81.24 in
Height, Overall	78.35 in	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	10.88 in
Ground Clearance, Rear	10.88 in	Body Length	0.00 ft
Cab to Body	N/A		
rgo Area Dimensions			
Cargo Box Length @ Floor	69.92 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	ox Width @ Floor 71.4 in Cargo Box Width @ Wheelhousings		50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	62.9 ft ³	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	Suspension Package, Z71 Off-Road equipment with 2" lift. Includes (Z7X) Off-Road suspension with 2" lift and monotube shocks, (JHD) Hill Descent Control, (NZZ) skid plates, (K47) heavy-duty air cleaner and Z71 hard badge
Mechanical	
	Durabed, pickup bed
	Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	GVWR, 6900 lbs. (3130 kg) (STD) (Crew Cab models require (LV3) 4.3L EcoTec3 V6 engine.)
	Hill Descent Control
	Transfer case, two-speed electronic Autotrac with rotary dial control (4WD models only)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Air filter, high-capacity
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Hitch Guidance
	Skid Plates
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





Exterior	
LACOTO	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum (STD)
	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTrac (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss black.)
	Bumper, rear (High gloss black.)
	CornerStep, rear bumper
	Recovery hooks, performance Red
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (High gloss Black bars with mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable
	Glass, deep-tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)
	Tailgate, gate function manual no EZ lift
	LPO, Polished exhaust tip (dealer-installed) (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench (STD)
	Seat trim, Cloth



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





Interior	
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochrome display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB port, located on instrument panel
	Air conditioning, single-zone
	Air vents, rear, heating/cooling
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom Trail Boss

MSRP:\$46,398.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Red Hot

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom Trail Boss		\$46,398.00
	OPTIONS		
2CX	Custom Trail Boss Preferred Equipment Group		\$0.00
A52	Seats, front 40/20/40 split-bench		\$0.00
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5W	GVWR, 7000 lbs. (3175 kg)	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
G7C	Red Hot		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo		\$0.00
JL1	Trailer brake controller, integrated		\$350.00
K05	Engine block heater		\$195.00
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
L82	Engine, 5.3L EcoTec3 V8		\$1,845.00
MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
N10	Exhaust, dual with polished outlets	Inc.	
PCX	Custom Convenience Package		\$950.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.





QT5	Tailgate, gate function manual with EZ Lift	Inc.	
R3O	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTra	ac	\$0.00
R70	Seat, Cloth Rear with Storage Package		\$260.00
RD1	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum	d	\$0.00
RVS	LPO, Assist steps - 4" Black - round		\$900.00
SFE	LPO, Wheel locks, set of 4		\$80.00
U2K	SiriusXM	Inc.	
UE1	OnStar and Chevrolet connected services capable	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VV4	4G LTE Wi-Fi Hotspot capable	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
ZLA	Infotainment Package		\$655.00
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free	Inc.	
	Compass	Inc.	
	Chevrolet Connected Access capable	Inc.	
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$52,233.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$54,233.00

FUEL ECONOMY

Est City:16.7 (Est) L/100 km

Est Highway:13.1 (Est) L/100 km

Est Highway Cruising Range:431.42 mi



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11454. Data Updated: 13-Jan-2020 10:08:00 PST PM.