

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LT

MSRP:\$47,198.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

OPTIONS

110143				
COD	DE	MODEL		MSRP
CK10	0543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LT		\$47,198.00
		OPTIONS		
1LT		LT Preferred Equipment Group		\$0.00
A2X		Seat adjuster, driver 10-way power including lumbar	Inc.	
A48		Window, power, rear sliding	Inc.	
AVJ		Keyless Open and Start	Inc.	
AZ3		Seats, front 40/20/40 split-bench	Inc.	
B1J		Wheelhouse liners, rear	Inc.	
BTV		Remote vehicle starter system	Inc.	
C49		Defogger, rear-window electric	Inc.	
C5Y		GVWR, 7100 lbs. (3221 kg)	Inc.	
CGN	I	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
CJ2		Air conditioning, dual-zone automatic climate control	Inc.	
CTT		Hitch Guidance	Inc.	
G80		Differential, heavy-duty locking rear	Inc.	
G9K		Satin Steel Metallic		\$495.00
GU5		Rear axle, 3.23 ratio		\$0.00
H0U		Jet Black, Cloth seat trim		\$0.00
IOS		Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



JL1	Trailer brake controller, integrated		\$350.00
K05	Engine block heater		\$195.00
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,845.00
MCR	USB Ports (Instrument Panel with bench seat), 2	Inc.	
MQE	Transmission, 8-speed automatic, electronically controlled	Inc.	
N06	Steering column, lock control, electrical	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
PCL	Convenience Package	Inc.	
PCM	Convenience Package II		\$1,495.00
PDU	True North Edition		\$3,795.00
Q5U	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted alumin	num	\$0.00
QDV	Tires, 265/70R17 all-terrain, blackwall		\$250.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
R70	Seat, Cloth Rear with Storage Package	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$180.00
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UG1	Universal Home Remote	Inc.	
USS	USB ports, dual, charge-only (2nd row)	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



	TOTAL PRICE		\$59,278.00
	Destination Charge		\$1,900.00
	Total Tax		\$100.00
	Adjustments Total		\$0.00
	SUBTOTAL		\$57,278.00
	Option/package discount		-\$500.00
	Federal air conditioning excise tax		\$100.00
	SiriusXM with 360L	Inc.	
Z82	Trailering Package	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
WPQ	Bed Protection Package		\$780.00
VXH	LPO, Assist steps, chromed tubular, 6" rectangular		\$900.00
VQK	LPO, Moulded splash guards, Black		\$215.00
UVB	HD Rear Vision Camera	Inc.	

FUEL ECONOMY

Est City:14.7 L/100 km

Est Highway:10.7 L/100 km

Est Highway Cruising Range:850 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Standard Equipment

Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)
	Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine.)
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo- Diesel I6 engine, (VYU) Snow Plow Prep Package or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black (Included with 4WD models.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Exterior	
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Chrome bars with high gloss Black mesh inserts.)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
	Mirror caps, chrome (Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCL) Convenience Package is ordered.)
	Tailgate, gate function manual with EZ lift
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage (STD) (Not available with (PCL) Convenience Package.)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



(V Complete)	(•	Com	plete ')
----------------	-----	-----	---------	---

Intorior	
Interior	
	Steering wheel audio controls
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB ports, 2 (first row) located on instrument panel
	Air conditioning, single-zone manual, semi-automatic
	Air vents, rear, heating/cooling
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Safety-Interior

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



Powertrain				
Mileage				
EnerGuide Estimate - City 14.7 L/100 km		EnerGuide Estimate - Hwy	10.7 L/100 km	
Cruising Range - City	618.71 km	Cruising Range - Hwy	850 km	
Engine				
Engine Order Code	L84	Engine Type	Gas V8	
Displacement	5.3L/-TBD-	Fuel System	Direct Injection	
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100	
Engine Oil Cooler	N/A			
Electrical				
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A	
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A	
Cooling Custom				
Cooling System Total Cooling System Consoits	N/A			
Total Cooling System Capacity	IN/A			
/ehicle				
Emissions				
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	303	
Chassis				
Weight Information				
Standard Weight - Front	8.16 kg	Standard Weight - Rear	14.97 kg	
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg	
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg	
Option Weight - Front	66.68 kg	Option Weight - Rear	58.06 kg	
Reserve Axle Capacity - Front	361.07 kg	Reserve Axle Capacity - Rear	754.34 kg	
As Spec'd Curb Weight	2,331.96 kg	As Spec'd Payload	888.6 kg	
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg	
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg	
Reserve Axle Capacity	1,115.4 kg	Total Option Weight	124.74 kg	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



ha	assis	
N	eight Information	
	Payload Weight Front	0 kg
	Gross Vehicle Weight Rating	3,220.56 kg
Tra	ailering	
	Dead Weight Hitch - Max Trailer Wt.	2,268 kg
	Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg
	Maximum Trailering Capacity	5,125.68 kg
Fr	ame	
	Frame Type	N/A
	Frame RBM	N/A
	Frame Thickness	N/A
	uspension	N//A
	Suspension Type - Front	N/A
	Spring Capacity - Front	N/A
	Axle Type - Front	N/A
	Axle Capacity - Front	N/A
	Axle Ratio (:1) - Front	3.23
	Shock Absorber Diameter - Front	50.0 mm
	Stabilizer Bar Diameter - Front	33.02 mm
Tiı	res	
	Front Tire Order Code	QDV
	Spare Tire Order Code	XCQ
	Rear Tire Size	265/70R17
	Front Tire Capacity	N/A
	Spare Tire Capacity	N/A
	Revolutions/Mile @ 45 mph - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



(Com	plete
(~	COIII	hiere

Chassis						
Wheels						
Front Wheel Size	17" x 8" mm	Rear Wheel Size	17" x 8" mm			
Spare Wheel Size	N/A	Front Wheel Material	Aluminum			
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A			
Steering						
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A			
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m			
Turning Diameter - Wall to Wall	N/A					
Brakes						
Brake Type	Pwr	Brake ABS System	4-Wheel			
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes			
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A			
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A			
Rear Drum Diam x Width	N/A					
Fuel Tank						
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A			
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A			
Dimensions						
Interior Dimensions						
Passenger Capacity	6	Front Head Room	1,092.96 mm			
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm			
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm			
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm			
Second Hip Room	1,530.1 mm					
Exterior Dimensions						
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A			



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.



	4				
(\checkmark	Cor	lan	ete)

Dimensions Exterior Dimensions Length, Overall Width, Max w/o mirrors 5,885.18 mm 2,063.5 mm Height, Overall Overhang, Front N/A 1,917.95 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A 205.49 mm Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear 205.49 mm **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Ext'd Cab Cargo Volume N/A Cargo Volume 1,781.13 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.