


Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$50,498.00

Interior:Jet Black, Leather-appointed front seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, Duramax 3.0L Turbo-Diesel I6


Transmission, 10-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST	\$50,498.00
OPTIONS		
1SP	RST Preferred Equipment Group	\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.
A48	Window, power, rear sliding	Inc.
A50	Seats, front bucket	Inc.
AAK	LPO, All-weather floor liners	Inc.
B1J	Wheelhouse liners, rear	Inc.
C5Z	GVWR, 7200 lbs. (3266 kg)	Inc.
CF5	Sunroof, power	\$1,325.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.
CJ2	Air conditioning, dual-zone automatic climate control	Inc.
CTT	Hitch Guidance	Inc.
CXH	Leather Package	\$995.00
D07	Centre Console, floor-mounted	Inc.
G80	Differential, heavy-duty locking rear	Inc.
GBA	Black	\$0.00
GU5	Rear axle, 3.23 ratio	Inc.
H0Y	Jet Black, Leather-appointed front seat trim	\$0.00




This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	
JHD	Hill Descent Control	Inc.	
JL1	Trailer brake controller, integrated		\$350.00
K05	Engine block heater	Inc.	
K47	Air filter, high-capacity	Inc.	
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
LM2	Engine, Duramax 3.0L Turbo-Diesel I6		\$4,830.00
MCR	USB Ports (Inside Console with bucket seats), 2	Inc.	
MQB	Transmission, 10-speed automatic, electronically controlled	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCH	Convenience Package with Bucket Seats		\$0.00
PCM	Convenience Package II		\$1,895.00
PDU	True North Edition		\$3,380.00
PDZ	Z71 Off-Road and Protection Package		\$2,070.00
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	Inc.	
QDS	Tires, 265/65R18SL all-terrain, white outlined letter		\$195.00
RVS	LPO, Assist steps - 4" Black - round		\$900.00
SFE	LPO, Wheel locks, set of 4		\$80.00
SNR	Seat, Up-level Rear with Storage Package	Inc.	
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UG1	Universal Home Remote	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

UVB	HD Rear Vision Camera	Inc.	
WPQ	Bed Protection Package	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
Z71	Z71 Off-Road Package	Inc.	
Z82	Trailer Package	Inc.	
—	SiriusXM with 360L	Inc.	
—	Battery, heavy-duty 850 cold-cranking amps/95 Amp-hr, maintenance-free	Inc.	
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$500.00
—	Option/package discount		-\$500.00
SUBTOTAL			\$65,518.00
Adjustments Total			\$0.00
Total Tax			\$100.00
Destination Charge			\$1,900.00
TOTAL PRICE			\$67,518.00

FUEL ECONOMY


Est City:10.4 (Est) L/100 km

Est Highway:8.0 (Est) L/100 km

Est Highway Cruising Range:1,136.87 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Standard Equipment

Mechanical

Durabed, pickup bed

Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)

Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine with (NHT) Max Trailering Package.)

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)

Automatic Stop/Start

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine, (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)

Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exterior

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)

Tires, 265/65R18SL all-season, blackwall (STD)

Tire, spare 265/70R17SL all-season, blackwall (STD)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door


Bumper, front (Body-colour.)

Bumper, rear (Body colour.)

CornerStep, rear bumper



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Exterior

Recovery hooks, front, frame-mounted, black

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner

Grille (Body colour bars with high gloss Black mesh inserts.)

Black Bowtie, (front grille)

Headlamps, LED reflector with LED signature Daytime Running Lamps

Fog lamps, front, LED

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel

LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob

Taillamps, LED with signature

Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)

Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)

Glass, deep-tinted

Door handles, body-colour

Tailgate and bed rail protection cap, top

Tailgate, gate function manual with EZ Lift includes power lock and release

Entertainment

Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)

Audio system feature, 6-speaker system

Bluetooth for phone, connectivity to vehicle infotainment system

4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCH) Convenience Package with Bucket Seats.)

Seat trim, Cloth

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual


Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting

Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Interior

Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)

Steering wheel, urethane

Steering wheel audio controls

Steering column, Tilt-Wheel, manual with wheel locking security feature

Steering column, lock control, electrical

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Centre, 4.2" diagonal colour display includes driver personalization

Exterior Temperature Display located in radio display

Compass located in instrument cluster

Rear Seat Reminder

Windows, power front, drivers express up/down

Windows, power front, passenger express down

Windows, power rear, express down

Door locks, power

Remote vehicle starter system

Keyless Open and Start

Cruise control, electronic with set and resume speed, steering wheel-mounted

Theft-deterrent system, unauthorized entry

USB ports, 2 (first row) located on instrument panel

Air conditioning, single-zone manual, semi-automatic

Air vents, rear, heating/cooling

Defogger, rear-window electric

Power outlet, front auxiliary, 12-volt

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted


Power outlet, rear auxiliary, 12-volt

USB ports, dual, charge-only (2nd row)

Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications


Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQB
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Powertrain

Transmission

Fourth Gear Ratio (:1)	1.77
Sixth Gear Ratio (:1)	1.28
Clutch Size	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Power Take Off	N/A
Eighth Gear Ratio (:1)	0.85
Tenth Gear Ratio (:1)	0.64

Fifth Gear Ratio (:1)	1.52
Reverse Ratio (:1)	4.87
Trans Power Take Off	N/A
Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), Low	2.69
Seventh Gear Ratio (:1)	1.00
Ninth Gear Ratio (:1)	0.69

Mileage

EnerGuide Estimate - City	10.4 (Est) L/100 km
Cruising Range - City	874.53 km

EnerGuide Estimate - Hwy	8.0 (Est) L/100 km
Cruising Range - Hwy	1,136.87 km

Engine

Engine Order Code	LM2
Displacement	3.0L/-TBD-
SAE Net Horsepower @ RPM	277 @ 3750
Engine Oil Cooler	N/A

Engine Type	Turbocharged Diesel I6
Fuel System	N/A
SAE Net Torque @ RPM	460 @ 1500

Electrical

Cold Cranking Amps @ 0° F (Primary)	850
Maximum Alternator Capacity (amps)	220

Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----


Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	252 (Est)
--------------------------------------	-----	-----------------------	-----------



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Chassis

Weight Information

Standard Weight - Front	7.71 kg	Standard Weight - Rear	6.8 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	133.81 kg	Option Weight - Rear	124.74 kg
Reserve Axle Capacity - Front	294.39 kg	Reserve Axle Capacity - Rear	695.82 kg
As Spec'd Curb Weight	2,457.15 kg	As Spec'd Payload	808.77 kg
Maximum Payload Capacity	1,081.84 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	990.21 kg	Total Option Weight	258.55 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,265.92 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,218.48 kg	Wt Distributing Hitch - Max Tongue Wt.	421.85 kg
Maximum Trailering Capacity	5,443.2 kg		

Frame


Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Chassis

Tires

Front Tire Order Code	QDS	Rear Tire Order Code	QDS
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	18.5" x 8.5" mm	Rear Wheel Size	18.5" x 8.5" mm
Spare Wheel Size	17" x 8" mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		

Brakes


Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Dimensions

Interior Dimensions

Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		

Exterior Dimensions

Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11462. Data Updated: 14-Jan-2020 10:50:00 PST PM.