

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ

MSRP:\$57,698.00

Interior: Jet Black, Perforated Leather-appointed front seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, Duramax 3.0L Turbo-Diesel I6

Transmission, 10-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ		\$57,698.00
	OPTIONS		
1LZ	LTZ Preferred Equipment Group		\$0.00
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket	Inc.	
AAK	LPO, All-weather floor liners	Inc.	
C5Z	GVWR, 7200 lbs. (3266 kg)	Inc.	
CF5	Sunroof, power	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
CWM	Technology Package		\$2,750.00
D07	Centre Console, floor-mounted	Inc.	
DQS	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass	i	\$300.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
GAZ	Summit White		\$0.00
GU5	Rear axle, 3.23 ratio		\$0.00
H1Y	Jet Black, Perforated Leather-appointed front seat trim		\$0.00
HS1	Safety Alert Seat	Inc.	
IOT	Audio System, Chevrolet Infotainment 3 Premium system with connected Navigation	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



JHD	Hill Descent Control	Inc.	
K05	Engine block heater	Inc.	
K47	Air filter, high-capacity	Inc.	
K4C	Wireless Charging	Inc.	
KA6	Seats, heated second row outboard seats	Inc.	
KQV	Seats, ventilated driver and front passenger	Inc.	
KSG	Adaptive Cruise Control - Camera	Inc.	
LM2	Engine, Duramax 3.0L Turbo-Diesel I6		\$3,245.00
MCZ	USB ports, 2 (first row) located on instrument panel	Inc.	
MQB	Transmission, 10-speed automatic, electronically controlled	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCN	LTZ Convenience Package II	Inc.	
PCZ	LTZ Convenience Package	Inc.	
PDJ	Safety Package II	Inc.	
PDK	LTZ Premium Package		\$8,900.00
PDZ	Z71 Off-Road and Protection Package		\$1,885.00
PQB	Safety Package	Inc.	
QAE	Tires, 275/60R20SL all-terrain, blackwall	Inc.	
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
QT6	Tailgate, gate function power up/down	Inc.	
RD2	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Polished finish	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$180.00
TQ5	IntelliBeam, automatic high beam on/off	Inc.	
UD5	Front and Rear Park Assist, Ultrasonic	Inc.	
UE4	Following Distance Indicator	Inc.	
UEU	Forward Collision Alert	Inc.	
UFG	Rear Cross Traffic Alert	Inc.	
UG1	Universal Home Remote	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



UHS	3	Driver Information Centre, enhanced, 8" diagonal multi-colour digital display	Inc.	
UHX	(Lane Keep Assist with Lane Departure Warning	Inc.	
UHY	′	Automatic Emergency Braking	Inc.	
UKC	;	Lane Change Alert with Side Blind Zone Alert	Inc.	
UKJ		Front Pedestrian Braking	Inc.	
UQA	A	Bose Sound System, premium 7-speaker system	Inc.	
UV6	i	Multicolour 15" Diagonal Head-Up Display	Inc.	
UVN	I	Bed View Camera	Inc.	
UVS	3	HD Surround Vision with Two Trailer Camera Provisions	Inc.	
VQk	<	LPO, Moulded splash guards, Black		\$215.00
VXH	I	LPO, Assist steps, chromed tubular, 6" rectangular		\$900.00
Z71		Z71 Off-Road Package	Inc.	
		Battery, heavy-duty 850 cold-cranking amps/95 Amp-hr, maintenance-free	Inc.	
		Federal air conditioning excise tax		\$100.00
		Option/package discount		-\$1,000.00
		Option/package discount		-\$500.00
		SUBTOTAL		\$74,653.00
		Adjustments Total		\$0.00
		Total Tax		\$100.00
		Destination Charge		\$1,900.00
		TOTAL PRICE		\$76,653.00
FUEL FO	ONORW			

FUEL ECONOMY

Est City:10.4 (Est) L/100 km

Est Highway:8.0 (Est) L/100 km

Est Highway Cruising Range:1,136.87 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





Standard Equipment

Standard Equ	upment
Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm), featuring all -new Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.23 ratio
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (NHT) Max Trailering Package, (LM2) Duramax 3.0L Turbo Diesel I6 engine or (VYU) Snow Plow Prep Package.)
	Trailer brake controller, integrated
	Hitch Guidance
	Hitch Guidance with hitch view
	Advanced Trailering System includes checklist, trailer maintenance reminders, trailer security alerts, trailer mileage, tow/haul reminder, trailer electrical diagnostics and Trailer Tire Pressure Monitor System module
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	D. L. A. L. L. C. L. A. L. L. E. C. BUDANEE



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.

17-Jan-2020 Page 4

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors



	Complete	,
	O 0p.o.o	1

Mechanical	
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)
	Tires, 265/65R18SL all-season, blackwall (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black (Included with 4WD models.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Grille (Chrome bars with high gloss Black mesh and Chrome inserts.)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, chrome
	Glass, deep-tinted
	Door handles, chrome
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release (Upgraded to (QT6) Power up and down tailgate when (PCZ) LTZ Convenience Package is ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





Entertainment	
	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Dealer upgradeable to embedded navigation. Subscription required for enhanced and connected services after trial period. (STD)
	Radio, HD
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Engine a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCZ) LTZ Convenience Package, (PDF) LTZ Plus Package or (PDK) LTZ Premium Package.)
	Seat trim, Perforated leather-appointed front
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width under-seat storage, (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, leather-wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, manual tilt and telescoping



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





Interior	
	Steering column, lock control, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express up/down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	USB Ports (Instrument Panel with bench seat), 2 also includes 1 SD card reader (first row) (With (PCZ) LTZ Convenience Package the USB ports move inside the console and include an auxiliary jack.)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Power outlet, front auxiliary, 12-volt
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

HD Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQB
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.87



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



	4	
(\	Complete
١		Complete

owertrain			
Fransmission			
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.64		
Mileage			
EnerGuide Estimate - City	10.4 (Est) L/100 km	EnerGuide Estimate - Hwy	8.0 (Est) L/100 k
Cruising Range - City	874.53 km	Cruising Range - Hwy	1,136.87 km
Engine			
Engine Order Code	LM2	Engine Type	Turbocharged Diesel I6
Displacement	3.0L/-TBD-	Fuel System	N/A
SAE Net Horsepower @ RPM	277 @ 3750	SAE Net Torque @ RPM	460 @ 1500
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	850	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	252 (Est)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





Chassis **Weight Information** Standard Weight - Front 15.88 kg Standard Weight - Rear 30.84 kg Gross Axle Wt Rating - Front 1,723.68 kg Gross Axle Wt Rating - Rear 1,723.68 kg Curb Weight - Front 1,287.77 kg Curb Weight - Rear 896.31 kg Option Weight - Front 155.58 kg Option Weight - Rear 113.4 kg Reserve Axle Capacity - Front 264.45 kg Reserve Axle Capacity - Rear 683.12 kg As Spec'd Curb Weight 2,499.79 kg As Spec'd Payload 766.13 kg Maximum Payload Capacity 1,081.84 kg **Gross Combined Wt Rating** 6,804 kg Gross Axle Weight Rating 3,447.36 kg Curb Weight 2,184.08 kg **Total Option Weight** Reserve Axle Capacity 947.57 kg 268.98 kg Payload Weight Front Payload Weight Rear 0 kg 0 kg Gross Vehicle Weight Rating 3,265.92 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 2,268 kg 226.8 kg Wt Distributing Hitch - Max Trailer Wt. 4,218.48 kg Wt Distributing Hitch - Max Tongue Wt. 421.85 kg Maximum Trailering Capacity 5,443.2 kg **Frame** Frame Type N/A Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Suspension Type - Rear N/A N/A Spring Capacity - Front N/A Spring Capacity - Rear N/A Axle Type - Front N/A Axle Type - Rear N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A 3.23 3.23 Axle Ratio (:1) - Front Axle Ratio (:1) - Rear Shock Absorber Diameter - Front 50.0 mm 50.0 mm Shock Absorber Diameter - Rear Stabilizer Bar Diameter - Front Stabilizer Bar Diameter - Rear N/A 33.02 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



(🎺 Comple

Chassis			
Tires			
Front Tire Order Code	QAE	Rear Tire Order Code	QAE
Spare Tire Order Code	QAQ	Front Tire Size	275/60R20SL
Rear Tire Size	275/60R20SL	Spare Tire Size	255/80R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	20" x 9" mm	Rear Wheel Size	20" x 9" mm
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





Dimensions Interior Dimensions Passenger Capacity 5 Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm **Exterior Dimensions** Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 2,063.5 mm 5,885.18 mm Width, Max w/o mirrors Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A 205.49 mm Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear 0 m 205.49 mm Body Length N/A Cab to Body **Cargo Area Dimensions** Cargo Box Length @ Floor Cargo Box Width @ Top, Rear N/A 1,775.97 mm Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm 568.96 mm Cargo Box (Area) Height Tailgate Width N/A Cargo Volume 1,781.13 L Ext'd Cab Cargo Volume N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.