

# **Window Sticker**

#### **SUMMARY**

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$50,498.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

### **OPTIONS**

CODE	MODEL		MSRP
CK10543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST		\$50,498.00
	OPTIONS		
1SP	RST Preferred Equipment Group		\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.	
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket	Inc.	
AAK	LPO, All-weather floor liners	Inc.	
B1J	Wheelhouse liners, rear	Inc.	
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
CTT	Hitch Guidance	Inc.	
D07	Centre Console, floor-mounted	Inc.	
G80	Differential, heavy-duty locking rear	Inc.	
G9K	Satin Steel Metallic		\$495.00
GU5	Rear axle, 3.23 ratio		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	
JHD	Hill Descent Control	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



JL1	Trailer brake controller, integrated		\$350.00
K05	Engine block heater		\$195.00
K47	Air filter, high-capacity	Inc.	<b>4.00.00</b>
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,845.00
MCR	USB Ports (Inside Console with bucket seats), 2	Inc.	
MQE	Transmission, 8-speed automatic, electronically controlled	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCH	Convenience Package with Bucket Seats		\$0.00
PCM	Convenience Package II		\$1,895.00
PDU	True North Edition		\$3,380.00
PDZ	Z71 Off-Road and Protection Package		\$2,070.00
QAE	Tires, 275/60R20SL all-terrain, blackwall		\$0.00
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
R70	Seat, Cloth Rear with Storage Package	Inc.	
RD4	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Painted aluminum		\$1,395.00
RVS	LPO, Assist steps - 4" Black - round		\$900.00
SFE	LPO, Wheel locks, set of 4		\$80.00
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UG1	Universal Home Remote	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



UQA	Bose Sound System, premium 7-speaker system	Inc.	
UVB	HD Rear Vision Camera	Inc.	
WPQ	Bed Protection Package	Inc.	
Z71	Z71 Off-Road Package	Inc.	
Z82	Trailering Package	Inc.	
	SiriusXM with 360L	Inc.	
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$500.00
	Option/package discount		-\$500.00
	SUBTOTAL		\$62,103.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$64,103.00

## **FUEL ECONOMY**

Est City:14.7 L/100 km

Est Highway:10.7 L/100 km

Est Highway Cruising Range:850 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





# **Standard Equipment**

Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)
	Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine with (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine, (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)
	Tires, 265/65R18SL all-season, blackwall (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body colour.)
	CornerStep, rear bumper



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





Exterior	
	Recovery hooks, front, frame-mounted, black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Body colour bars with high gloss Black mesh inserts.)
	· · · · · · · · · · · · · · · · · · ·
	Black Bowtie, (front grille)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
	Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCH) Convenience Package with Bucket Seats.)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



✓ Complete	
------------	--

Interior	
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering wheel audio controls
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Steering column, lock control, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	USB ports, 2 (first row) located on instrument panel
	Air conditioning, single-zone manual, semi-automatic
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.





## Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

#### Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

## **Safety-Interior**

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

#### Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

#### WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

# **Technical Specifications**

## **Powertrain**

#### **Transmission**

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



owertrain			
ransmission			
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
<b>f</b> ileage			
EnerGuide Estimate - City	14.7 L/100 km	EnerGuide Estimate - Hwy	10.7 L/100 ki
Cruising Range - City	618.71 km	Cruising Range - Hwy	850 km
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injecti
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	303



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



hassis			
eight Information			
Standard Weight - Front	5.9 kg		Standard Weight - Rear
Gross Axle Wt Rating - Front	1,723.68 kg		Gross Axle Wt Rating - Rear
Curb Weight - Front	1,287.77 kg		Curb Weight - Rear
Option Weight - Front	83.92 kg		Option Weight - Rear
Reserve Axle Capacity - Front	346.1 kg		Reserve Axle Capacity - Rear
As Spec'd Curb Weight	2,363.71 kg		As Spec'd Payload
Maximum Payload Capacity	1,036.48 kg	(	Gross Combined Wt Rating
Gross Axle Weight Rating	3,447.36 kg	Curb W	Veight
Reserve Axle Capacity	1,083.65 kg	Total Option	Weight
Payload Weight Front	0 kg	Payload Weight	Rear
Gross Vehicle Weight Rating	3,220.56 kg		
- - - - - - - -			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - M	av Tongue Wt
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - N	-
Maximum Trailering Capacity	5,443.2 kg		iax rongue vvi.
Maximum Trailering Capacity	5,440.2 Ng		
rame			
Frame Type	N/A	Sect Modulus Rails Only	
Frame RBM	N/A	Frame Strength	
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	
Spring Capacity - Front	N/A	Spring Capacity - Rear	
Axle Type - Front	N/A	Axle Type - Rear	
Axle Capacity - Front	N/A	Axle Capacity - Rear	
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.



ssis			
res			
Front Tire Order Code	QAE	Rear Tire Order Code	QAE
Spare Tire Order Code	QAQ	Front Tire Size	275/60R20S
Rear Tire Size	275/60R20SL	Spare Tire Size	255/80R17S
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
neels			
Front Wheel Size	20" x 9" mm	Rear Wheel Size	20" x 9" mr
Spare Wheel Size	17" x 8" mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
eering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		
akes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A



**Fuel Tank Location** 

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.

Aux Fuel Tank Location

N/A

17-Jan-2020 Page 10

N/A



reflicte. [Netall] 2020 Cheviolet Sliverado 1300 (CN 10343) 4WD Crew Cab 147 NS1 ( Complete)				
imensions				
Interior Dimensions				
Passenger Capacity	5	Front Head Room	1,092.96 mm	
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm	
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm	
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm	
Second Hip Room	1,530.1 mm			
Exterior Dimensions				
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A	
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm	
Height, Overall	1,917.95 mm	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A	
Cab to Axle	N/A	Cab to End of Frame	N/A	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A	
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm	
Ground Clearance, Rear	205.49 mm	Body Length	0 m	
Cab to Body	N/A			
Cargo Area Dimensions				
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm	
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A	



Cargo Volume

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11478. Data Updated: 16-Jan-2020 11:16:00 PST PM.

Ext'd Cab Cargo Volume

N/A

17-Jan-2020 Page 11

1,781.13 L