



Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Equinox (1XR26) FWD 4dr LT w/1LT

MSRP:\$29,298.00

\$100.00

Interior: Jet Black, Premium cloth seat trim

Exterior 1:Silver Ice Metallic

Exterior 2:No colour has been selected.

Engine, 1.5L Turbo DOHC 4-cylinder, SIDI, VVT

Transmission, 6-speed automatic, electronically-controlled with overdrive

Total Tax

OPTIONS

OPTIONS		
CODE	MODEL	MSRP
1XR26	[Retail] 2020 Chevrolet Equinox (1XR26) FWD 4dr LT w/1LT	\$29,298.00
	OPTIONS	
1LT	LT Preferred Equipment Group	\$0.00
5CX	Tires, P225/65R17 all-season blackwall	\$0.00
AR9	Seats, front bucket	\$0.00
FJM	Axle, 3.50 final drive ratio	\$0.00
GAN	Silver Ice Metallic	\$0.00
H1T	Jet Black, Premium cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo.	\$0.00
LYX	Engine, 1.5L Turbo DOHC 4-cylinder, SIDI, VVT	\$0.00
MNH	Transmission, 6-speed automatic, electronically-controlled with overdrive	\$0.00
RSB	Wheels, 17" (43.2 cm) aluminum	\$0.00
SFE	LPO, Wheel locks	\$80.00
SFZ	LPO, Black bowtie emblems, front and rear	\$240.00
VQK	LPO, Rear splash guards, custom moulded	\$120.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$29,738.00
	Adjustments Total	\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.



Destination Charge \$1,900.00

TOTAL PRICE \$31,738.00

FUEL ECONOMY

Est City:8.9 L/100 km

Est Highway: 7.7 L/100 km

Est Highway Cruising Range:732.09 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.





Standard Equipment

Standard Equip	unent
Package	
	Driver Confidence Package includes (UHY) Automatic Emergency Braking, (UEU) Forward Collision Alert, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking and (TQ5) IntelliBeam headlamps
Mechanical	
	Engine, 1.5L Turbo DOHC 4-cylinder, SIDI, VVT (170 hp [127.0 kW] @ 5600 rpm, 203 lb-ft of torque [275.0 N-m] @ 2000 - 4000 rpm) (STD)
	Transmission, 6-speed automatic, electronically-controlled with overdrive includes Driver Shift Control (STD)
	Axle, 3.50 final drive ratio (FWD only.)
	Fuel, gasoline, E15
	Engine control, stop-start system
	Driver Shift Controls
	Front-wheel drive
	Keyless Start, push-button
	Suspension, front MacPherson strut
	Suspension, rear 4-link
	GVWR, 4464 lbs. (2025 kg) (FWD only.)
	Brakes, 4-wheel antilock, 4-wheel disc 16" front and rear
	Brake, electronic parking
	Brake lining, high-performance, noise and dust performance
	Exhaust, single outlet
	Mechanical jack with tools
Exterior	
	Wheels, 17" (43.2 cm) aluminum (STD)
	Tires, P225/65R17 all-season blackwall (STD) (FWD only.)
	Wheel, spare, 16" (40.6 cm) steel
	Tire, compact spare, T135/70R16 blackwall
	Trim, Bright lower window
	Active Aero Shutters



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.

20-Jan-2020 Page 3

Headlamps, high intensity discharge

Headlamp control, automatic on and off with automatic delay



Exterior	
	Headlamp control, IntelliBeam auto high beam
	Glass, acoustic, laminated windshield
	Glass, deep-tinted, rear
	Mirror caps, body-colour
	Mirrors, outside heated power-adjustable, manual-folding
	Liftgate, rear manual
	Door handles, body-colour
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	Noise control system, active noise cancellation
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Antenna, roof-mounted (Black.)
	Bluetooth for phone personal cell phone connectivity to vehicle audio system (Go to my.chevrolet.com/learn to find out which phones are compatible with the vehicle.)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket (STD)
	Seat trim, Premium Cloth
	Seats, heated driver and front passenger
	Seat adjuster, driver 8-way power with 2-way power lumbar
	Seat adjuster, 2-way power driver lumbar control
	Seat adjuster, front passenger 4-way manual
	Seat, rear split-folding with centre armrest
	Head restraints, 2-way adjustable (up/down), front
	Seat release levers, 2nd row mechanical release levers in cargo area



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.



Interior	
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering wheel, 3-spoke, deluxe
	Steering column, tilt and telescoping
	Steering wheel controls, audio, phone interface and driver information centre controls
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, multi-colour
	Window, power with driver Express-Up and Down
	Window, power with front passenger Express-Down
	Windows, power, rear with Express-Down
	Door locks, power with lock-out protection
	Keyless Open includes extended range Remote Keyless Entry with lock/unlock feature
	Remote Start
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, unauthorized entry
	Remote panic alarm
	USB ports, 2, with auxiliary input jack located in front centre stack storage area
	Power outlet, front auxiliary, 12-volt
	USB charging-only ports, 2, located in the rear of the floor console
	Air conditioning, semi-automatic, single-zone
	Defogger, rear-window electric
	Mirror, inside rearview manual day/night
	Sunglass storage, overhead
	Visors, driver and front passenger illuminated vanity mirrors, covered
	Assist handle, driver
	Assist handle, front passenger
	Assist handles, rear outboard
	Map pocket, driver seatback
	Map pocket, front passenger seatback
	Shift lever, chrome-trimmed



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.



Interior	
	Power outlet, cargo area auxiliary, 12-volt
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	StabiliTrak, stability control system with Traction Control
Safety-Exterior	
	Daytime Running Lamps, separate cavity, LED
Safety-Interior	
	Airbags, dual-stage, frontal, driver and right front passenger with Passenger Sensing System, thorax side-impact, seat mounted, driver and right front passenger, roof-rail, side front and rear outboard seating positions
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Forward Collision Alert
	Following Distance Indicator
	Front Pedestrian Braking
	Lane Keep Assist with Lane Departure Warning
	Door locks, rear child security, manual
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitor, manual learn with Tire Fill Alert (Does not apply to spare tire.)
	Horn, dual-note



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.





WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

_				
Tra	nsi	ทเร	SIO	n

Drivetrain	Front Wheel Drive	Trans Order Code	MNH
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.584
Second Gear Ratio (:1)	2.964	Third Gear Ratio (:1)	1.912
Fourth Gear Ratio (:1)	1.446	Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.746	Reverse Ratio (:1)	2.94
Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.50
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A

Mileage

EnerGuide Estimate - City	8.9 L/100 km	EnerGuide Estimate - Hwy	7.7 L/100 km
Cruising Range - City	633.39 km	Cruising Range - Hwy	732.09 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A		

Engine

Engine Order Code	LYX	Engine Type	Turbocharged Gas I4
Displacement	1.5L/92	Fuel System	Direct Injection



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.



Powertrain			
Engine			
SAE Net Horsepower @ RPM	170 @ 5600	SAE Net Torque @ RPM	203 @ 2000-400
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	196
Vehicle			
EPA Classification	2WD Sport Utility Vehicle		
Chassis			
Weight Information			
Base Curb Weight	1,508.22 kg	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Curb Weight	N/A
Total Option Weight	0 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	680.4 kg	Dead Weight Hitch - Max Tongue Wt.	68.04 kg
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		
Suspension			
Suspension Type - Front	MacPherson strut	Suspension Type - Rear	Four-Link
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.



es			
Front Tire Order Code	5CX	Rear Tire Order Code	5CX
Spare Tire Order Code	RJA	Front Tire Size	P225/65R17
Rear Tire Size	P225/65R17	Spare Tire Size	T135/70R16
/heels			
Front Wheel Size	431.8 x -TBD- mm	Rear Wheel Size	431.8 x -TBD- mm
Spare Wheel Size	406.4 x -TBD - mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	11.4 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	56.4 L	Aux Fuel Tank Capacity, Approx	N/A
mensions			
terior Dimensions			
Passenger Capacity	5	Passenger Volume	N/A
Front Hood Doom	1,016 mm	Front Leg Room	1,038.86 mm
Front Head Room			
Front Shoulder Room	1,452.88 mm	Front Hip Room	1,376.68 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.



Dimensions			
Interior Dimensions			
Second Shoulder Room	1,409.7 mm	Second Hip Room	1,313.18 mm
Exterior Dimensions			
Wheelbase	2,725.42 mm	Length, Overall	4,650.74 mm
Width, Max w/o mirrors	1,844.04 mm	Height, Overall	1,661.16 mm
Track Width, Front	1,579.88 mm	Track Width, Rear	1,579.88 mm
Min Ground Clearance	N/A	Rear Door Opening Height	N/A
Rear Door Opening Width	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Cargo Area Length @ Floor to Seat 1	N/A	Cargo Area Length @ Floor to Seat 2	N/A
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	N/A
Cargo Volume to Seat 1	1,809.45 L	Cargo Volume to Seat 2	846.68 L
Cargo Volume to Seat 3	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11502. Data Updated: 19-Jan-2020 10:25:00 PST PM.