


Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck

MSRP:\$35,198.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 4.3L EcoTec3 V6


Transmission, 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10903	[Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck	\$35,198.00
OPTIONS		
1WT	Work Truck Preferred Equipment Group	\$0.00
A52	Seats, front 40/20/40 split-bench	\$0.00
AED	Windows, power front, passenger express down	Inc.
AKO	Glass, deep-tinted	Inc.
AQQ	Remote Keyless Entry, with 2 transmitters	Inc.
AU3	Door locks, power	Inc.
AXG	Windows, power front, drivers express up/down	Inc.
C49	Defogger, rear-window electric	Inc.
C5H	GVWR, 6900 lbs. (3130 kg)	\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	\$600.00
CTT	Hitch Guidance	Inc.
DLF	Mirrors, outside heated power-adjustable	Inc.
E63	Durabed, pickup bed	\$0.00
G80	Differential, heavy-duty locking rear	\$450.00
GBA	Black	\$0.00
GU6	Rear axle, 3.42 ratio	\$0.00
H1T	Jet Black, Cloth seat trim	\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo		\$0.00
K05	Engine block heater		\$195.00
K34	Cruise control, electronic	Inc.	
LV3	Engine, 4.3L EcoTec3 V6		\$0.00
MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
PCV	WT Convenience Package	Inc.	
PEB	WT Value Package		\$2,560.00
Q5U	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum		\$405.00
QBN	Tires, 255/70R17 all-season, blackwall		\$0.00
QBR	Tire, spare 255/70R17 all-season, blackwall		\$0.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
UF2	LED Cargo Area Lighting		\$150.00
Z82	Trailer Package	Inc.	
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$500.00
SUBTOTAL			\$39,138.00
Adjustments Total			\$0.00
Total Tax			\$100.00
Destination Charge			\$1,900.00
TOTAL PRICE			\$41,138.00

FUEL ECONOMY

Est City:15.7 L/100 km

Est Highway:12.0 L/100 km

Est Highway Cruising Range:882.77 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Standard Equipment

Mechanical

Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)

Rear axle, 3.42 ratio

Durabed, pickup bed (STD)

GVWR, 6900 lbs. (3130 kg) (STD) (Regular Cab model requires 4WD.)

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Four wheel drive

Cooling, external engine oil cooler

Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)

Alternator, 170 amps

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

Tires, 255/70R17 all-season, blackwall (STD)

Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumper, front, Black (semi-gloss)

Bumper, rear, Black (semi-gloss)


CornerStep, rear bumper

Recovery hooks, front, frame-mounted, black (Included with 4WD models.)

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

Exterior

Grille (Black bars and mesh inserts.)

Headlamps, halogen reflector with halogen Daytime Running Lamps

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel

Taillamps, with incandescent tail, stop and reverse lights

Mirrors, outside manual, Black

Glass, solar absorbing, tinted

Door handles, Black

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package is ordered.)

Tailgate, gate function manual no EZ lift

Entertainment

Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)

Audio system feature, 2-speaker (Requires Regular Cab model.)

Bluetooth for phone, connectivity to vehicle infotainment system

Interior

Seats, front 40/20/40 split-bench (STD)

Seat trim, Vinyl

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Floor covering, rubberized-vinyl (Not available with LPO floor liners.)

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Centre, 3.5" diagonal monochrome display


Exterior Temperature Display located in radio display

Windows, manual (Requires Regular Cab model.)

Door locks, manual (Requires Regular Cab model.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

Interior

USB port, located on instrument panel

Air conditioning, single-zone

Power outlet, front auxiliary, 12-volt

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000


Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MYC
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		

Mileage

EnerGuide Estimate - City	15.7 L/100 km	EnerGuide Estimate - Hwy	12.0 L/100 km
Cruising Range - City	674.73 km	Cruising Range - Hwy	882.77 km

Engine

Engine Order Code	LV3	Engine Type	Gas V6
Displacement	4.3L/262	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	285 @ 5300	SAE Net Torque @ RPM	305 @ 3900
Engine Oil Cooler	N/A		

Electrical


Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	331
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,266.45 kg	Curb Weight - Rear	811.94 kg
Option Weight - Front	-2.72 kg	Option Weight - Rear	23.13 kg
Reserve Axle Capacity - Front	459.95 kg	Reserve Axle Capacity - Rear	888.6 kg
As Spec'd Curb Weight	2,098.81 kg	As Spec'd Payload	1,031.03 kg
Maximum Payload Capacity	1,051.44 kg	Gross Combined Wt Rating	5,806.08 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,078.4 kg
Reserve Axle Capacity	1,348.55 kg	Total Option Weight	20.41 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,129.84 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,492.72 kg	Wt Distributing Hitch - Max Tongue Wt.	349.27 kg
Maximum Trailering Capacity	4,445.28 kg		

Frame

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

Chassis

Suspension

Axle Capacity - Front	N/A
Axle Ratio (:1) - Front	3.42
Shock Absorber Diameter - Front	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm

Axle Capacity - Rear	N/A
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QBN
Spare Tire Order Code	QBR
Rear Tire Size	255/70R17
Front Tire Capacity	N/A
Spare Tire Capacity	N/A
Revolutions/Mile @ 45 mph - Rear	N/A

Rear Tire Order Code	QBN
Front Tire Size	255/70R17
Spare Tire Size	255/70R17
Rear Tire Capacity	N/A
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17" x 8" mm
Spare Wheel Size	N/A
Rear Wheel Material	Aluminum

Rear Wheel Size	17" x 8" mm
Front Wheel Material	Aluminum
Spare Wheel Material	N/A

Steering

Steering Type	Electric Rack & Pinion
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Wall to Wall	N/A

Steering Ratio (:1), On Centre	N/A
Turning Diameter - Curb to Curb	13.59 m


Brakes

Brake Type	Pwr
Brake ABS System (Second Line)	N/A
Disc - Rear (Yes or)	Yes
Rear Brake Rotor Diam x Thickness	N/A
Rear Drum Diam x Width	N/A

Brake ABS System	4-Wheel
Disc - Front (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A
Drum - Rear (Yes or)	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck ( Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	106 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	1,094.99 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,677.92 mm
Front Hip Room	1,546.86 mm	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		

Exterior Dimensions

Wheelbase	3,544.82 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,829.3 mm	Width, Max w/o mirrors	2,060.96 mm
Height, Overall	1,921 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	208.79 mm
Ground Clearance, Rear	208.79 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	2,493.77 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	2,523.04 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11533. Data Updated: 23-Jan-2020 11:51:00 PST PM.