



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (Complete)

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom MSRP:\$44,798.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 2.7L Turbo

Transmission, 8-speed automatic, electronically controlled

OPTIONS

| CODE | MODEL | MSRP |
|----------------|---|-------------|
| CK10543 | [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom | \$44,798.00 |
| OPTIONS | | |
| 1CX | Custom Preferred Equipment Group | \$0.00 |
| AE7 | Seats, front 40/20/40 split-bench | \$25.00 |
| BTV | Remote vehicle starter system | Inc. |
| C49 | Defogger, rear-window electric | Inc. |
| C4P | Air conditioning, single-zone manual, semi-automatic | \$115.00 |
| C5W | GVWR, 7000 lbs. (3175 kg) | \$0.00 |
| CTT | Hitch Guidance | Inc. |
| G80 | Differential, heavy-duty locking rear | Inc. |
| GAZ | Summit White | \$0.00 |
| GU6 | Rear axle, 3.42 ratio | \$0.00 |
| H1T | Jet Black, Cloth seat trim | \$0.00 |
| IOR | Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo | \$0.00 |
| JL1 | Trailer brake controller, integrated | Inc. |
| K05 | Engine block heater | Inc. |
| KC9 | Power outlet, bed mounted, 120-volt | Inc. |
| KI4 | Power outlet, instrument panel, 120-volt | \$275.00 |
| KL9 | Automatic Stop/Start | Inc. |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (✔ Complete)

| | | | |
|-----|--|------|-------------|
| KW5 | Alternator, 220 amps | Inc. | |
| L3B | Engine, 2.7L Turbo | | \$0.00 |
| MQE | Transmission, 8-speed automatic, electronically controlled | Inc. | |
| NZP | Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum | | \$0.00 |
| PCP | Custom 2.7L Value Package | | \$2,995.00 |
| PCX | Custom Convenience Package | Inc. | |
| PDX | Custom Value Package | Inc. | |
| QAB | Tires, 275/60R20 all-season, blackwall | | \$0.00 |
| QT5 | Tailgate, gate function manual with EZ Lift | Inc. | |
| SFE | LPO, Wheel locks, set of 4 | | \$80.00 |
| U2K | SiriusXM | Inc. | |
| UE1 | OnStar and Chevrolet connected services capable | Inc. | |
| UF2 | LED Cargo Area Lighting | Inc. | |
| UTJ | Theft-deterrent system, unauthorized entry | Inc. | |
| VV4 | 4G LTE Wi-Fi Hotspot capable | Inc. | |
| Z82 | Trailer Package | Inc. | |
| ZLA | Infotainment Package | Inc. | |
| --- | Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free | Inc. | |
| --- | Compass | Inc. | |
| --- | Chevrolet Connected Access capable | Inc. | |
| --- | Federal air conditioning excise tax | | \$100.00 |
| --- | Option/package discount | | -\$1,000.00 |

| | |
|--------------------|--------------------|
| SUBTOTAL | \$47,288.00 |
| Adjustments Total | \$0.00 |
| Total Tax | \$100.00 |
| Destination Charge | \$1,900.00 |
| TOTAL PRICE | \$49,288.00 |

FUEL ECONOMY

Est City:12.5 L/100 km

Est Highway:10.8 L/100 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom ( Complete)

Est Highway Cruising Range:842.13 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom ( Complete)

Standard Equipment

Mechanical

Durabed, pickup bed

Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)

Rear axle, 3.42 ratio

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine or (L3B) 2.7L Turbo engine.)

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Four wheel drive

Cooling, external engine oil cooler (Not available with (L3B) 2.7L Turbo engine.)

Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)

Alternator, 170 amps

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.)

Exterior

Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum (STD)

Tires, 275/60R20 all-season, blackwall (STD)

Tire, spare 255/80R17SL all-season, blackwall

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumper, front (Body-colour.)

Bumper, rear (Body colour.)

CornerStep, rear bumper

Recovery hooks, front, frame-mounted, black

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (✔ Complete)

Exterior

- Grille (Body colour bars with black mesh inserts.)
- Headlamps, halogen reflector with halogen Daytime Running Lamps
- Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
- Taillamps, LED with signature
- Mirrors, outside heated power-adjustable
- Glass, deep-tinted
- Door handles, Black
- Tailgate and bed rail protection cap, top
- Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)
- Tailgate, gate function manual no EZ lift
- LPO, Polished exhaust tip (dealer-installed) (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)

Entertainment

- Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
- Audio system feature, 6-speaker system
- Bluetooth for phone, connectivity to vehicle infotainment system

Interior

- Seats, front 40/20/40 split-bench (STD)
- Seat trim, Cloth
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, colour-keyed carpeting
- Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
- Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
- Steering wheel, urethane
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (Complete)

Interior

- Driver Information Centre, 3.5" diagonal monochrome display
- Exterior Temperature Display located in radio display
- Rear Seat Reminder
- Windows, power front, drivers express up/down
- Windows, power front, passenger express down
- Windows, power rear, express down
- Door locks, power
- Remote Keyless Entry, with 2 transmitters
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- USB port, located on instrument panel
- Air conditioning, single-zone
- Air vents, rear, heating/cooling
- Power outlet, front auxiliary, 12-volt
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



ONTARIO MOTOR SALES

— CHEVROLET CADILLAC —


Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (✔ Complete)

WARRANTY

Basic Years: 3
Basic Miles/km: 60,000
Drivetrain Years: 5
Drivetrain Miles/km: 100,000
Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 160,000
Corrosion Miles/km: 60,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 100,000
Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom ( Complete)

Technical Specifications

Powertrain

Transmission

| | | | |
|-------------------------------------|------------------|------------------------------------|-----------|
| Drivetrain | Four Wheel Drive | Trans Order Code | MQE |
| Trans Type | 8 | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | 4.56 |
| Second Gear Ratio (:1) | 2.97 | Third Gear Ratio (:1) | 2.08 |
| Fourth Gear Ratio (:1) | 1.69 | Fifth Gear Ratio (:1) | 1.27 |
| Sixth Gear Ratio (:1) | 1.00 | Reverse Ratio (:1) | 3.82 |
| Clutch Size | N/A | Trans Power Take Off | N/A |
| Final Drive Axle Ratio (:1) | N/A | Transfer Case Model | N/A |
| Transfer Case Gear Ratio (:1), High | 1.00 | Transfer Case Gear Ratio (:1), Low | N/A |
| Transfer Case Power Take Off | N/A | Seventh Gear Ratio (:1) | 0.85 |
| Eighth Gear Ratio (:1) | 0.65 | | |

Mileage

| | | | |
|---------------------------|---------------|--------------------------|---------------|
| EnerGuide Estimate - City | 12.5 L/100 km | EnerGuide Estimate - Hwy | 10.8 L/100 km |
| Cruising Range - City | 727.6 km | Cruising Range - Hwy | 842.13 km |

Engine

| | | | |
|--------------------------|------------|----------------------|---------------------|
| Engine Order Code | L3B | Engine Type | Turbocharged Gas I4 |
| Displacement | 2.7L/166 | Fuel System | Direct Injection |
| SAE Net Horsepower @ RPM | 310 @ 5600 | SAE Net Torque @ RPM | 348 @ 1500 |
| Engine Oil Cooler | N/A | | |

Electrical

| | | | |
|-------------------------------------|-----|---------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | 730 | Cold Cranking Amps @ 0° F (2nd) | N/A |
| Maximum Alternator Capacity (amps) | 220 | Cold Cranking Amps @ 0° F (3rd) | N/A |

Cooling System

| | |
|-------------------------------|-----|
| Total Cooling System Capacity | N/A |
|-------------------------------|-----|



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (Complete)

Vehicle

Emissions

| | | | |
|--------------------------------------|-----|-----------------------|-----|
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 275 |
|--------------------------------------|-----|-----------------------|-----|

Chassis

Weight Information

| | | | |
|-------------------------------|-------------|------------------------------|-------------|
| Standard Weight - Front | 7.26 kg | Standard Weight - Rear | 18.6 kg |
| Gross Axle Wt Rating - Front | 1,723.68 kg | Gross Axle Wt Rating - Rear | 1,723.68 kg |
| Curb Weight - Front | 1,287.77 kg | Curb Weight - Rear | 896.31 kg |
| Option Weight - Front | -18.14 kg | Option Weight - Rear | 14.97 kg |
| Reserve Axle Capacity - Front | 446.8 kg | Reserve Axle Capacity - Rear | 793.8 kg |
| As Spec'd Curb Weight | 2,206.76 kg | As Spec'd Payload | 968.44 kg |
| Maximum Payload Capacity | 991.12 kg | Gross Combined Wt Rating | 5,443.2 kg |
| Gross Axle Weight Rating | 3,447.36 kg | Curb Weight | 2,184.08 kg |
| Reserve Axle Capacity | 1,240.6 kg | Total Option Weight | -3.18 kg |
| Payload Weight Front | 0 kg | Payload Weight Rear | 0 kg |
| Gross Vehicle Weight Rating | 3,175.2 kg | | |

Trailer

| | | | |
|---|-------------|--|-----------|
| Dead Weight Hitch - Max Trailer Wt. | 2,268 kg | Dead Weight Hitch - Max Tongue Wt. | 226.8 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 2,993.76 kg | Wt Distributing Hitch - Max Tongue Wt. | 299.38 kg |
| Maximum Trailering Capacity | 4,309.2 kg | | |

Frame

| | | | |
|-----------------|------------|-------------------------|-----|
| Frame Type | Box Ladder | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |

Suspension

| | | | |
|-------------------------|-------------|------------------------|------------|
| Suspension Type - Front | Independent | Suspension Type - Rear | Solid Axle |
| Spring Capacity - Front | N/A | Spring Capacity - Rear | N/A |
| Axle Type - Front | N/A | Axle Type - Rear | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (✔ Complete)

Chassis

Suspension

| | | | |
|---------------------------------|----------|--------------------------------|---------|
| Axle Capacity - Front | N/A | Axle Capacity - Rear | N/A |
| Axle Ratio (:1) - Front | 3.42 | Axle Ratio (:1) - Rear | 3.42 |
| Shock Absorber Diameter - Front | 50.0 mm | Shock Absorber Diameter - Rear | 50.0 mm |
| Stabilizer Bar Diameter - Front | 33.02 mm | Stabilizer Bar Diameter - Rear | N/A |

Tires

| | | | |
|----------------------------------|-----------|-----------------------------------|-------------|
| Front Tire Order Code | QAB | Rear Tire Order Code | QAB |
| Spare Tire Order Code | QAQ | Front Tire Size | 275/60R20 |
| Rear Tire Size | 275/60R20 | Spare Tire Size | 255/80R17SL |
| Front Tire Capacity | N/A | Rear Tire Capacity | N/A |
| Spare Tire Capacity | N/A | Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A | Revolutions/Mile @ 45 mph - Spare | N/A |

Wheels

| | | | |
|---------------------|-------------|----------------------|-------------|
| Front Wheel Size | 20" x 9" mm | Rear Wheel Size | 20" x 9" mm |
| Spare Wheel Size | N/A | Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum | Spare Wheel Material | N/A |

Steering

| | | | |
|---------------------------------|------------------------|---------------------------------|--------|
| Steering Type | Electric Rack & Pinion | Steering Ratio (:1), On Centre | N/A |
| Steering Ratio (:1), At Lock | N/A | Turning Diameter - Curb to Curb | 14.3 m |
| Turning Diameter - Wall to Wall | N/A | | |

Brakes

| | | | |
|-----------------------------------|-------------------|------------------------------------|------------------|
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | 342.9 x 29.97 mm |
| Rear Brake Rotor Diam x Thickness | 345.44 x 20.07 mm | Drum - Rear (Yes or) | N/A |
| Rear Drum Diam x Width | N/A | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (✔ Complete)

Chassis

Fuel Tank

| | | | |
|----------------------------|------|--------------------------------|-----|
| Fuel Tank Capacity, Approx | 91 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |

Dimensions

Interior Dimensions

| | | | |
|--------------------|-------------|----------------------|-------------|
| Passenger Capacity | 6 | Front Head Room | 1,092.96 mm |
| Front Leg Room | 1,131.06 mm | Front Shoulder Room | 1,676.91 mm |
| Front Hip Room | 1,553.97 mm | Second Head Room | 1,019.05 mm |
| Second Leg Room | 1,102.36 mm | Second Shoulder Room | 1,655.06 mm |
| Second Hip Room | 1,530.1 mm | | |

Exterior Dimensions

| | | | |
|-----------------------------|-------------|---------------------------------|------------|
| Wheelbase | 3,744.72 mm | Length, Overall w/o rear bumper | N/A |
| Length, Overall | 5,885.18 mm | Width, Max w/o mirrors | 2,063.5 mm |
| Height, Overall | 1,917.95 mm | Overhang, Front | N/A |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | N/A | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | N/A | Ground to Top of Frame | N/A |
| Frame Width, Rear | N/A | Ground Clearance, Front | 205.49 mm |
| Ground Clearance, Rear | 205.49 mm | Body Length | 0 m |
| Cab to Body | N/A | | |

Cargo Area Dimensions

| | | | |
|--------------------------|-------------|---------------------------------|----------|
| Cargo Box Length @ Floor | 1,775.97 mm | Cargo Box Width @ Top, Rear | N/A |
| Cargo Box Width @ Floor | 1,813.56 mm | Cargo Box Width @ Wheelhousings | 1,286 mm |
| Cargo Box (Area) Height | 568.96 mm | Tailgate Width | N/A |
| Cargo Volume | 1,781.13 L | Ext'd Cab Cargo Volume | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 11676. Data Updated: 10-Feb-2020 10:37:00 PST PM.