



Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck

MSRP:\$34,098.00

Interior:Jet Black/Dark Ash, Vinyl seat trim

Exterior 1:Red Hot

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

OPTIONS			
CODE	MODEL		MSRP
12M43	[Retail] 2020 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Wo Truck	ork	\$34,098.00
	OPTIONS		
4WT	Work Truck Preferred Equipment Group		\$0.00
5GD	Tow/Haul Mode	Inc.	
A91	Tailgate, remote locking	Inc.	
AR7	Seats, front bucket		\$0.00
ATG	Remote Keyless Entry, extended range	Inc.	
C5J	GVWR, 6000 lbs. (2722 kg)	Inc.	
CGN	Bedliner, spray-on, Black		\$550.00
CTT	Trailering assist, guidelines	Inc.	
D75	Door handles, body-colour	Inc.	
DL6	Mirrors, outside power-adjustable, body-colour, manual-folding	Inc.	
G7C	Red Hot		\$0.00
G80	Differential, automatic locking rear		\$410.00
GU6	Rear axle, 3.42 ratio	Inc.	
H2Q	Jet Black/Dark Ash, Vinyl seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 System		\$0.00
JL1	Trailer brake controller, integrated		\$300.00
K34	Cruise control, electronic, automatic	Inc.	
LGZ	Engine, 3.6L DI DOHC V6 VVT		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.



Г	Transmission, 8-speed automatic		\$0.00
N	WT Convenience Package		\$625.0
o	Custom Special Edition		\$2,590.00
4	Tailgate, EZ-Lift and Lower	Inc.	
	Tires, 265/60R18 all-season, blackwall	Inc.	
V	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum	Inc.	
1	LPO, Black Bowtie Emblem Package		\$270.00
1	OnStar and Chevrolet connected services capable	Inc.	
I	Theft-deterrent system, unauthorized entry	Inc.	
Г	LPO, Grille, body-colour	Inc.	
5	Bumper, rear body-colour	Inc.	
1	4G LTE Wi-Fi Hotspot capable	Inc.	
	Trailering Package, heavy-duty		\$295.00
	Tire, spare 265/70R16 all-season, blackwall	Inc.	
	Chevrolet Connected Access capable	Inc.	
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$500.00
	SUBTOTAL		\$38,638.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$40,638.00

FUEL ECONOMY

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.



Standard Equipment

Mechanical	
	Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)
	Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)
	Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
	Transfer case, electric, 2-speed
	Four wheel drive
	Capless Fuel Fill
	Recovery hooks, front
	Frame, fully-boxed
	Pickup box
	Steering, Electric Power Steering (EPS) assist
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Wheels, 16" x 7" (40.6 cm x 17.8 cm) Ultra Silver Metallic steel (STD)
	Tires, 265/70R16 all-season, blackwall (STD)
	Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box models.)
	Bumper, rear chrome
	CornerStep, rear bumper
	Mouldings, Black beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of cab
	Mirrors, outside manual-folding, Black
	Glass, windshield shade band
	Handles, door release, front and rear, Jet Black
	Door handles, Black
	Tailgate, locking
	Tailgate handle, Black



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.

Page 3 15-Feb-2020



(V	Complete
- (~	Complete

Entertainment	
	Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system
Interior	
	Seats, front bucket (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way power with manual recline
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seat, rear folding bench (Crew Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering.)
	Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering.)
	Steering wheel, urethane
	Steering column, tilt, manual
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, one colour
	Windows, power with driver Express-Up and Down
	Door locks, power
	Theft-deterrent system, immobilization
	USB data ports, 2 includes auxiliary input jack, located on the front console
	Air conditioning, single-zone manual climate control
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger with passenger vanity mirror
	Lighting, interior, centre dome
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.





Safety-Exterior

Daytime Running Lamps

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitor System

Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.



Technical Specifications

Dowertrain

owertrain			
ransmission			
Drivetrain	Four Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	Yes
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1622
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		
lileage			
EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km
ngine			
Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A

Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.



ehicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	286
nassis			
Veight Information			
Standard Weight - Front	84.82 kg	Standard Weight - Rear	23.13 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	997.01 kg	Curb Weight - Rear	783.82 kg
Option Weight - Front	3.63 kg	Option Weight - Rear	30.39 kg
Reserve Axle Capacity - Front	366.06 kg	Reserve Axle Capacity - Rear	750.25 kg
As Spec'd Curb Weight	1,922.81 kg	As Spec'd Payload	798.79 kg
Maximum Payload Capacity	940.77 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,780.83 kg
Reserve Axle Capacity	1,116.31 kg	Total Option Weight	34.02 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Maximum Trailering Capacity	3,447.36 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-elliptic, 2- stage, multi-leaf
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.



	Comr
V	Comp

Chassis			
Suspension			
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZJJ	Front Tire Size	265/60R18
Rear Tire Size	265/60R18	Spare Tire Size	265/70R16
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	457.2 x 215.9 mm	Rear Wheel Size	457.2 x 215.9 mm
Spare Wheel Size	406.4 x 177.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.



1	
V	Comple

79 L	Aux Fuel Tank Capacity, Approx	N/A
N/A	Aux Fuel Tank Location	N/A
5	Front Head Room	1,051.56 mm
1,143 mm	Front Shoulder Room	1,460.5 mm
1,397 mm	Second Head Room	972.82 mm
909.32 mm	Second Shoulder Room	1,427.48 mm
1,353.82 mm		
3,258.82 mm	Length, Overall w/o rear bumper	N/A
5,402.58 mm	Width, Max w/o mirrors	1,887.22 mm
1,793.24 mm	Overhang, Front	937.26 mm
N/A	Front Bumper to Back of Cab	N/A
607.06 mm	Cab to End of Frame	N/A
876.3 mm	Ground to Top of Frame	N/A
N/A	Ground Clearance, Front	208.28 mm
208.28 mm	Body Length	0 m
N/A		
1 567 18 mm	Cargo Box Width @ Top Rear	N/A
,		1,127.76 mm
<u>_</u>		N/A
IN/ CA	Taligate Wiatri	IN/ /N
	5 1,143 mm 1,397 mm 909.32 mm 1,353.82 mm 3,258.82 mm 5,402.58 mm 1,793.24 mm N/A 607.06 mm 876.3 mm N/A 208.28 mm	Front Head Room 1,143 mm Front Shoulder Room 1,397 mm Second Head Room 909.32 mm Second Shoulder Room 1,353.82 mm Length, Overall w/o rear bumper 5,402.58 mm Width, Max w/o mirrors 1,793.24 mm Overhang, Front N/A Front Bumper to Back of Cab 607.06 mm Cab to End of Frame 876.3 mm Ground to Top of Frame N/A Ground Clearance, Front 208.28 mm Body Length N/A 1,567.18 mm Cargo Box Width @ Top, Rear 1,468.12 mm Cargo Box Width @ Wheelhousings



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11708. Data Updated: 14-Feb-2020 10:20:00 PST PM.