



## **Window Sticker**

### **SUMMARY**

[Retail] 2020 Chevrolet Colorado (12P43) 4WD Crew Cab 128" Z71

MSRP:\$40,798.00

Interior:Jet Black, Leather-appointed seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

## **OPTIONS**

ОРПО	INS			
(	CODE	MODEL		MSRP
1	12P43	[Retail] 2020 Chevrolet Colorado (12P43) 4WD Crew Cab 128" Z71		\$40,798.00
		OPTIONS		
4	4Z7	Z71 Preferred Equipment Group		\$0.00
A	AR7	Seats, front bucket		\$0.00
(	C5J	GVWR, 6000 lbs. (2722 kg)	Inc.	
(	CGN	Bedliner, spray-on, Black	Inc.	
(	GBA	Black	Inc.	
(	GU6	Rear axle, 3.42 ratio	Inc.	
ŀ	HH3	Jet Black, Leather-appointed seat trim		\$1,095.00
I	IOU	Audio system, Chevrolet Infotainment 3 Plus system		\$795.00
ŀ	K05	Engine block heater		\$195.00
L	LGZ	Engine, 3.6L DI DOHC V6 VVT		\$0.00
ľ	M5T	Transmission, 8-speed automatic		\$0.00
ľ	MCR	USB data ports, 2, includes SD Card Reader	Inc.	
F	PDN	Z71 Midnight Edition		\$3,475.00
(	QJ2	Tires, 265/65R17 all-terrain, blackwall	Inc.	
F	RIA	LPO, All-weather Floor Liner	Inc.	
F	RIF	Wheels, 17" x 8" (43.2 cm x 20.3 cm) gloss-Black aluminum	Inc.	
F	RVS	LPO, Assist steps, Black, 5" rectangular		\$880.00
ι	UQA	Audio system feature, Bose premium 7-speaker system		\$685.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



( 🗸	Complete )	

VQY	LPO, Chrome recovery hooks	\$245.00
VQZ	LPO, Polished exhaust tip	\$190.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$48,358.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,900.00
	TOTAL PRICE	\$50.358.00

## **FUEL ECONOMY**

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



# **Standard Equipment**

•	•
Mechanical	
	Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD)
	Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)
	Rear axle, 3.42 ratio
	GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
	Hill Descent Control
	Transfer case, electric, 2-speed AutoTrac
	Transfer case shield
	Differential, automatic locking rear
	Four wheel drive
	Capless Fuel Fill
	Trailering assist, guidelines
	Tow/Haul Mode
	Recovery hooks, front
	Frame, fully-boxed
	Pickup box
	Suspension Package, Off-Road
	Steering, Electric Power Steering (EPS) assist
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Dark Argent Metallic cast aluminum (STD)
	Tires, 255/65R17 all-terrain, blackwall (STD)
	Tire, spare 265/70R16 all-season, blackwall
	Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel
	Bumper, rear body-colour
	CornerStep, rear bumper
	Mouldings, Black beltline
	Headlamps, projector-type
	Fog lamps, front



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



Exterior	
	Cargo box light, back of cab
	Mirrors, outside heated power-adjustable, body-colour, manual-folding
	Mirror, spotter, located in corner of driver-side outside mirror
	Glass, windshield shade band
	Window, rear-sliding, manual
	Handles, door release, front and rear, chrome
	Door handles, body-colour
	Tailgate, EZ-Lift and Lower
	Tailgate, remote locking (locks and unlocks with key fob)
	Tailgate handle, Black
Entertainment	
	Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period (STD)
	Audio system feature, 6-speaker system
	HD Radio
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Microphones, Driver side and Passenger side
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth/Leatherette
	Seat adjuster, driver 6-way power
	Seat adjuster, 4-way power front passenger
	Seat adjuster, power driver lumbar control
	Seat adjuster, power passenger lumbar control
	Seat, rear folding bench (Crew Cab models only.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



✓ Complete	9
Complete	Э

Interior	
	Seats, heated driver and front passenger
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Steering wheel, heated
	Display, driver instrument information enhanced, multi-colour
	Windows, power with driver Express-Up and Down
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Remote vehicle starter system
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	Wireless Charging for compatible cell phones
	USB data ports, 2 includes auxiliary input jack, located on the front console (Not available with (IOU) 8" diagonal Chevrolet Infotainment System with Navigation.)
	USB charging-only ports, 2, located on the rear of the centre console
	Air conditioning, single-zone automatic climate control
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



vermene: [restain] zeze emerciat esteriado (rz. 16) rvvb eren eda 126 zr. ( v esimples)			
Safety-Mechanical			
	StabiliTrak, stability control system		
	Traction control, electronic		
Safety-Exterior			
	Daytime Running Lamps		
Safety-Interior			
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag		
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)		
	Rear Park Assist, Ultrasonic		
	HD Rear Vision Camera		
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you		

information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System (does not apply to spare tire)

## WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

achieve optimal tire pressure

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



# **Technical Specifications**

# **Powertrain**

_			
Tra	nsn	nis	sion

Drivetrain	Four Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	Yes
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3025G
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		

### Mileage

EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km

### **Engine**

Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		

### **Electrical**

Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A

### **Cooling System**

**Total Cooling System Capacity** N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



(	Complete
( ~	Complete

ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	286
nassis			
Veight Information			
Standard Weight - Front	88 kg	Standard Weight - Rear	21.32 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	1,003.82 kg	Curb Weight - Rear	809.22 kg
Option Weight - Front	20.87 kg	Option Weight - Rear	29.48 kg
Reserve Axle Capacity - Front	338.84 kg	Reserve Axle Capacity - Rear	727.57 kg
As Spec'd Curb Weight	1,972.71 kg	As Spec'd Payload	748.89 kg
Maximum Payload Capacity	908.56 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,813.04 kg
Reserve Axle Capacity	1,066.41 kg	Total Option Weight	50.35 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Maximum Trailering Capacity	3,447.36 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-elliptic, 2- stage, multi-leat
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



. 4		
( <	Complete	,

Suspension			
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QJ2	Rear Tire Order Code	QJ2
Spare Tire Order Code	ZJJ	Front Tire Size	265/65R17
Rear Tire Size	265/65R17	Spare Tire Size	265/70R16
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	431.8 x 203.2 mm	Rear Wheel Size	431.8 x 203.2 mm
Spare Wheel Size	406.4 x 177.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



hassis			
uel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		
Exterior Dimensions			
Wheelbase	3,258.82 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,402.58 mm	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,793.24 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	607.06 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	208.28 mm
Ground Clearance, Rear	208.28 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.