

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" LT

MSRP:\$51,798.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

OPTIONS

JP I	IONS			
	CODE	MODEL		MSRP
	CK20903	[Retail] 2020 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" LT		\$51,798.00
		OPTIONS		
	1LT	LT Preferred Equipment Group		\$0.00
	A2X	Seat adjuster, driver 10-way power	Inc.	
	ATH	Keyless Open and Start	Inc.	
	AZ3	Seats, front 40/20/40 split-bench		\$0.00
	B1J	Wheelhouse liners, rear	Inc.	
	BG9	Floor covering, rubberized-vinyl		\$0.00
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	CGN	Chevytec spray-on bedliner		\$625.00
	CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
	DLF	Mirrors, outside heated power-adjustable, manual folding		-\$90.00
	E63	Durabed, pickup bed		\$0.00
	GAZ	Summit White		\$0.00
	GT4	Rear axle, 3.73 ratio		\$0.00
	H0U	Jet Black, Cloth seat trim		\$0.00
	IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
	JGB	GVWR, 10,250 lbs. (4649 kg)		\$0.00
	K05	Engine block heater		\$195.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



\$160.00		Battery, auxiliary, 730 cold-cranking amps/70 Amp-hr	K4B
	Inc.	Seating, heated driver and front outboard passenger	KA1
	Inc.	Steering wheel, heated	KI3
	Inc.	Alternator, 220 amps	KW5
\$0.00		Engine, 6.6L V8	L8T
\$0.00		Transmission, 6-speed automatic, heavy-duty	MYD
	Inc.	Steering column, lock control, electrical	N06
	Inc.	Steering column, manual tilt and telescoping	N37
	Inc.	Steering wheel, leather-wrapped	NP5
	Inc.	Skid Plates	NZZ
\$3,405.00		Convenience Package	PCL
\$0.00		Wheels, 17" (43.2 cm) machined aluminum	PYQ
\$0.00		Tires, LT245/75R17E all-season, blackwall	QHQ
	Inc.	Tailgate, gate function manual with EZ Lift	QT5
	Inc.	Fog lamps, front, LED	T3U
\$85.00		Lamps, Smoked Amber roof marker, (LED)	U01
	Inc.	LED Cargo Area Lighting	UF2
	Inc.	Theft-deterrent system, unauthorized entry	UTJ
\$40.00		Trailering wiring provisions	UY2
\$215.00		LPO, Moulded splash guards, Black	VQK
\$445.00		Snow Plow Prep Package	VYU
\$0.00		Tire, spare LT245/75R17E all-season, blackwall	ZHQ
\$100.00		Federal air conditioning excise tax	
\$56,878.00		SUBTOTAL	
\$0.00		Adjustments Total	
\$100.00		Total Tax	
\$1,900.00		Destination Charge	
\$58,878.00		TOTAL PRICE	

FUEL ECONOMY

Est City:N/A

Est Highway:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



Standard Equipment

-	•
Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Durabed, pickup bed (STD)
	GVWR, 10,250 lbs. (4649 kg) (STD) (Included and only available with CC20753 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, high-capacity
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



Exterior	
	Wheels, 17" (43.2 cm) machined aluminum (STD)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Chrome front grille bar with "CHEVROLET". Includes moulded in colour Black grille inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel.
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCL) Convenience Package or (ZL6) Advanced Trailering Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual with EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, body-colour
Entertainment	

Entertainment

Audio system, Chevrolet Infotainment 3 system 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



Entertainment	
	Audio system feature, 2-speakers (Requires Regular Cab model.)
	Steering wheel audio controls
	Bluetooth for phone connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (On Crew Cab and Double Cab models, included and only available with (PCL) Convenience Package. Standard on Regular Cab models.)
	Cloth seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 160,000 Corrosion Miles/km: 60,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 100,000 Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.

7-Mar-2020 Page 7

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km



Technical Specifications

Powertrain Transmission Four Wheel Drive Trans Order Code MYD Drivetrain Trans Type 6 Trans Description Cont. Automatic Trans Description Cont. Again First Gear Ratio (:1) 4.03 N/A Second Gear Ratio (:1) Third Gear Ratio (:1) 2.36 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 Sixth Gear Ratio (:1) 0.67 Reverse Ratio (:1) 3.06 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP1625/6 Transfer Case Gear Ratio (:1), High 1.00 2.72 Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City N/A N/A EnerGuide Estimate - Hwy N/A N/A Cruising Range - City Cruising Range - Hwy **Engine Engine Order Code** L8T **Engine Type** Gas V8 Displacement 6.6L/400 Fuel System Direct Injection SAE Net Torque @ RPM SAE Net Horsepower @ RPM 401 @ 5200 464 @ 4000 Engine Oil Cooler Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) 720 730 Cold Cranking Amps @ 0° F (2nd) Maximum Alternator Capacity (amps) 220 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System Total Cooling System Capacity** N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



Vehicle					
Emissions					
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A		
Chassis					
Weight Information					
Standard Weight - Front	3.63 kg	Standard Weight - Rear	2.27 kg		
Gross Axle Wt Rating - Front	2,540.16 kg	Gross Axle Wt Rating - Rear	2,898.5 kg		
Curb Weight - Front	1,632.05 kg	Curb Weight - Rear	1,192.51 kg		
Option Weight - Front	28.58 kg	Option Weight - Rear	39.92 kg		
Reserve Axle Capacity - Front	875.9 kg	Reserve Axle Capacity - Rear	1,663.8 kg		
As Spec'd Curb Weight	2,898.96 kg	As Spec'd Payload	1,750.44 kg		
Maximum Payload Capacity	1,824.83 kg	Gross Combined Wt Rating	10,886.4 kg		
Gross Axle Weight Rating	5,438.66 kg	Curb Weight	2,824.57 kg		
Reserve Axle Capacity	2,539.71 kg	Total Option Weight	68.49 kg		
Payload Weight Front	0 kg	Payload Weight Rear	0 kg		
Gross Vehicle Weight Rating	4,649.4 kg				
Trailering					
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg		
Wt Distributing Hitch - Max Trailer Wt.	6,577.2 kg	Wt Distributing Hitch - Max Tongue Wt.	657.72 kg		
Maximum Trailering Capacity	6,577.2 kg				
Frame					
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A		
Frame RBM	N/A	Frame Strength	N/A		
Frame Thickness	N/A				
Suspension					
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs		
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A		
Axle Type - Front	N/A	Axle Type - Rear	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



(🎺 Complete
(V Complete

Chassis					
Suspension					
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A		
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73		
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm		
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A		
Tires					
Front Tire Order Code	QHQ	Rear Tire Order Code	QHQ		
Spare Tire Order Code	ZHQ	Front Tire Size	LT245/75R17E		
Rear Tire Size	LT245/75R17E	Spare Tire Size	LT245/75R17E		
Front Tire Capacity	1,310 kg	Rear Tire Capacity	1,450.16 kg		
Spare Tire Capacity	1,450.16 kg	Revolutions/Mile @ 45 mph - Front	N/A		
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A		
Wheels					
Front Wheel Size	431.8 x -TBD- mm	Rear Wheel Size	431.8 x -TBD- mm		
Spare Wheel Size	431.8 x 190.5 mm	Front Wheel Material	Aluminum		
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel		
Steering					
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A		
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m		
Turning Diameter - Wall to Wall	N/A				
Brakes					
Brake Type	Pwr	Brake ABS System	4-Wheel		
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes		
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 mm		
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A		
Rear Drum Diam x Width	N/A				



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.



\	Complete
\checkmark	Complete

Chassis					
Fuel Tank					
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A		
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A		
Dimensions					
Interior Dimensions					
Passenger Capacity	3	Front Head Room	1,094.99 mm		
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,677.92 mm		
Front Hip Room	1,546.86 mm	Second Head Room	N/A		
Second Leg Room	N/A	Second Shoulder Room	N/A		
Second Hip Room	N/A				
Exterior Dimensions					
Wheelbase	3,595.37 mm	Length, Overall w/o rear bumper	N/A		
Length, Overall	5,981.7 mm	Width, Max w/o mirrors	2,076.45 mm		
Height, Overall	2,030.48 mm	Overhang, Front	N/A		
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A		
Cab to Axle	1,402.08 mm	Cab to End of Frame	N/A		
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A		
Frame Width, Rear	N/A	Ground Clearance, Front	258.83 mm		
Ground Clearance, Rear	258.83 mm	Body Length	0 m		
Cab to Body	N/A				
Cargo Area Dimensions					
Cargo Box Length @ Floor	2,496.06 mm	Cargo Box Width @ Top, Rear	N/A		
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,283.97 mm		
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A		
Cargo Volume	2,364.46 L	Ext'd Cab Cargo Volume	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11866. Data Updated: 6-Mar-2020 11:08:00 PST PM.