

# **Window Sticker**

#### **SUMMARY**

[Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr

MSRP:\$87,698.00

Interior: Jet Black, Leather seating surfaces

Exterior 1:Black Raven

Exterior 2:No colour has been selected.

Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)

Transmission, 10-speed automatic

OPTIO	NS
-------	----

OFTIC	NO		
	CODE	MODEL	MSRP
	6K15706	[Retail] 2020 Cadillac Escalade (6K15706) 4WD 4dr	\$87,698.00
		OPTIONS	
	1SA	Preferred Equipment Group	\$0.00
	AN3	Seats, front bucket	\$0.00
	ATV	Seats, second row bucket, manual	\$0.00
	GBA	Black Raven	\$0.00
	GU5	Rear axle, 3.23 ratio	\$0.00
	H2X	Jet Black, Leather seating surfaces	\$0.00
	IO6	Cadillac user experience with embedded navigation	\$0.00
	K05	Engine block heater	\$195.00
	L86	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT)	\$0.00
	MF6	Transmission, 10-speed automatic	\$0.00
	NZD	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Dual 7-spoke alloy with Chrome finish	\$0.00
	QSS	Tires, P275/55R20 all-season, blackwall	\$0.00
	SFE	LPO, Wheel locks, set of 4	\$95.00
		Federal air conditioning excise tax	\$100.00
		SUBTOTAL	\$87,988.00
		Adjustments Total	\$0.00
		Total Tax	\$100.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Destination Charge \$2,100.00

TOTAL PRICE \$90,188.00

# **FUEL ECONOMY**

Est City:16.7 L/100 km

Est Highway:11.1 L/100 km

Est Highway Cruising Range:882.43 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



# **Standard Equipment**

Mechanical	
	Engine, 6.2L V8 with Active Fuel Management, Spark Ignition Direct Injection (SIDI) and Variable Valve Timing (VVT) includes aluminum block construction (420 hp [313.2 kW] @ 5600 rpm, 460 lb-ft of torque [621 N-m] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, tow/haul mode and tap up/tap down shifting (STD)
	Rear axle, 3.23 ratio
	Air cleaner, high-capacity
	Transfer case, active, 2-speed with Neutral for dinghy/flat towing
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Cooling, external engine oil cooler, heavy-duty
	Keyless Start, push-button
	Alternator, 170 amps
	Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits and 7-way sealed connector
	GVWR, 7300 lbs (3311 kg)
	Suspension, Magnetic Ride Control with selectable sport mode
	Automatic load levelling, rear
	Steering, Electronic Power Steering (EPS)
	Capless fuel fill
	Brakes, 4-wheel antilock, 4-wheel disc
	Brakes, VAC power, 17" disc
	Brakes, DuraLife rotors
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Dual 7-spoke alloy with Chrome finish (STD) (Not available with (5JL) Performance Front Brake Kit, LPO.)
	Tires, P275/55R20 all-season, blackwall (STD)
	Tire Fill Alert provides visual and audible alerts outside the vehicle when inflating an under inflated tire to the recommended tire pressure
	Tire, spare P265/70R17 all-season, blackwall



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Exterior	
	Wheel, full-size steel spare, 17" (43.2 cm) with Black finish
	Spare tire lock, hoist shaft
	Luggage rack, roof-mounted, chrome
	Assist steps, running side board (Upgradeable to (BRS) power-retractable assist steps.)
	Mouldings, bodyside, chrome
	Shutters, front active aero
	Headlamps, LED high beam/low beam, light pipe
	Headlamps, automatic on/off
	Tail lamps, LED illumination
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated, windshield and front door glass
	Windshield, solar absorbing
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, colour-keyed with integrated turn signal indicators, ground illumination and programmable to provide curb view when in reverse
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Hands-Free Liftgate, open and close, programmable memory height
Entertainment	
	Cadillac user experience with embedded navigation AM/FM stereo with 8" diagonal colour information display featuring touch response, haptic feedback, gesture recognition, Enhanced Voice Recognition, Phone Integration for Apple CarPlay and Android Auto capability for compatible phone, Connected Apps and Teen Driver. Five USB ports, including one in the articulating storage door/bin and auxiliary audio port (STD)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Bluetooth for phone, streaming audio for music for select phones
	SiriusXM enjoy an All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Radio, HD
	Audio system feature, Bose Centrepoint Surround Sound system with 16 speakers



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Entertainment	
	Audio system feature, single-slot CD/MP3 player
Interior	
	Seats, front bucket with leather seating surfaces, driver and front passenger, 12-way power seat adjusters including 4-way power lumbar control, independently heated driver and front passenger seat cushions and seatbacks (three settings) and 2-position driver memory (STD)
	Seats, second row bucket, manual (STD)
	Active Noise Cancellation
	Seats, heated and cooled driver and front passenger
	Seats, heated second row, outboard positions
	Seat adjuster, front passenger 12-way power
	Seats, third row 60/40 split-bench, power, fold flat
	Rear Seat Reminder
	Console, floor with covered storage, large and small storage bins, dual cup holders, electronic climate controls and second row heated seat controls (inside console: auxiliary power outlet, two USB ports and auxiliary audio port), 110-volt outlet and auxiliary power outlet on the backside of console
	Floor covering, colour-keyed carpeting
	Floor mats, colour-keyed carpeted first and second row
	Steering wheel, power-tilt colour-keyed with wood and leather-wrapped rim, locking
	Steering column, power tilt and telescoping
	Steering wheel, heated
	Steering wheel controls, mounted audio and Driver Information centre controls
	Tow/haul mode selector, button located at end of shift lever
	Driver Information Centre with programmable personalization features such as door locking and unlocking, a trip computer with trip odometer and individual tire pressure read outs, fuel information such as range, average L/100km, litres used and oil life, and a message centre that displays dozens of warning messages such as low fuel and door ajar
	Gauge cluster, 12" colour, reconfigurable with Driver Information Centre
	Windows, power with driver and front passenger Express-Up/Down and rear passengers Express-Down
	Door locks, power programmable includes lockout protection and delayed locking
	Lock control, side door, electric
	Pedals, power-adjustable for accelerator and brake
	Memory settings includes two "presets" for driver seat adjuster, outside rearview mirrors, power tilt/telescoping steering column and power-adjustable pedals



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Interior	
	Keyless Access, passive entry
	Adaptive Remote Start
	Cruise control, electronic with set and resume speed
	Universal Home Remote includes garage door opener, 3-channel programmable
	Theft-deterrent system, unauthorized entry, engine immobilizer
	Climate control, tri-zone automatic with individual climate settings for driver, front passenger and rear passengers
	Defogger, rear-window electric
	Power outlet, 110-volt
	Wireless Charging, located on the top of the centre console (The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adaptor/back cover. To check for phone or other device compatibility, see cadillactotalconnect.ca or consult your carrier.)
	Accents, interior, piano black and chrome finish
	Mirror, inside rearview auto-dimming
	Lighting, interior, door handle release, door storage, console and footwell
	Lighting, interior, with theater dimming
	Cargo net, rear
	Cadillac Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, vehicle stability enhancement system with Rollover Mitigation includes disable switch
	Brakes, Hill Start-Assist/Hill Hold
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Cadillac connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist
	Automatic Parking Assist includes front, rear, lateral-front parking assist and semi-automatic steering
	Surround Vision
	Seat belts, 3-point, all positions, includes front seat belt pretensioners



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Safety-Interior	
	Door locks, rear child security
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System (does not apply to spare tire)

#### **WARRANTY**

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 4

Basic Miles/km: 80,000 Drivetrain Years: 6

Drivetrain Miles/km: 110,000 Corrosion Years (Rust-Through): 6

Corrosion Years: 4

Corrosion Miles/km (Rust-Through): Unlimited

Corrosion Miles/km: 80,000 Roadside Assistance Years: 6

Roadside Assistance Miles/km: 110,000

Maintenance Years: 4

Maintenance Miles/km: 80,000



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



# **Technical Specifications**

_							
Tı	-	n	• n	nı	~	• 17	٦n
	а	н	211		33	٧ıد	711

**Powertrain** 

Drivetrain	All Wheel Drive	Trans Order Code	MF6
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		

## Mileage

EnerGuide Estimate - City	16.7 L/100 km	EnerGuide Estimate - Hwy	11.1 L/100 km
Cruising Range - City	586.53 km	Cruising Range - Hwy	882.43 km

# **Engine**

Engine Order Code	L86	Engine Type	Gas
Displacement	6.2L/376	Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	420 @ 5600	SAE Net Torque @ RPM	460 @ 4100
Engine Oil Cooler	Yes		

#### **Electrical**

Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A

### **Cooling System**

Total Cooling System Capacity	15.8 L
-------------------------------	--------



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	333
Vehicle			
Rear Door Type	Liftgate		
Chassis			
Weight Information			
Standard Weight - Front	34.93 kg	Standard Weight - Rear	23.13 kg
Gross Axle Wt Rating - Front	1,542.24 kg	Gross Axle Wt Rating - Rear	1,859.76 kg
Curb Weight - Front	1,315.89 kg	Curb Weight - Rear	1,202.04 kg
Option Weight - Front	0.91 kg	Option Weight - Rear	0.45 kg
Reserve Axle Capacity - Front	190.51 kg	Reserve Axle Capacity - Rear	634.13 kg
As Spec'd Curb Weight	2,577.36 kg	As Spec'd Payload	733.92 kg
Maximum Payload Capacity	793.35 kg	Gross Combined Wt Rating	N/A
Gross Axle Weight Rating	3,402 kg	Curb Weight	2,517.93 kg
Reserve Axle Capacity	824.64 kg	Total Option Weight	1.36 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,311.28 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,674.16 kg	Wt Distributing Hitch - Max Tongue Wt.	367.42 kg
Maximum Trailering Capacity	3,674.16 kg		
Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	5-Link



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Chassis			
Suspension			
Spring Capacity - Front	1,542.24 kg	Spring Capacity - Rear	1,859.76 kg
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	1,542.24 kg	Axle Capacity - Rear	1,905.12 kg
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	1.81 mm	Shock Absorber Diameter - Rear	1.81 mm
Stabilizer Bar Diameter - Front	35.81 mm	Stabilizer Bar Diameter - Rear	27.94 mm
Tires			
Front Tire Order Code	QSS	Rear Tire Order Code	QSS
Spare Tire Order Code	XCQ	Front Tire Size	P275/55R20
Rear Tire Size	P275/55R20	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	508 x 228.6 mm	Rear Wheel Size	508 x 228.6 mm
Spare Wheel Size	431.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	17.3
Steering Ratio (:1), At Lock	3.4	Turning Diameter - Curb to Curb	11.89 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	330.2 x 30.48 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.32	Drum - Rear (Yes or )	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



Chassis			
Brakes			
	mm		
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	98 L	Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A	Aux Fuel Tank Location	
Dimensions			
Interior Dimensions			
Passenger Capacity	7	Front Head Room	
Front Leg Room	1,150.62 mm	Front Shoulder Room	
Front Hip Room	1,546.86 mm	Second Head Room	
Second Leg Room	990.6 mm	Second Shoulder Room	
Second Hip Room	1,529.08 mm	Third Head Room	
Third Leg Room	629.92 mm	Third Shoulder Room	
Third Hip Room	1,252.22 mm		
Exterior Dimensions			
Wheelbase	2,946.4 mm	Length, Overall w/rear bumper	
Length, Overall	5,179.06 mm	Width, Max w/o mirrors	
Height, Overall	1,889.76 mm	Overhang, Front	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	
Cab to Axle	N/A	Cab to End of Frame	
Ground to Top of Load Floor	815.34 mm	Ground to Top of Frame	
Frame Width, Rear	N/A	Ground Clearance, Front	
Ground Clearance, Rear	N/A	Body Length	
Rear Door Opening Height	N/A	Rear Door Opening Width	
Side Door Opening Height	N/A	Side Door Opening Width	
Step Up Height - Front	N/A	Step Up Height - Side	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.



# **Dimensions**

#### **Cargo Area Dimensions**

Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	N/A
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	2,667.45 L
Cargo Volume to Seat 2	1,461.15 L	Cargo Volume to Seat 3	430.42 L
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

### **Exterior**

#### **Doors**

Side Door Type Swing-Out



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11946. Data Updated: 16-Mar-2020 9:46:00 PDT PM.