



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Tahoe (CK10706) 4WD 4dr High Country

MSRP:W/A

Interior: Jet Black, Perforated leather-appointed seat trim

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, 6.2L EcoTec3 V8

Transmission, 10-speed automatic

OPTIONS

CODE	MODEL		MSRP
CK10706	[Retail] 2021 Chevrolet Tahoe (CK10706) 4WD 4dr High Country	W/A	
	OPTIONS		
3LZ	High Country Preferred Equipment Group	W/A	
A50	Seats, front bucket	W/A	
B3L	Assist steps, power-retractable	Inc.	
C3U	Sunroof, power Panoramic, dual-pane, tilt-sliding	Inc.	
С6Н	GVWR, 7500 lbs. (3402 kg)	W/A	
DCH	Console, floor, power-sliding centre	W/A	
G9K	Satin Steel Metallic	W/A	
GU5	Rear axle, 3.23 ratio	W/A	
HMR	Jet Black, Perforated leather-appointed seat trim	W/A	
IOT	Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation, 10.2" diagonal HD colour touchscreen	W/A	
JL1	Trailer brake controller, integrated	Inc.	
KSG	Adaptive Cruise Control - Advanced	Inc.	
L87	Engine, 6.2L EcoTec3 V8	W/A	
MQC	Transmission, 10-speed automatic	W/A	
NHT	Max Trailering Package	Inc.	
PCU	Premium Package	W/A	
PZ8	Hitch Guidance with Hitch View	Inc.	
RBR	Wheel, 22" x 9.0", Steel, Interim	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



Vehicle: [Retail] 2021 Chevrolet Tahoe (CK10706) 4WD 4dr High Cou

RIK	LPO, Black nameplates	W/A	
SFZ	LPO, Black bowtie emblems, front and rear	W/A	
SHD	LPO, 22" (55.9 cm) Black Gloss wheels with Chrome inserts	W/A	
U1D	Advanced Trailering System	Inc.	
UGN	Enhanced Automatic Emergency Braking	Inc.	
UKV	Trailer Side Blind Zone Alert	Inc.	
UW9	Rear Seat Media System	W/A	
V03	Cooling system, extra capacity	Inc.	
ZL6	Advanced Trailering Package	Inc.	
	Federal air conditioning excise tax	W/A	
	SUBTOTAL	W/A	
	Adjustments Total	W/A	
	Destination Charge	W/A	
	TOTAL PRICE	W/A	

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



Standard Equipment

/lechanical	
	Suspension Package, Magnetic Ride Control
	Engine, 6.2L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, include aluminum block construction (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select modes including tow/haul (STD)
	Rear axle, 3.23 ratio
	GVWR, 7500 lbs. (3402 kg) (STD)
	Automatic Stop/Start
	Engine control, stop/start system disable button, non-latching
	Engine air filtration monitor
	Fuel, gasoline, E15 (Standard with (L87) 6.2L EcoTec3 V8 engine only.)
	Transfer case, active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing
	Differential, mechanical limited-slip
	4-wheel drive
	Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator (Deleted when (LM2) Duramax 3.0L Turbo-Diesel I6 engine is ordered.)
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 800 cold-cranking amps with 80 amp hour rating (Standard with (L87) 6.2L EcoTec3 V8 engine only.)
	Alternator, 220 amps (Standard with (L87) 6.2L EcoTec3 V8 engine only.)
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
	Trailer sway control
	Hitch Guidance
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Hill Decent Control
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc, 17" front and rear
	Exhaust, dual system with dual twin polished stainless-steel tips (Deleted when (LM2) Duramax 3.0L Turbo-Diesel I6 engine is ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



	4		
•	W/	Complete	١
Ĺ	~	Complete	,

Mechanical	
	Mechanical Jack with tools
Exterior	
	Wheels, 22" \times 9" (55.9 cm \times 22.9 cm) Sterling Silver premium painted with chrome inserts (Includes (SFE) wheel locks, LPO.) (STD)
	Tires, 275/50R22SL all-season, blackwall
	Wheel, full-size spare, 17" (43.2 cm) steel
	LPO, Wheel locks, set of 4 (dealer-installed) (Included with (RPT) 22" Sterling Silver premium painted wheels with chrome inserts. Not available with any LPO wheels.)
	Tire, spare P265/70R17 all-season, blackwall
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper (Standard with (L87) 6.2L EcoTec3 V8 engine only.)
	Fascia, front
	Luggage rack side rails, roof-mounted, bright
	Assist steps, Black with chrome accent strip (Deleted when (B3L) power-retractable assist steps, (PCU) Premium Package or (PDM) High Country Deluxe are ordered.)
	Headlamps, LED
	IntelliBeam, automatic high beam on/off
	Lamps, stop and tail, LED
	Mirrors, outside heated power-adjustable, power-folding, driver-side auto-dimming integrated turn signal indicators and puddle lighting
	Mirror caps, body-colour
	Glass, deep-tinted
	Glass, acoustic, laminated
	Glass, windshield shade band
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Door handles, chrome with body-colour strip
	Liftgate, rear power programmable, hands-free with emblem projection



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



	4		
(\checkmark	Complete)

Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation, 10.2" diagonal HD colour touchscreen AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, enhanced voice recognition, additional memory for in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)
	Audio system feature, Bose Centrepoint Surround Sound premium 10-speaker system
	Infotainment display, 10.2" diagonal multi-colour touchscreen
	SiriusXM Radio with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favorites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.ca/ca for details and limitations.)
	SiriusXM NavTraffic. Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with SiriusXM NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destination faster and more easily than ever before. (SiriusXM satellite radio service and SiriusXM Traffic subscriptions are sold as a package after the trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-0528. See our Customer Agreement for complete terms at www.siriusxm.ca/terms. All fees and programming subject to change. SiriusXM Traffic is available only in select markets. For more information, see www.siriusxm.ca/traffic.)
	Radio, HD
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	Wireless Apple CarPlay/Wireless Android Auto
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket (STD)
	Keyless start, push button
	Seat trim, perforated leather-appointed
	Seat adjusters, 12-way power includes 8-way power driver and front passenger seats with 4-way power lumbar
	Seats, heated driver and front passenger
	Seats, heated and ventilated driver and front passenger
	Seats, heated second row outboard seats
	Seats, second row bucket, power release



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



1	Complete	
\vee	Complete	

Interior	
	Seats, third row 60/40 split-bench, power folding
	Console, floor with storage area and removable storage tray
	Floor covering, colour-keyed carpeting
	Floor mats, colour-keyed carpeted first and second row, removable
	Electronic Precision Shift
	Steering column, lock control, electrical
	Steering column, power tilt and telescopic
	Steering wheel, leather-wrapped
	Steering wheel, heated, automatic
	Steering wheel controls, mounted audio, Driver Information Centre, cruise control, Following Distance Indicator gap distance and heated steering wheel (when equipped)
	Driver Information Centre, enhanced, 8" diagonal multi-colour digital display includes analog speedometer and tachometer gauges
	Head-Up Display, 15" diagonal multi-colour
	Rear Seat Reminder
	Door locks, power programmable with lockout protection and delayed locking
	Keyless Open includes extended range Remote Keyless Entry
	Remote start
	Cruise control, electronic with set and resume speed (Deleted when (PCU) Premium Package, (PDM) High Country Deluxe or (KSG) Adaptive Cruise Control - Advanced are ordered.)
	Universal Home Remote includes garage door opener, programmable
	Theft-deterrent system, electrical, unauthorized entry
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down
	Memory settings, recalls 2 "driver" presets for power driver seat, outside rearview mirrors and power and tilt and telescopic steering column
	Wireless charging
	USB data ports 2, one type-A and one type-C, includes SD Card Reader, located within front centre console (When (DCH) power-sliding centre console is ordered, relocated within instrument panel.)
	USB data ports, 2, one type-A and one type-C, located within centre console (Deleted when (DCH) power-sliding centre console is ordered.)
	USB charging-only ports, 4, (2) located on rear of centre console and (2) in 3rd row



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



. 4		,
Y	Complete	

Interior	
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenge and rear seat occupants
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the centre console and rear cargo area
	Power outlet, front auxiliary, 12-volt, located in the centre stack of instrument panel
	Sill plates, bright, front and rear door (High Country-specific with logo.)
	Rear Camera Mirror, inside rearview auto-dimming with full camera display
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking (Replaced with (UGN) Enhanced Automatic Emergency Braking when (KSG) Adaptive Cruise Control - Advanced, (PCU) Premium Package or (PDM) High Country Deluxe are ordered.)
	Active Hill Hold Assist
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Exterior	
	Daytime Running Lamps, LED
Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



Safety-Interior	
Salety-Interior	
	Front and Rear Park Assist
	Following Distance Indicator
	HD Surround Vision
	Rear Camera Mirror Washer
	Rear Cross Traffic Alert
	Front Pedestrian Braking
	Rear Pedestrian Alert
	Lane Change Alert with Side Blind Zone Alert
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Safety Alert Seat
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
WARRANTY	

WARRANTY

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



Technical Specifications

Powertrain

_				_	
Tra	ns	mi	SS	iο	n

Drivetrain	Four Wheel Drive	Trans Order Code	MQC
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		

Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A

Engine

Engine Order Code	L87	Engine Type	Gas V8
Displacement	6.2L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	420 @ 5600	SAE Net Torque @ RPM	460 @ 4100
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	800	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



/all:ala			
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Vehicle			
Rear Door Type	Liftgate		
Chassis			
Weight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	N/A	Curb Weight - Rear	N/A
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	N/A	As Spec'd Payload	N/A
Maximum Payload Capacity	N/A	Gross Combined Wt Rating	N/A
Gross Axle Weight Rating	N/A	Curb Weight	N/A
Reserve Axle Capacity	N/A	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,402 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Multi-Link



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



nassis			
uspension			
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	XCG	Rear Tire Order Code	XCG
Spare Tire Order Code	XCQ	Front Tire Size	275/50R22
Rear Tire Size	275/50R22	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	558.8 x -TBD- mm	Rear Wheel Size	558.8 x -TBD- mm
Spare Wheel Size	431.8 x -TBD- mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	431.8 x -TBD- mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



Chassis			
Brakes			
Rear Brake Rotor Diam x Thickness	431.8 x -TBD- mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	N/A	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	7	Front Head Room	1,026.16 mm
Front Leg Room	1,130.3 mm	Front Shoulder Room	1,676.4 mm
Front Hip Room	1,562.1 mm	Second Head Room	952.5 mm
Second Leg Room	1,066.8 mm	Second Shoulder Room	1,645.92 mm
Second Hip Room	1,557.02 mm	Third Head Room	970.28 mm
Third Leg Room	886.46 mm	Third Shoulder Room	1,592.58 mm
Third Hip Room	1,254.76 mm		
Exterior Dimensions			
Wheelbase	3,070.86 mm	Length, Overall w/rear bumper	N/A
Length, Overall	5,351.78 mm	Width, Max w/o mirrors	N/A
Height, Overall	1,927.86 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0 m
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.



	4		
•	W/	Complete	١
Ĺ	~	Complete	,

Dimensions

Exterior	I IIMAN	CIONC
		310113

N/A Cab to Body

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	1,254.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	N/A
Cargo Volume to Seat 2	N/A	Cargo Volume to Seat 3	N/A
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

Exterior

Doors

Side Door Type N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11978. Data Updated: 20-Mar-2020 10:20:00 PDT PM.