



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$50,798.00

Interior:Jet Black, Leather-appointed front seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, Duramax 3.0L Turbo-Diesel I6

Transmission, 10-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST	\$50,798.00
OPTIONS		
1SP	RST Preferred Equipment Group	\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.
A48	Window, power, rear sliding	Inc.
A50	Seats, front bucket	Inc.
B1J	Wheelhouse liners, rear	Inc.
C5Z	GVWR, 7200 lbs. (3266 kg)	Inc.
CF5	Sunroof, power	\$1,325.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.
CJ2	Air conditioning, dual-zone automatic climate control	Inc.
CTT	Hitch Guidance	Inc.
CXH	Leather Package	\$995.00
D07	Centre Console, floor-mounted	Inc.
G80	Differential, heavy-duty locking rear	Inc.
GAZ	Summit White	\$0.00
GU5	Rear axle, 3.23 ratio	Inc.
H0Y	Jet Black, Leather-appointed front seat trim	\$0.00
IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

JL1	Trailer brake controller, integrated	Inc.	
K05	Engine block heater	Inc.	
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
LM2	Engine, Duramax 3.0L Turbo-Diesel I6		\$4,830.00
MCR	USB Ports (Inside Console with bucket seats), 2	Inc.	
MQB	Transmission, 10-speed automatic, electronically controlled	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
PCH	Convenience Package with Bucket Seats		\$0.00
PCM	Convenience Package II		\$1,895.00
PDB	LPO, Dark Essentials Package		\$455.00
PDU	True North Edition		\$3,380.00
PQB	Safety Package		\$1,095.00
PZ8	Hitch Guidance with hitch view	Inc.	
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
RBR	Wheels, 22" transit steel wheels for LPO 22" wheels and tires		\$0.00
RIA	LPO, All-weather floor liners		\$285.00
RIK	LPO, Black nameplates	Inc.	
SB7	LPO, Black tailgate lettering	Inc.	
SFE	LPO, Wheel locks, set of 4		\$0.00
SGM	LPO, 22" (55.9 cm) High Gloss Black wheels		\$4,165.00
SNR	Seat, Up-level Rear with Storage Package	Inc.	
U1D	Advanced Trailering System	Inc.	
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UD5	Front and Rear Park Assist, Ultrasonic	Inc.	
UFG	Rear Cross Traffic Alert	Inc.	
UG1	Universal Home Remote	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
 Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UVI	Trailer Camera Package		\$410.00
UVN	Bed View Camera	Inc.	
WPQ	Bed Protection Package		\$780.00
XCE	Tires, 275/50R22SL all-season, blackwall		\$0.00
Z82	Trailer Package	Inc.	
ZL6	Advanced Trailing Package		\$550.00
—	SiriusXM with 360L	Inc.	
—	Battery, heavy-duty 850 cold-cranking amps/95 Amp-hr, maintenance-free	Inc.	
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$500.00

SUBTOTAL	\$70,463.00
Adjustments Total	\$0.00
Total Tax	\$100.00
Destination Charge	\$1,900.00
TOTAL PRICE	\$72,463.00

FUEL ECONOMY

Est City:10.4 L/100 km

Est Highway:8.0 L/100 km

Est Highway Cruising Range:1,136.87 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Standard Equipment

Mechanical

Durabed, pickup bed

Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)

Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine with (NHT) Max Trailering Package.)

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)

Automatic Stop/Start

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine, (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)

Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exterior

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)

Tires, 265/65R18SL all-season, blackwall (STD)

Tire, spare 265/70R17SL all-season, blackwall (STD)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumper, front (Body-colour.)

Bumper, rear (Body colour.)

CornerStep, rear bumper



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Exterior

- Recovery hooks, front, frame-mounted, black
- Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
- Grille (Body colour bars with high gloss Black mesh inserts.)
- Black Bowtie, (front grille)
- Headlamps, LED reflector with LED signature Daytime Running Lamps
- Fog lamps, front, LED
- Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
- LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
- Taillamps, LED with signature
- Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
- Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)
- Glass, deep-tinted
- Door handles, body-colour
- Tailgate and bed rail protection cap, top
- Tailgate, gate function manual with EZ Lift includes power lock and release

Entertainment

- Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
- Audio system feature, 6-speaker system
- Bluetooth for phone, connectivity to vehicle infotainment system
- 4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCH) Convenience Package with Bucket Seats.)
- Seat trim, Cloth
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, colour-keyed carpeting
- Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Interior

- Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
- Steering wheel, urethane
- Steering wheel audio controls
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering column, lock control, electrical
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Centre, 4.2" diagonal colour display includes driver personalization
- Exterior Temperature Display located in radio display
- Compass located in instrument cluster
- Rear Seat Reminder
- Windows, power front, drivers express up/down
- Windows, power front, passenger express down
- Windows, power rear, express down
- Door locks, power
- Remote vehicle starter system
- Keyless Open and Start
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Theft-deterrent system, unauthorized entry
- USB ports, 2 (first row) located on instrument panel
- Air conditioning, single-zone manual, semi-automatic
- Air vents, rear, heating/cooling
- Defogger, rear-window electric
- Power outlet, front auxiliary, 12-volt
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
- Power outlet, rear auxiliary, 12-volt
- USB ports, dual, charge-only (2nd row)
- Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver


Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

- Basic Years: 3
- Basic Miles/km: 60,000
- Drivetrain Years: 5
- Drivetrain Miles/km: 100,000
- Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km
- Corrosion Years (Rust-Through): 6
- Corrosion Years: 3
- Corrosion Miles/km (Rust-Through): 160,000
- Corrosion Miles/km: 60,000
- Roadside Assistance Years: 5
- Roadside Assistance Miles/km: 100,000
- Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQB
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	10.4 L/100 km	EnerGuide Estimate - Hwy	8.0 L/100 km
Cruising Range - City	874.53 km	Cruising Range - Hwy	1,136.87 km

Engine

Engine Order Code	LM2	Engine Type	Turbocharged Diesel I6
Displacement	3.0L/183	Fuel System	N/A
SAE Net Horsepower @ RPM	277 @ 3750	SAE Net Torque @ RPM	460 @ 1500
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	850	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	252
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	10.43 kg	Standard Weight - Rear	16.78 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	131.54 kg	Option Weight - Rear	128.37 kg
Reserve Axle Capacity - Front	293.93 kg	Reserve Axle Capacity - Rear	682.21 kg
As Spec'd Curb Weight	2,471.21 kg	As Spec'd Payload	794.71 kg
Maximum Payload Capacity	1,081.84 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	976.15 kg	Total Option Weight	259.91 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,265.92 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,218.48 kg	Wt Distributing Hitch - Max Tongue Wt.	421.85 kg
Maximum Trailering Capacity	5,443.2 kg		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
 Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Chassis

Suspension

Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	XCE	Rear Tire Order Code	XCE
Spare Tire Order Code	QAQ	Front Tire Size	275/50R22SL
Rear Tire Size	275/50R22SL	Spare Tire Size	255/80R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	22" x -TBD- mm	Rear Wheel Size	22" x -TBD- mm
Spare Wheel Size	17" x 8" mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		

Exterior Dimensions

Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
 Data Version: 12509. Data Updated: 26-May-2020 10:13:00 PDT PM.