



Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck

MSRP:\$35,498.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10903	[Retail] 2020 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck		\$35,498.00
	OPTIONS		
1WT	Work Truck Preferred Equipment Group		\$0.00
A52	Seats, front 40/20/40 split-bench		\$0.00
AED	Windows, power front, passenger express down	Inc.	
AKO	Glass, deep-tinted	Inc.	
AQQ	Remote Keyless Entry, with 2 transmitters	Inc.	
AU3	Door locks, power	Inc.	
AXG	Windows, power front, drivers express up/down	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5H	GVWR, 6900 lbs. (3130 kg)		\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
CTT	Hitch Guidance	Inc.	
DLF	Mirrors, outside heated power-adjustable	Inc.	
E63	Durabed, pickup bed		\$0.00
G80	Differential, heavy-duty locking rear		\$450.00
GBA	Black		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.



ven	icie. [Retail] 2020 Che	evrolet Silverado 1500 (CK10903) 4WD Reg Cab 140	WOIK ITUCK	(V Complete)
	IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo		\$0.00
	K05	Engine block heater		\$195.00
	K34	Cruise control, electronic	Inc.	
	KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
	L82	Engine, 5.3L EcoTec3 V8		\$1,845.00
	MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
	PCV	WT Convenience Package	Inc.	
	PEB	WT Value Package		\$2,560.00
	Q5U	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum		\$405.00
	QBN	Tires, 255/70R17 all-season, blackwall		\$0.00
	QBR	Tire, spare 255/70R17 all-season, blackwall		\$0.00
	QT5	Tailgate, gate function manual with EZ Lift	Inc.	
	SFE	LPO, Wheel locks, set of 4		\$80.00
	UF2	LED Cargo Area Lighting		\$150.00
	Z82	Trailering Package	Inc.	
	_	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free	Inc.	
		Federal air conditioning excise tax		\$100.00
		Option/package discount		-\$500.00
		SUBTOTAL		\$41,283.00
		Adjustments Total		\$0.00
		Total Tax		\$100.00
		Destination Charge		\$1,900.00
		TOTAL PRICE		\$43,283.00

FUEL ECONOMY

Est City:15.9 L/100 km

Est Highway:11.8 L/100 km

Est Highway Cruising Range:897.73 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.



Standard Equipment

-	•
Mechanical	
	Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	Durabed, pickup bed (STD)
	GVWR, 6900 lbs. (3130 kg) (STD) (Regular Cab model requires 4WD.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Cooling, external engine oil cooler
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front, Black (semi-gloss)
	Bumper, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black (Included with 4WD models.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.



(🗸	Complete
-----	----------

Exterior	
	Grille (Black bars and mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside manual, Black
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package is ordered.)
	Tailgate, gate function manual no EZ lift
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 2-speaker (Requires Regular Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochrome display
	Exterior Temperature Display located in radio display
	Windows, manual (Requires Regular Cab model.)
	Door locks, manual (Requires Regular Cab model.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.



(🗸 (Complete
-------	----------

Interior	
	USB port, located on instrument panel
	Air conditioning, single-zone
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
WARRANTY	
	Pagia Vagray 2

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.





Technical Specifications

Powertrain Transmission Four Wheel Drive Trans Order Code MYC Drivetrain Trans Type 6 Trans Description Cont. Automatic Trans Description Cont. Again First Gear Ratio (:1) 4.03 N/A Second Gear Ratio (:1) Third Gear Ratio (:1) 2.36 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 Sixth Gear Ratio (:1) 0.66 Reverse Ratio (:1) 3.06 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High 1.00 N/A Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City 15.9 L/100 km 11.8 L/100 km EnerGuide Estimate - Hwy 666.23 km 897.73 km Cruising Range - City Cruising Range - Hwy **Engine Engine Order Code** L82 **Engine Type** Gas V8 Displacement 5.3L/325 Fuel System **Direct Injection** SAE Net Torque @ RPM SAE Net Horsepower @ RPM 355 @ 5600 383 @ 4100 Engine Oil Cooler N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) N/A 720 Cold Cranking Amps @ 0° F (2nd) Maximum Alternator Capacity (amps) 170 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System**



Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.

13-Jun-2020 Page 6

N/A





Vel	nicle				
Er	nissions				
	Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	331	
Cha	assis				
W	eight Information				
	Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg	
	Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg	
	Curb Weight - Front	1,266.45 kg	Curb Weight - Rear	811.94 kg	
	Option Weight - Front	31.3 kg	Option Weight - Rear	22.68 kg	
	Reserve Axle Capacity - Front	425.93 kg	Reserve Axle Capacity - Rear	889.06 kg	
	As Spec'd Curb Weight	2,132.37 kg	As Spec'd Payload	997.47 kg	
	Maximum Payload Capacity	1,051.44 kg	Gross Combined Wt Rating	6,804 kg	
	Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,078.4 kg	
	Reserve Axle Capacity	1,314.99 kg	Total Option Weight	53.98 kg	
	Payload Weight Front	0 kg	Payload Weight Rear	0 kg	
	Gross Vehicle Weight Rating	3,129.84 kg			
Tr	ailering				
- 11		2 269 kg	Dood Waight Hitch May Tangua Wt	226 9 kg	
	Dead Weight Hitch - Max Trailer Wt. Wt Distributing Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg	
	Maximum Trailering Capacity	4,445.28 kg	Wt Distributing Hitch - Max Tongue Wt.	444.53 kg	
	Maximum Trailering Capacity	4,445.28 kg			
Fr	ame				
	Frame Type	Box Ladder	Sect Modulus Rails Only	N/A	
	Frame RBM	N/A	Frame Strength	N/A	
	Frame Thickness	N/A			
•					
31	Supposion Type Front	la demonderet	Cuanancias Tuna Dass	Callel Avda	
	Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle	
	Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A	
	Axle Type - Front	N/A	Axle Type - Rear	N/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.





Chassis			
Suspension			
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	17" x 8" mm	Rear Wheel Size	17" x 8" mm
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	13.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07	Drum - Rear (Yes or)	N/A
Real Blake Role Blatt & Hillorides	mm	Diam Noai (100 or)	14/71
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.





assis			
uel Tank			
Fuel Tank Capacity, Approx	106 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	3	Front Head Room	1,094.99 mr
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,677.92 mr
Front Hip Room	1,546.86 mm	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
cterior Dimensions			
Wheelbase	3,544.82 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,829.3 mm	Width, Max w/o mirrors	2,060.96 mr
Height, Overall	1,921 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	208.79 mm
Ground Clearance, Rear	208.79 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	2,493.77 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	2,523.04 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12599. Data Updated: 7-Jun-2020 10:27:00 PDT PM.