


Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT ( Complete)

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT

MSRP:\$47,798.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Silver Ice Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled


OPTIONS

CODE	MODEL	MSRP
CK10743	[Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT	\$47,798.00
OPTIONS		
1LT	LT Preferred Equipment Group	\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.
A48	Window, power, rear sliding	Inc.
AAK	LPO, All-weather floor liners	\$285.00
AVJ	Keyless Open and Start	Inc.
AZ3	Seats, front 40/20/40 split-bench	Inc.
B1J	Wheelhouse liners, rear	Inc.
BTV	Remote vehicle starter system	Inc.
C49	Defogger, rear-window electric	Inc.
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.
CJ2	Air conditioning, dual-zone automatic climate control	Inc.
CTT	Hitch Guidance	Inc.
G80	Differential, heavy-duty locking rear	Inc.
GAN	Silver Ice Metallic	\$0.00
GU5	Rear axle, 3.23 ratio	\$0.00
H0U	Jet Black, Cloth seat trim	\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.




Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT ( Complete)

IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	
JHD	Hill Descent Control	Inc.	
JL1	Trailer brake controller, integrated	Inc.	
K47	Air filter, high-capacity	Inc.	
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,845.00
MCR	USB Ports (Instrument Panel with bench seat), 2	Inc.	
MQE	Transmission, 8-speed automatic, electronically controlled	Inc.	
N06	Steering column, lock control, electrical	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package	Inc.	
PCM	Convenience Package II		\$1,495.00
PDU	True North Edition		\$3,795.00
PZ8	Hitch Guidance with hitch view	Inc.	
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	Inc.	
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
R7O	Seat, Cloth Rear with Storage Package	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$180.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT ( Complete)

U1D	Advanced Trailering System	Inc.	
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UG1	Universal Home Remote	Inc.	
USS	USB ports, dual, charge-only (2nd row)	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
UVB	HD Rear Vision Camera	Inc.	
VOZ	LPO, Tri-fold hard tonneau cover		\$1,460.00
VXH	LPO, Assist steps, chromed tubular, 6" rectangular		\$900.00
WPQ	Bed Protection Package		\$780.00
XCK	Tires, 265/65R18SL all-terrain, blackwall	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
Z71	Z71 Off-Road Package		\$1,400.00
Z82	Trailering Package	Inc.	
ZL6	Advanced Trailering Package		\$550.00
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$500.00
—	SiriusXM with 360L	Inc.	
SUBTOTAL			\$60,068.00
Adjustments Total			\$0.00
Total Tax			\$100.00
Destination Charge			\$1,900.00
TOTAL PRICE			\$62,068.00

FUEL ECONOMY

Est City:14.7 L/100 km

Est Highway:10.7 L/100 km

Est Highway Cruising Range:850 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (✓ Complete)

Standard Equipment

Mechanical

Durabed, pickup bed

Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)

Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package.)

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)

Automatic Stop/Start

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine.)

Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine, (VYU) Snow Plow Prep Package or (NHT) Max Trailering Package.)

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum (STD)

Tires, 255/70R17 all-season, blackwall (STD)

Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumper, front chrome

Bumper, rear chrome


CornerStep, rear bumper

Recovery hooks, front, frame-mounted, black (Included with 4WD models.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT ( Complete)

Exterior

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner

Grille (Chrome bars with high gloss Black mesh inserts.)

Headlamps, LED reflector with LED signature Daytime Running Lamps

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel

Taillamps, with incandescent tail, stop and reverse lights

Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)

Mirror caps, chrome (Not available with (DPO) trailering mirrors.)

Glass, deep-tinted

Door handles, body-colour

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCL) Convenience Package is ordered.)

Tailgate, gate function manual with EZ lift

Entertainment

Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)

Audio system feature, 6-speaker system

Bluetooth for phone, connectivity to vehicle infotainment system

4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Interior

Seats, front 40/20/40 split-bench with covered armrest storage (STD) (Not available with (PCL) Convenience Package.)

Seat trim, Cloth

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting

Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)


Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)

Steering wheel, urethane



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT ( Complete)

Interior

- Steering wheel audio controls
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Centre, 4.2" diagonal colour display includes driver personalization
- Exterior Temperature Display located in radio display
- Compass located in instrument cluster
- Rear Seat Reminder
- Windows, power front, drivers express up/down
- Windows, power front, passenger express down
- Windows, power rear, express down
- Door locks, power
- Remote Keyless Entry, with 2 transmitters
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- USB ports, 2 (first row) located on instrument panel
- Air conditioning, single-zone manual, semi-automatic
- Air vents, rear, heating/cooling
- Power outlet, front auxiliary, 12-volt
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
- Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)

Safety-Mechanical

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps with automatic exterior lamp control

Safety-Interior


- Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

- OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT ( Complete)

Safety-Interior

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EnerGuide Estimate - City	14.7 L/100 km	EnerGuide Estimate - Hwy	10.7 L/100 km
Cruising Range - City	618.71 km	Cruising Range - Hwy	850 km

Engine

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
 Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (✔ Complete)

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	303
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	5.44 kg	Standard Weight - Rear	4.54 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,323.6 kg	Curb Weight - Rear	884.07 kg
Option Weight - Front	69.4 kg	Option Weight - Rear	85.73 kg
Reserve Axle Capacity - Front	325.23 kg	Reserve Axle Capacity - Rear	749.35 kg
As Spec'd Curb Weight	2,372.78 kg	As Spec'd Payload	847.78 kg
Maximum Payload Capacity	1,012.89 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,207.67 kg
Reserve Axle Capacity	1,074.58 kg	Total Option Weight	155.13 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,309.2 kg	Wt Distributing Hitch - Max Tongue Wt.	430.92 kg
Maximum Trailering Capacity	5,125.68 kg		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
 Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (Complete)

Chassis

Suspension

Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	XCK	Rear Tire Order Code	XCK
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	18" x 8.5" mm	Rear Wheel Size	18" x 8.5" mm
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	15.09 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		

Exterior Dimensions

Wheelbase	3,986.53 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	6,126.73 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,915.16 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	201.93 mm
Ground Clearance, Rear	201.93 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	2,017.78 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	2,030.32 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.